



HERO PANELS







HERO 01 p. 200

HERO 02 p. 200





HERO 03 p. 201

HERO 04 p. 201





HERO 05 p. 202

HERO 06 p. 202





HERO 07 p. 203

HERO 08 p. 203

RYFLA PANELS

NEW



RYFLA 01 p. 204

TABLE OF CONTENTS


Colours	8
Glazing types	10
Door opening directions	11
Door leaf construction	12
Description of symbols	18
Internal doors	
- BRILLIANT Collection	23
- ELEGANTE Collection	43
- PRESTIGE Collection	61
- BASIC Collection	107
Internal entrance doors	135
Made to Measure Doors	143
Door Frames and Accessories	179
Door Frances and Accessories	
Decorative panels	
	198
Decorative panels	198 204
Decorative panels - HERO Collection	
Decorative panels - HERO Collection - RYFLA collection	204

VALUABLE INFORMATION

For the latest version of the catalogue, always go to: vivento.pl/katalog



BRILLIANT COLLECTION



PRESTIGE COLLECTION



PA p. 62



AN p. 64



PB p. 66



PC p. 68



PK p. 78



PL p. 80



PN p. 82



PO p. 84



PT p. 94



PU p. 96



PW p. 98




PX p. 100


ELEGANTE COLLECTION







EB p. 46



EC p. 48




ED p. 50



EE p. 52



EF p. 54



EG p. 56



EH p. 58



PE p. 70



PH p. 72



PI p. 74



PJ p. 76



PP p. 86



PQ p. 88



PR p. 90



MI p. 92



PY p. 102



PZ p. 104




Please contact us if you don't find the door you are looking for.
Our Bespoke Doors Department is looking forward to new challenges!

Write to us: info@vivento.p



BASIC COLLECTION



INTERNAL ENTRANCE DOORS

SARA

p. 133



ANATOLIA

p. 132

SOLID PLUS STANDARD p. 136



SOLID PLUS ASTORIA p. 136



SOLID PLUS VEGAS p. 136



ACOUSTIC p. 138



EI30, EI60 FIRE ACOUSTIC p. 140

MADE TO MEASURE DOORS



INVE Versatile Doors p. **148**



SIMPLE Non-rebated Doors p. **150**



Reversed swing doors p. **152**



INVISIBLE flush with the wall doors p. **154**



CONTRAST Doors p. **156**



Dual Colour Doors p. **158**



Angled doors p. **159**



Doors with pet flap p. **160**



INSET doors with access shutter window p. **162**



SWING double-acting doors p. **164**



Double doors p. **166**



Wall-mounted system sliding doors p. **168**



MAGIC wall-mounted system sliding doors p. **170**



LOFT wall-mounted system sliding doors p. **172**



Pocket sliding door system p. **174**



FOLD bifold doors p. **176**

COLOURS

Choose the perfect colour for you!

We offer as many as six Colour Group ranges, so everyone will find a look that works perfectly for them. Dark wood effect tones will add elegance and chic, while light hues will enlarge the space visually. Or would you prefer something more modern and original? If so, search our door ranges for white, grey, black or even navy blue finishes. Choose a door that perfectly matches your interior.

All colours or finishing layers shown in the catalogue have been obtained by printing which, limited as it is, may have affected their real-life looks. The perception of colour is also influenced by lighting, the type of substrate and its texture, and the colour of the surroundings. A sample size exhibited here will also have some effect on how one will actually assess its colour and texture, which is why we recommend that you use reference samples and the products on display during a visit to one of our showrooms. The finishing layer sample shown for reference is only one slice of a whole. Decorative foil is made to imitate nature and is varied in itself. Depending on which part of a roll is used, the product may differ from its reference sample, which is not a defect.

PVC GROUP WWWWW

The door leaves are finished with a high quality PVC film that creates a wood grain effect (excluding the Supermatt Grey finishing layer). High resistance to mechanical damage, staining and UV radiation makes these doors ideal for use in both residential and public buildings. The door frames are made in the PP range.







White Grain

Supermatt Grey

Natural Grandson Oak

PP Group ₩₩₩₩₩₩

The doors are finished with decorative polypropylene-based film coated with a transparent thermosetting varnish to protect its surface from scratches. A high quality product that can be used in both high foot traffic and residential buildings.













Supermatt White

White Grain

att Grey Light

Navy blue

Natural Grandson Oak

CPL GROUP ₩₩₩₩₩

The doors feature a high quality two-layer laminate finish consisting of paper impregnated with thermosetting resins and a backing material to give the product elasticity. The laminate has a high surface hardness, resistance to scratching and abrasion, plus in the Luminous Grey and Walnut shades, it provides a natural wood effect thanks to the mechanically produced texture on their surfaces.













Uni White

Uni Grey

Luminous Grey

Uni Anthracit

Walnut

Uni Blaci

CLPL GROUP ₩₩₩₩₩

The door leaves and frames in this group are finished with extremely durable CLPL synthetic laminate. The decorative layer is coated with melamine-acrylic-polyurethane resin, which perfectly protects the surface against abrasion, damage and the effects of light. The high quality facing bears a striking resemblance to beautiful, natural wood grain, which makes it the solution of choice for homes, flats, schools, offices and hotels.









Bleached Larch


Honey Oak

Spanish Oak

Old Oak

FF GROUP ₩₩♥♥♥

Both the door leaves and frames are covered with abrasion-resistant wood grain finish foil. Durable and carefully made, they are a perfect choice for customers looking for stunning effects.



LAK GROUP *** *** *** ***

The door leaves of this group come with a varnished HDF finish, coated with a UV filter coating and providing increased scratch resistance. They guarantee trouble-free use for many years. A distinctive quality of this colour group is that the colour of the door leaf differs in shade from that of the door frame, finishes and glazing beads.





Nussbaum Walnut



Bengali Mango



White

Delano Oak

Bleached Oak


Silver Oak

Scandinavian Elm


Anthracite Oak

GLAZING TYPES

You can create a unique interior with our wide selection of glasses. Our range includes frosted, transparent, motif and coloured glass. Choose one of them to provide your doors with a personalised look and create an interesting decorative effect. For doors installed in your bathroom or bedroom, specially glazed doors have the practical feature of providing privacy. Explore our glazing type range and choose the one that best suits your needs and tastes.




DOOR OPENING DIRECTIONS




DOOR LEAF CONSTRUCTION

THE BRILLIANT RAIL AND STILE DOORS




DOOR LEAF CONSTRUCTION **ELEGANTE** RAIL AND STILE DOORS




DOOR LEAF CONSTRUCTION

THE **PRESTIGE** RAIL AND STILE DOORS




DOOR LEAF CONSTRUCTION

BASIC FLUSH DOORS



DOOR LEAF CONSTRUCTION SOLID PLUS BASIC DOORS



DESCRIPTION OF SYMBOLS

TYPES OF DOOR LEAF CONSTRUCTION

- 1. Panels with a decorative layer or glass
- Solid and robust frame in MDF (ELEGANTE and PRESTIGE) or wood and MDF (BRILLIANT)
- 3. Wooden dowels
- Stabilising tongues






Rail and Stile

RAIL AND STILE DOORS

Not only are the BRILLIANT, ELEGANTE and PRESTIGE ranges extraordinarily attractive, but they also last extremely long thanks to the rail and stile technology used in all models. It uses a solid, warp-resistant frame of rails and stiles consisting of wood-based panels or including wooden parts. All the components are robust. as dowels and so-called stabilising tongues additionally strengthen and stabilise the door leaf. The rail and stile doors can be cut to size by up to 30 mm.

- HDF outer layer (facing)
- Strengthening and stabilising "honevcomb
- Double MDF frame





MDF

MDF CONSTRUCTION


The construction is based on a sturdy frame made of wood-based MDF with a strengthening and stabilising core layer called "honeycomb". The outer layer is a 3 mm thick wood-based HDF finished with a selected decorative layer. Thanks to the use of a double lower rail, the door can be cut to size by up to 30 mm.

- 1. HDF outer layer (facing)
- Strengthening and stabilising 'honeycomb" core
- 3. Double softwood frame






Timber



TIMBER FRAME

The technology available in the BASIC doors is a robust and timeless solution. The construction is based on a traditional softwood frame. The core layer is made of a strengthening and stabilising layer called "honeycomb". The outer layer, known as the facing, consists of a 3 mm thick wood-based HDF finished with a selected decorative layer. Thanks to the use of a double lower rail, the timber construction door can be cut to size by up to 60 mm.

- HDF outer layer (facing)
- Solid core board
- Double softwood frame





Solid core board

CONSTRUCTION WITH SOLID CORE FILLING

The core, made with a board, is a very durable and sturdy solution. A timber frame provides a basis for the construction, with the core built with a solid board. The outer layer is a 3 mm thick wood-based HDF finished with a decorative layer from a selected colour group. Thanks to the use of a double lower rail, the door can be cut to size by up to 60 mm.

DESCRIPTION OF SYMBOLS



Tailor-made

MADE TO MEASURE DOORS

Your order can specify a door with a non-standard width or height, adjusted to the dimensions of an existing door opening. Options include additional hinges required for longer doors or a different lock position. For more information, see p. 143.

made to measure doors

VIVENTØ



Rail and Stile

RAIL AND STILE DOORS

A solid, warp-resistant frame of rails and stiles consisting of wood-based panels or wood and MDF. All its components are robust, as dowels and so-called stabilising tongues additionally strengthen and stabilise the door leaf. For more information, see p. 12, 13, 14, 17.



MDF

MDF FRAME

MDF frame as standard. Timber frame available for the BASIC door collection at an extra charge. For more information, see p. 15 and 17.



construction

TIMBER FRAME

A robust solution available as an option for BASIC doors. Softwood frame with reinforcing core layer, socalled "honeycomb". The facing is made of 3 mm thick wood-based HDF.



SOLID CORE BOARD

A standard solution for the SOLID PLUS door collection. Available as an option for BASIC collection doors. For the "60", "70" and "80" door widths, an extra charge applies for an additional hinge.



Rail and Stile

GLAZING BEADS

BASIC collection doors are fitted with modern glazing beads. For more information, see p. 15.



& VSG 3.3.1 Glass

VSG 2.2.1 & VSG 3.3.1 GLASS

Plain on both sides, the glass has increased resistance and mechanical strength. An option for the PRESTIGE door collection, and as standard in the BRILLIANT and ELEGANTE collections. For more information, see p. 10.



Tempered

TEMPERED GLASS

Tempered satin glass with a thickness of 4 mm, as standard in the PRESTIGE collection.



SOFT


EDGE SOFT

Rounded, visually soft rebated door edges are available as an option for the BASIC Collection rebated doors. Reducing the door's thickness, the edging is bevelled towards the face surface and its end is rounded. This way, the door circumference is highlighted when it is closed. We recommend using the SOFT edge system in combination with the Contrast System. Available finishing layers for the SOFT edge: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut.

EDGE FINISH TYPES



rebated door



ebated door



2 hinges



Modern nickel



3 hinges as standard



3D hinges



3 reinforced hinges



Black, white or gold hinges

HARDWARE

The BRILLIANT, ELEGANTE and PRESTIGE door collections use 3 screw hinges as standard, ensuring excellent door stability and high load bearing capacity. BASIC Collection doors are fitted with 2 hinges as standard (3 in the "90" door). An additional hinge is required for doors with the widths of "110", "60" to "80" with a solid core infill, doors lengthened by 110 mm to 240 mm in the BRILLIANT Collection, by up to 470 mm in the ELEGANTE and PRESTIGE Collections, and by up to 450 mm in the BASIC Collection. The ELEGANTE and PRESTIGE collections come with hinges covered with a nickel coating for a shiny and smart look. The top class hinges in the BRILLIANT collection emphasise the modern design of doors made for the most discerning users. The reinforced doors from the SOLID PLUS collection are fitted with 3 reinforced 3D hinges (adjustable in three planes).



Nickel hinges fitted as standard in the BRILLIANT Collection



White



Hinges fitted in the BRILLIANT Collection as an option at no extra cost



Nickel hinges fitted as standard in the ELEGANTE & PRESTIGE collections



Galvanised hinges fitted as standard in the BASIC Collection



3D hinges installed on the SOLID PLUS doors as standard



60-90



100-200



Rebated



SIMPLE Non-robator



Sliding Non-rebated

DOOR WIDTH

"60", "70", "80" and "90" widths are available as standard. Other sizes ("100", "110") are charged extra according to the door model selected. We manufacture double doors in the width range of "100" to "200", depending on the collection and door model.

REBATED DOORS

As standard in the BRILLIANT, ELEGANTE, PRESTIGE and BASIC collections. This system uses a door with a lip (recess, rebate) which overlaps the frame. A lock is concealed in the rebate. All visible hinges and decorative details on the doors highlight the character of both traditionally furnished interiors and modern ones.

NON-REBATED DOORS IN THE SIMPLE SYSTEM

Available as an option for the BRILLIANT, ELEGANTE, PRESTIGE and BASIC doors. This system incorporates a straight door edge that forms a single plane with the door frame. Visually more modern, without decorative details, it is ideal for minimalist interior décor.

NON-REBATED DOORS IN THE SLIDING SYSTEM

A door without a rebate, with straight edges, uses a pull handle instead of a lever handle. A modern and minimalist solution for a wide range of applications.

DESCRIPTION OF SYMBOLS

VENTILATION

Doors installed in rooms that require proper ventilation (e.g. bathrooms) must, in accordance with building regulations, have special ventilation openings with a total area of free air gap of 0.022 m². The indicated air throughput is met by the air grille. Other available solutions can also be used, with adequate clearance between the door leaf and the floor, depending on the width of the leaf, so that the total air throughput is 0.022 m².

In order to best meet the needs of users, Vivento doors can come with an undercut or be fitted with sleeves in plastic or metal, or air grilles in plastic or stainless steel. For the BRILLIANT, ELEGANTE and Prestige door collections, the air grille is available for doors with a width no less than "80". The Acoustic door series is provided with a fire rated air grille (excluding smoke control doors). When using an air grille, you can shorten the door on your own up to a maximum of 30 mm. For shorter, made-to-measure doors, check that the chosen form of ventilation is feasible.

For detailed information, please find the description of the selected door model.







PLASTIC VENTILATION SLEEVES



Chrome











SLEEVES



METAL VENTILATION





Ventilation

NUMBER OF SLEEVES IN DOOR LEAVES

Door leaf width	Number of sleeves	Number of sleeves		
Door lear width	BRILLIANT, ELEGANTE, PRESTIGE	BASIC		
60	3	4		
70	4	4		
80	4	5		
90	5	5		
100	5	5		
110	5	5		



Air grille



Air grille

PLASTIC VENTILATION GRILLE



AVAILABLE COLOURS

White, Bleached Oak, Halifax Oak, Silver Oak, Silver Matt, Luminous Grey, Old Oak, Walnut, Nussbaum Walnut

STAINLESS STEEL AIR GRILLE



AVAILABLE COLOURS

stainless steel, painted white, painted black





VENTILATION UNDERCUT





Bolt locks

BOLT LOCKS

As standard, the SOLID PLUS reinforced doors are fitted with: Two mortise pin tumbler cylinder locks with a euro profile cylinder (so-called bolt locks) provide tight closure and a feeling of security.



Door viewer

200° PANORAMIC DOOR VIEWER

Standard for the SOLID PLUS door collection. High quality door viewer available in various colours.





THRESHOLDS

Depending on users' individual needs, a wooden threshold without any decorative layer or a stainless steel threshold, both with seals, can be supplied to match a selected door. Installing a threshold has a positive effect on the door tightness, thermal insulation and aesthetics.





Drop down

DROP DOWN SEAL

Standard Acoustic door component, available as an option in the BRILLIANT, ELEGANTE, PRESTIGE, BASIC and SOLID PLUS door series. It provides a barrier that protects rooms from penetration by air, sound, dust, insects and even smoke and fire. It improves sound and thermal insulation.



Sound insulation

ACOUSTIC INSULATION

The special construction of Vivento acoustic doors and a well-thought-out sealing system ensure excellent sound insulation at a level of 32 dB (27 dB for double doors).



Fire resistant EI30/EI60

FIRE EI30/EI60

The practical and reliable Acoustic Fire rated doors (EI30 and EI60) will provide the necessary fire protection in the fire resistance range of EI30 or EI60, respectively.



DOOR CLOSER

DOOR CLOSER

Fire rated doors are critical for a building's safety, which is why they must meet conditions such as integrity and access control, as well as being fitted with a door closer that is suitable for the width and weight of a door leaf. The Vivento Acoustic fire rated doors come with either surface-mounted or concealed fully approved door closers. The door closer is an essential accessory for fire rated doors.



Reversible

REVERSIBLE DOORS

Reversed swing doors or just reverse doors are different from conventional doors in the way they are installed. They swing open towards the interior of a room, as their external side is flush with the wall. In other words, they typically swing in, although they look as if they swung out. For example, they are perfect for small corridors.



Two-tone

DOUBLE-COLOUR DOORS

You can create an original colour accent in your home with this door solution which uses two colours to match different décors in the rooms on both sides of a door. Dual Colour Doors feature the construction of the models from the BASIC Collection within one of the Colour Group ranges.




INTERNAL DOORS

/ BRILLIANT

Modern design, top quality materials, exceptional durability. BRILIANT collection doors are an excellent choice for the most discerning users.



COLOUR: CPL Uni White





Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200

Tailor-made

BRILLIANT

















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of wood and MDF

DOOR FRAME VARIANTS

- Fixed: MDF
- Adjustable: DIN (available for wall thicknesses of min. 80 mm)

COMPONENTS

- VSG 2.2.1 satin glass, plain finish on both sides, 4 mm
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- BRILLIANT screw-in hinges, nickel coloured (black, white or gold options at no extra charge), 3 pcs.

Light Grey

PRICE LIST

Calania amana	Price in PLN excl./(inc.) VAT
Colour group Glass: Satin VSG 2.2.1	Glass: Satin VSG 2.2.1
PP	1130.00 (1389.90)
CPL	1090.00 (1340.70)
CLPL	1050.00 (1291.50)

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge calculated on an individual basis.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 240 mm longer (feasibility evaluated case by case)	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 240 mm longer)	25.00 (30.75)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system (3 hinges)	290.00 (356.70)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors (excluding the PP colour group)	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
mactive abor tear for ababic abors, with 52 in thin. 616, 716, 616, 516	
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩



Natural Grandson Oak

Navy blue





25 **BRILLIANT Collection** www.vivento.pl



COLOUR: CPL Uni Grey





Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200



BRILLIANT

















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of wood and MDF

DOOR FRAME VARIANTS

- Fixed: MDF
- Adjustable: DIN (available for wall thicknesses of min. 80 mm)

COMPONENTS

- VSG 2.2.1 satin glass, plain finish on both sides, 4 mm
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- BRILLIANT screw-in hinges, nickel coloured (black, white or gold options at no extra charge), 3 pcs.

PRICE LIST

Calania amana	Price in PLN excl./(inc.) VAT
Colour group	Glass: Satin VSG 2.2.1
PP	1120.00 (1377.60)
CPL	1080.00 (1328.40)
CLPL	1050.00 (1291.50)


You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge calculated on an individual basis.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 240 mm longer (feasibility evaluated case by case)	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 240 mm longer)	25.00 (30.75)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system (3 hinges)	290.00 (356.70)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors (excluding the PP colour group)	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
to active decorded from a devictor before the CO in many 1010	160.00 (196.80)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.60)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩









COLOUR: CPL Uni Anthracite





Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90







BRILLIANT

















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of wood and MDF

DOOR FRAME VARIANTS

- Fixed: MDF
- Adjustable: DIN (available for wall thicknesses of min. 80 mm)

COMPONENTS

- VSG 2.2.1 satin glass, plain finish on both sides, 4 mm
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- BRILLIANT screw-in hinges, nickel coloured (black, white or gold options at no extra charge), 3 pcs.

PRICE LIST

Calania amana	Price in PLN excl./(inc.) VAT
Colour group	Glass: Satin VSG 2.2.1
PP	1250.00 (1537.50)
CPL	1160.00 (1426.80)
CLPL	1110.00 (1365.30)


You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge calculated on an individual basis.

OPTIONS WITH AN EXTRA CHARGE

ION-STANDARD WIDTH	EXTRA CHARGE
100" width	70.00 (86.10)
Vidths < "60"	430.00 (528.90)
lon-standard width	210.00 (258.30)
ION-STANDARD HEIGHT	
p to 60 mm shorter	60.00 (73.80)
fore than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
lp to 240 mm longer (feasibility evaluated case by case)	220.00 (270.60)
odification of a model due to a non-standard door height (for more than 0 mm either longer or shorter doors)	100.00 (123.00)
additional hinge (required for doors that are 110 mm to 240 mm longer)	25.00 (30.75)
Change of lock position (recommended for doors with a non-standard height	70.00 (86.10)
ENTILATION	
entilation undercut	30.00 (36.90)
letal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
lastic ventilation sleeves in matt black, white, gold, satin chrome or chrome pcs)	16.00 (19.68)
lastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
lon-rebated door, SIMPLE system (3 hinges)	290.00 (356.70)
lon-rebated door, wall-mounted standard sliding system, wall-mounted and ocket LOFT doors (excluding the PP colour group)	50.00 (61.50)
nactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
nactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
and the second and form and another land contains CO to second 1010	160.00 (196.80)
nactive door leaf for a double leaf, width S2 in mm: 1010	100.00 (150.00)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩









COLOUR: CPL Luminous Grey





Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard





100



Tailor-made



















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of wood and MDF

DOOR FRAME VARIANTS

- Fixed: MDF
- Adjustable: DIN (available for wall thicknesses of min. 80 mm)

COMPONENTS

- VSG 2.2.1 satin glass, plain finish on both sides, 4 mm
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- BRILLIANT screw-in hinges, nickel coloured (black, white or gold options at no extra charge), 3 pcs.

Light Grey

PRICE LIST

C-1	Price in PLN excl./(inc.) VAT
Colour group	Glass: Satin VSG 2.2.1
PP	1190.00 (1463.70)
CPL	1150.00 (1414.50)
CLPL	1140.00 (1402.20)


You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge calculated on an individual basis.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 240 mm longer (feasibility evaluated case by case)	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 240 mm longer)	25.00 (30.75)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION Ventilation undercut	30.00 (36.90)
Metal ventilation undercut Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system (3 hinges)	290.00 (356.70)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors (excluding the PP colour group)	50.00 (61.50)
nactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
	00.00 (410.70)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910 Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (110.70)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩



Natural Grandson Oak

Navy blue







COLOUR: PP Supermatt Grey





Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90







BRILLIANT

















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of wood and MDF

DOOR FRAME VARIANTS

- Fixed: MDF
- Adjustable: DIN (available for wall thicknesses of min. 80 mm)

COMPONENTS

- VSG 2.2.1 satin glass, plain finish on both sides, 4 mm
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- BRILLIANT screw-in hinges, nickel coloured (black, white or gold options at no extra charge), 3 pcs.

PRICE LIST

C-1	Price in PLN excl./(inc.) VAT
Colour group Glass: Satin VSG 2.2.1	Glass: Satin VSG 2.2.1
PP	1130.00 (1389.90)
CPL	1070.00 (1316.10)
CLPL	1060.00 (1303.80)


You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge calculated on an individual basis.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 240 mm longer (feasibility evaluated case by case)	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 240 mm longer)	25.00 (30.75)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system (3 hinges)	290.00 (356.70)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors (excluding the PP colour group)	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
to active decorded from a devictor before the CO in many 1010	160.00 (196.80)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.60)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩










COLOUR: PP White Grain





Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90





Tailor-made



















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of wood and MDF

DOOR FRAME VARIANTS

- Fixed: MDF
- Adjustable: DIN (available for wall thicknesses of min. 80 mm)

COMPONENTS

- VSG 2.2.1 satin glass, plain finish on both sides, 4 mm
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- BRILLIANT screw-in hinges, nickel coloured (black, white or gold options at no extra charge), 3 pcs.

Light Grey

PRICE LIST

Colour group	Price in PLN excl./(inc.) VAT
	Glass: Satin VSG 2.2.1
PP	1170.00 (1439.10)
CPL	1110.00 (1365.30)
CLPL	1100.00 (1353.00)


You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge calculated on an individual basis.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 240 mm longer (feasibility evaluated case by case)	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 240 mm longer)	25.00 (30.75)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system (3 hinges)	290.00 (356.70)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors (excluding the PP colour group)	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩



Navy blue







COLOUR: PP Natural Grandson Oak





Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200

Tailor-made



















AVAILABLE WIDTHS

CONSTRUCTION

• A robust rail and stile construction made of wood and MDF

DOOR FRAME VARIANTS

- Fixed: MDF
- Adjustable: DIN (available for wall thicknesses of min. 80 mm)

COMPONENTS

- VSG 2.2.1 satin glass, plain finish on both sides, 4 mm
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- BRILLIANT screw-in hinges, nickel coloured (black, white or gold options at no extra charge), 3 pcs.

PRICE LIST

Calania minana	Price in PLN excl./(inc.) VAT	
Colour group	Glass: Satin VSG 2.2.1	
PP	1130.00 (1389.90)	
CPL	1060.00 (1303.80)	
CLPL	1040.00 (1279.20)	


You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge calculated on an individual basis.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm shorter doors)	100.00 (123.00)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system (3 hinges)	290.00 (356.70)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors (excluding the PP colour group)	50.00 (61.50)
Inactive door leaf for a double leaf, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for a double leaf, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS


PP GROUP **₩₩₩₩**₩₩







37 **BRILLIANT Collection** www.vivento.pl



COLOUR: CPL Uni Black





Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200

Tailor-made

BRILLIANT

















AVAILABLE WIDTHS

CONSTRUCTION

• A robust rail and stile construction made of wood and MDF

DOOR FRAME VARIANTS

- Fixed: MDF
- Adjustable: DIN (available for wall thicknesses of min. 80 mm)

COMPONENTS

- VSG 2.2.1 satin glass, plain finish on both sides, 4 mm
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- BRILLIANT screw-in hinges, nickel coloured (black, white or gold options at no extra charge), 3 pcs.

PRICE LIST

Colour group	Price in PLN excl./(inc.) VAT	
	Glass: Satin VSG 2.2.1	
PP	1090.00 (1340.70)	
CPL	1020.00 (1254.60)	
CLPL	1000.00 (1230.00)	


You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge calculated on an individual basis.


OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm shorter doors)	100.00 (123.00)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system (3 hinges)	290.00 (356.70)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors (excluding the PP colour group)	50.00 (61.50)
Inactive door leaf for a double leaf, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for a double leaf, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩







39 **BRILLIANT Collection** www.vivento.pl



COLOUR: CPL Uni White





Rail and Stile Doors



VSG 3.3.1 glazed



3 hinges as standard



60-90





Tailor-made



















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of wood and MDF

DOOR FRAME VARIANTS

- Fixed: MDF
- Adjustable: DIN (available for wall thicknesses of min. 80 mm)

COMPONENTS

EXTRA CHARGE

- Satin VSG 3.3.1 bevelled, plain finish on both sides, 6 mm thick or Visiosun glass. In BO-05 - BO-08 models: standard mirror or graphite mirror glued on the panel that faces the other side of the door
- Optionally: Satin VSG 2.2.1 glass, clear on both sides, 4 mm thick (without bevel)
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw-in hinges, nickel coloured (black, white or gold options at no extra charge), 3 pcs.

PRICE LIST

	Price in PLN excl./(inc.) VAT			
Colour group	BO-01 Type	Type BO-02 - BO-04 Glass: Satin VSG 3.3.1 clear or Visiosun	Type BO-05 - BO-08 standard mirror or graphite mirror/panel	
PP	1080.00 (1328.40)	1310.00 (1611.30)	1610.00 (1980.30)	
CPL	1010.00 (1242.30)	1270.00 (1562.10)	1540.00 (1894.20)	
CLPL	990.00 (1217.70)	1260.00 (1549.80)	1520.00 (1869.60)	

Doors featuring glazing are subject to extended lead times.


OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH

"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 240 mm longer (feasibility evaluated case by case; the longer option not available for model BO-01)	220.00 (270.60)
Additional hinge (required for doors 110 mm to 240 mm longer)	25.00 (30.75)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)*	100.00 (123.00)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system (3 hinges)	290.00 (356.70)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors (excluding the PP colour group)	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS

PP GROUP WWWWW











41 **BRILLIANT Collection** www.vivento.pl



INTERNAL DOORS

/ ELEGANTE

Contemporary design combined with the highest quality materials are a guarantee of elegance for every interior.



COLOUR: CPL Uni Black



EA-01 Glass: Clear VSG 2.2.1

EA-02 Glass: Lacomat VSG 2.2.1



Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90























AVAILABLE WIDTHS

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Clear VSG 2.2.1 glass or Lacomat VSG 2.2.1 glass
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

EXTRA CHARGE

PRICE LIST

	Price in PLN excl./(inc.) VAT		
Colour group	EA-01 Glass: Transparent VSG 2.2.1	EA-02 Glass: Lacomat VSG 2.2.1	
PP	1450.00 (1783.50)	1660.00 (2041.80)	
CPL	1400.00 (1722.00)	1610.00 (1980.30)	
CLPL	1395.00 (1715.85)	1600.00 (1968.00)	
FF	1350.00 (1660.50)	1560.00 (1918.80)	

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH

	_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case)	220.00 (270.60)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
indetive door lear for double doors, width 32 in finite cro, 710, 610, 510	
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩

















CLPL GROUP WWWWW





Honey Oak



Bleached Larch

Old Oak











Sibiu White



Columbia Walnut













Catania Oak







Nussbaum Walnut Bengali Mango



COLOUR: CPL Uni Black



EB-01 Glass: Clear VSG 2.2.1

EB-02 Glass: Lacomat VSG 2.2.1



Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90























AVAILABLE WIDTHS

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Clear VSG 2.2.1 glass or Lacomat VSG 2.2.1 glass
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

	Price in PLN excl./(inc.) VAT		
Colour group	EB-01 Glass: Transparent VSG 2.2.1	EB-02 Glass: Lacomat VSG 2.2.1	
PP	1450.00 (1783.50)	1660.00 (2041.80)	
CPL	1400.00 (1722.00)	1610.00 (1980.30)	
CLPL	1395.00 (1715.85)	1600.00 (1968.00)	
FF	1350.00 (1660.50)	1560.00 (1918.80)	

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case)	220.00 (270.60)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS











Nussbaum Walnut Bengali Mango

47



COLOUR: CPL Uni Black



EC-01 Glass: Clear VSG 2.2.1

EC-02 Glass: Lacomat VSG 2.2.1



Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200

Tailor-made

ELEGANTE EC















AVAILABLE WIDTHS

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Clear VSG 2.2.1 glass or Lacomat VSG 2.2.1 glass
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

	Price in PLN excl./(inc.) VAT		
Colour group	EC-01 Glass: Transparent VSG 2.2.1	EC-02 Glass: Lacomat VSG 2.2.1	
PP	1450.00 (1783.50)	1660.00 (2041.80)	
CPL	1400.00 (1722.00)	1610.00 (1980.30)	
CLPL	1395.00 (1715.85)	1600.00 (1968.00)	
FF	1350.00 (1660.50)	1560.00 (1918.80)	

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case)	220.00 (270.60)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS

PP GROUP WWWWW

















Uni Black

CLPL GROUP WWWWW

Honey Oak









Bleached Larch

Old Oak







Snow Oak





















Catania Oak

Delano Oak







Nussbaum Walnut Bengali Mango



COLOUR: CPL Uni Black



ED-01 Glass: Clear VSG 2.2.1

ED-02 Glass: Lacomat VSG 2.2.1



Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90























AVAILABLE WIDTHS

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Clear VSG 2.2.1 glass or Lacomat VSG 2.2.1 glass
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

	Price in PLN excl./(inc.) VAT			
Colour group	ED-01 Glass: Transparent VSG 2.2.1	ED-02 Glass: Lacomat VSG 2.2.1		
PP	1450.00 (1783.50)	1660.00 (2041.80)		
CPL	1400.00 (1722.00)	1610.00 (1980.30)		
CLPL	1395.00 (1715.85)	1600.00 (1968.00)		
FF	1350.00 (1660.50)	1560.00 (1918.80)		

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case)	220.00 (270.60)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
lnactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90
lnactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
lnactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS













Uni Anthracite Walnut Uni Black

CLPL GROUP WWW WW WW









Bleached Larch



Nussbaum Walnut Bengali Mango

Anthracite Oak

o Anthracite Oak

ELEGANTE Collection www.vivento.pl 51



COLOUR: CPL Uni White



The tone of white decorative muntins on the glass best matches the CPL Uni White colour.



EE-01 Glass: Clear VSG 2.2.1



EE-02 Glass: Lacomat VSG 2.2.1



Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90























AVAILABLE WIDTHS

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Clear VSG 2.2.1 glass or Lacomat VSG 2.2.1 glass
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

	Price in PLN excl./(inc.) VAT			
Colour group	EE-01 Glass: Transparent VSG 2.2.1	EE-02 Glass: Lacomat VSG 2.2.1		
PP	1450.00 (1783.50) 1660.00 (2041.80)			
CPL	1400.00 (1722.00)	1610.00 (1980.30)		
CLPL	1395.00 (1715.85)	1600.00 (1968.00)		
FF	1350.00 (1660.50)	1560.00 (1918.80)		

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case)	220.00 (270.60)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
lnactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS











Nussbaum Walnut Bengali Mango

Anthracite Oak

53 **ELEGANTE Collection** www.vivento.pl



COLOUR: CPL Uni Anthracite



The tone of white decorative muntins on the glass best matches the CPL Uni White colour.



EF-01 Glass: Clear VSG 2.2.1



EF-02 Glass: Lacomat VSG 2.2.1



Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90























AVAILABLE WIDTHS

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Clear VSG 2.2.1 glass or Lacomat VSG 2.2.1 glass
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

	Price in PLN excl./(inc.) VAT			
Colour group	EF-01 Glass: Transparent VSG 2.2.1	EF-02 Glass: Lacomat VSG 2.2.1		
PP	1450.00 (1783.50)	1660.00 (2041.80)		
CPL	1400.00 (1722.00)	1610.00 (1980.30)		
CLPL	1395.00 (1715.85)	1600.00 (1968.00)		
FF	1350.00 (1660.50)	1560.00 (1918.80)		

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case)	220.00 (270.60)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS







Supermatt White Natural Grandson Oak

CPL GROUP $\ \mathbf{\widehat{W}} \ \mathbf{$







Walnut CLPL GROUP WWWWW

Honey Oak



Uni Anthracite





Uni Black

Bleached Larch

Old Oak





Nussbaum Walnut Bengali Mango

Anthracite Oak



COLOUR: CPL Uni Grey



The tone of white decorative muntins on the glass best matches the CPL Uni White colour.



EG-01 Glass: Clear VSG 2.2.1



EG-02 Glass: Lacomat VSG 2.2.1



Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90























AVAILABLE WIDTHS

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Clear VSG 2.2.1 glass or Lacomat VSG 2.2.1 glass
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

	Price in PLN excl./(inc.) VAT			
Colour group	EG-01 Glass: Transparent VSG 2.2.1	EG-02 Glass: Lacomat VSG 2.2.1		
PP	1450.00 (1783.50)	1660.00 (2041.80)		
CPL	1400.00 (1722.00)	1610.00 (1980.30)		
CLPL	1395.00 (1715.85)	1600.00 (1968.00)		
FF	1350.00 (1660.50)	1560.00 (1918.80)		

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case)	220.00 (270.60)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS

PP GROUP WWWWW

















CLPL GROUP WWWWW

Honey Oak



Bleached Larch













Snow Oak















Sonoma Oak

Riviera Oak












Nussbaum Walnut Bengali Mango

Anthracite Oak

57 **ELEGANTE Collection** www.vivento.pl



COLOUR: CLPL Bleached Larch



The tone of white decorative muntins on the glass best matches the CPL Uni White colour.



EH-01 Glass: Clear VSG 2.2.1



EH-02 Glass: Lacomat VSG 2.2.1



Rail and Stile Doors



VSG 2.2.1 glazed



3 hinges as standard



60-90





Tailor-made

















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Clear VSG 2.2.1 glass or Lacomat VSG 2.2.1 glass
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

EXTRA CHARGE

PRICE LIST

	Price in PLN excl./(inc.) VAT			
Colour group	EH-01 Glass: Transparent VSG 2.2.1	EH-02 Glass: Lacomat VSG 2.2.1		
PP	1450.00 (1783.50)	1660.00 (2041.80)		
CPL	1400.00 (1722.00)	1610.00 (1980.30)		
CLPL	1395.00 (1715.85)	1600.00 (1968.00)		
FF	1350.00 (1660.50)	1560.00 (1918.80)		

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH

"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case)	220.00 (270.60)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
lnactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910 Inactive door leaf for a double leaf, width S2 in mm: 1010	90.00 (110.70) 160.00 (196.80)

AVAILABLE COLOURS

PP GROUP WWWWW











CLPL GROUP WWWWW







Old Oak



Nussbaum Walnut Bengali Mango Anthracite Oak

59 **ELEGANTE Collection** www.vivento.pl



INTERNAL DOORS

/ PRESTIGE

A subtle complement or a striking contrast? PRESTIGE collection doors combine elegance with an interesting form. They guarantee privacy and add a unique character to your interior.



COLOUR: FF Riviera Oak





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200

PRESTIGE



















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

Drop down seal

Colour group	Price in PLN excl./(inc.) VAT		
	Glass: Tempered Satin	Glass: Satin VSG 2.2.1	
CPL	742.00 (912.66)	Price from left column	
CLPL	730.00 (897.90)	+ surcharge according to table	
FF	647.00 (795.81)	below	

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PA-02	PA-03	PA-04	PA-05	PA-06	PA-07	PA-08	PA-09
259.00	111.00	148.00	185.00	111.00	74.00	148.00	222.00
(318.57)	(136.53)	(182.04)	(227.55)	(136.53)	(91.02)	(182.04)	(273.06)

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Down day, and	00 00 (101 77)


AVAILABLE COLOURS



CLPL GROUP WWWWW



FF GROUP $\begin{picture}(60,0) \put(0,0){\line(1,0){100}} \put(0,0){\line$



63 PRESTIGE Collection www.vivento.pl

99.00 (121.77)



COLOUR: FF Columbia Walnut





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard Modern nickel fittings



60-90



100-200





















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

EXTRA CHARGE

PRICE LIST

C-1	Price in P	Price in PLN excl./(inc.) VAT			
Colour group	Glass: Tempered Satin	Glass: Satin VSG 2.2.1			
PP	780.00 (959.40)				
CPL	720.00 (885.60)	Price from left column			
CLPL	707.00 (869.61)	 + surcharge according to table below 			
FF	609.00 (749.07)				

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

AN-02	AN-03	AN-04	AN-05
168.00 (206.64)	56.00 (68.88)	112.00 (137.76)	140.00 (172.20)
You can change the Sat	in VSG 2.2.1 glass to the	Black VSG 2.2.1 glass fe	or an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH

"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
to active decorded from a devictor before the CO in many 1010	160.00 (196.80)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.60)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩





Supermatt White

Natural Grandson

CPL GROUP WWWWW





Uni Anthracite

Uni Black Walnut

CLPL GROUP WWWWW







Old Oak





Nussbaum Walnut Bengali Mango

Anthracite Oak

65 PRESTIGE Collection www.vivento.pl



COLOUR: FF Nussbaum Walnut





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard Modern nickel fittings



60-90




100-200





















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

EXTRA CHARGE

70.00 (86.10)

PRICE LIST

	Price in PLN excl./(inc.) VAT			
Colour group	Glass: Tempered Satin	Glass: Satin VSG 2.2.1		
PP	805.00 (990.15)			
CPL	740.00 (910.20)	Price from left column		
CLPL	725.00 (891.75)	 + surcharge according to table below 		
FF	617.00 (758.91)			

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PB-02	PB-03	PB-04	PB-05	PB-06	PB-07	
147.00 (180.81)	63.00 (77.49)	84.00 (103.32)	105.00 (129.15)	63.00 (77.49)	126.00 (154.98)	

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH

"100" width

Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩





Supermatt White

Natural Grandson

CPL GROUP WWWWW







Uni Anthracite

Walnut

Uni Black

CLPL GROUP WWWWW







Bleached Larch

Honey Oak

Spanish Oak



Old Oak









Nussbaum Walnut Bengali Mango

Anthracite Oak

67 PRESTIGE Collection www.vivento.pl



COLOUR: FF Sonoma Oak





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200



















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

EXTRA CHARGE

PRICE LIST

Calaur anaun	Price in PLN excl./(inc.) VAT		
Colour group	Glass: Tempered Satin	Glass: Satin VSG 2.2.1	
CPL	762.00 (937.26)	Price from left column	
CLPL	752.00 (924.96)	+ surcharge according to table	
FF	679.00 (835.17)	below	

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PC-02	PC-03	PC-04	PC-05	PC-06	
329.00	139.00	139.00	234.00	44.00	
(404.67)	(170.97)	(170.97)	(287.82)	(54.12)	

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH

PRESTIGE Collection

'100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Jp to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Jp to 470 mm longer (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are IIO mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Ventilation undercut Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90) 30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs) Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs) Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	30.00 (36.90) 16.00 (19.68)
Metal ventilation sleeves in nickel or bronze (pcs) Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs) Plastic air grille in matt silver for "80", "90" and "100" doors	30.00 (36.90) 16.00 (19.68)
Metal ventilation sleeves in nickel or bronze (pcs) Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs) Plastic air grille in matt silver for "80", "90" and "100" doors DTHER	30.00 (36.90) 16.00 (19.68) 60.00 (73.80)
Metal ventilation sleeves in nickel or bronze (pcs) Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs) Plastic air grille in matt silver for "80", "90" and "100" doors DTHER Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and	30.00 (36.90) 16.00 (19.68) 60.00 (73.80) 200.00 (246.00)
Metal ventilation sleeves in nickel or bronze (pcs) Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs) Plastic air grille in matt silver for "80", "90" and "100" doors DTHER Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and bocket LOFT doors	30.00 (36.90) 16.00 (19.68) 60.00 (73.80) 200.00 (246.00) 50.00 (61.50)
Metal ventilation sleeves in nickel or bronze (pcs) Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs) Plastic air grille in matt silver for "80", "90" and "100" doors DTHER Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and bocket LOFT doors nactive door leaf for double doors, width S2 in mm: 420-609	30.00 (36.90) 16.00 (19.68) 60.00 (73.80) 200.00 (246.00) 50.00 (61.50) 430.00 (528.90)

AVAILABLE COLOURS



CLPL GROUP WWWWW




FF GROUP $\begin{picture}(60,0) \put(0,0){\line(1,0){100}} \put(0,0){\line$



69 www.vivento.pl



COLOUR: FF Sibiu White





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard Modern nickel fittings



60-90





100-200





















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

6-1	Price in P	Price in PLN excl./(inc.) VAT		
Colour group	Glass: Tempered Satin	Glass: Satin VSG 2.2.1		
PP	765.00 (940.95)			
CPL	698.00 (858.54)	Price from left column		
CLPL	680.00 (836.40)	 + surcharge according to table below 		
FF	563.00 (692.49)			

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PE-02	PE-03	PE-04	PE-05	PE-06
60.00	30.00	30.00	30.00	45.00
(73.80)	(36.90)	(36.90)	(36.90)	(55.35)

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm shorter doors)	100.00 (123.00)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩





Supermatt White

Natural Grandson

CPL GROUP WWWWW







Uni Anthracite

Walnut

Uni Black

CLPL GROUP WWWWW










Bleached Larch





Nussbaum Walnut Bengali Mango

Anthracite Oak

71 PRESTIGE Collection www.vivento.pl



COLOUR: CLPL Old Oak





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200

PRESTIGE PH



















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

6-1	Price in PLN excl./(inc.) VAT			
Colour group	Glass: Tempered Satin	Glass: Satin VSG 2.2.1		
CPL	733.00 (901.59)	Price from left column		
CLPL	719.00 (884.37)	+ surcharge according to table		
FF	622.00 (765.06)	below		

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PH-02	PH-03	PH-04	PH-05	PH-06	
200.00	50.00	100.00	100.00	150.00	
(246.00)	(61.50)	(123.00)	(123.00)	(184.50)	

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS



CLPL GROUP WWWWW



FF GROUP $\begin{picture}(60,0) \put(0,0){\line(1,0){100}} \put(0,0){\line$



Nussbaum Walnut Bengali Mango



COLOUR: FF Bengali Mango





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard



60-90





PRESTIGE PΙ















sleeves





AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

Calaur araun	Price in PLN excl./(inc.) VAT			
Colour group	Glass: Tempered Satin	Glass: Satin VSG 2.2.1		
CPL	747.00 (918.81)	Price from left column		
CLPL	737.00 (906.51)	+ surcharge according to table		
FF	670.00 (824.10)	below		

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PI-02	PI-03	PI-04	PI-05	PI-06
340.00 (418.20)	255.00 (313.65)	85.00 (104.55)	170.00 (209.10)	170.00 (209.10)

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS





FF GROUP $\begin{picture}(60,0) \put(0,0){\line(1,0){100}} \put(0,0){\line$





COLOUR: FF Nussbaum Walnut





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard Modern nickel fittings



60-90



100-200



















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

EXTRA CHARGE

PRICE LIST

6-1	Price in PLN excl./(inc.) VAT			
Colour group	Glass: Tempered Satin	Glass: Satin VSG 2.2.1		
PP	765.00 (940.95)			
CPL	698.00 (858.54)	Price from left column		
CLPL	680.00 (836.40)	 + surcharge according to table below 		
FF	563.00 (692.49)			

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PJ-02	PJ-03	PJ-04	PJ-05	PJ-06
60.00	30.00	30.00	30.00	45.00
(73.80)	(36.90)	(36.90)	(36.90)	(55.35)

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH

"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩





Supermatt White

Natural Grandson

CPL GROUP WWWWW





Uni Anthracite

Walnut



CLPL GROUP WWWWW










Bleached Larch

Honey Oak

Spanish Oak

Old Oak





Nussbaum Walnut Bengali Mango

Anthracite Oak



COLOUR: CLPL Honey Oak





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard Modern nickel fittings



60-90





100-200





















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

Calaur anaun	Price in PLN excl./(inc.) VAT			
Colour group	Glass: Tempered Satin	Glass: Satin VSG 2.2.1		
CPL	678.00 (833.94)	Price from left column		
CLPL	668.00 (821.64)	+ surcharge according to table		
FF	604.00 (742.92)	below		

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PK-02	PK-03	PK-04	PK-05	PK-06	PK-07	PK-08
325.00	65.00	130.00	195.00	195.00	195.00	260.00
(399.75)	(79.95)	(159.90)	(239.85)	(239.85)	(239.85)	(319.80)

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS




CLPL GROUP WWWWW



FF GROUP $\begin{picture}(60,0) \put(0,0){\line(1,0){100}} \put(0,0){\line$



Nussbaum Walnut Bengali Mango



COLOUR: CLPL Honey Oak





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200





















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

EXTRA CHARGE

PRICE LIST

Colour group	Price in P	Price in PLN excl./(inc.) VAT			
	Glass: Tempered Satin	Glass: Satin VSG 2.2.1			
PP	845.00 (1039.35)				
CPL	775.00 (953.25)	Price from left column			
CLPL	758.00 (932.34)	 + surcharge according to table below 			
FF	640.00 (787.20)				

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PL-02	PL-03	PL-04	PL-05	PL-06
152.00	57.00	76.00	95.00	133.00
(186.96)	(70.11)	(93.48)	(116.85)	(163.59)

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH

"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are IIO mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
nactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
	90.00 (110.70)
lnactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	30.00 (110.70)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910 Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩





Supermatt White

Natural Grandson

CPL GROUP WWWWW





Uni Anthracite





CLPL GROUP WWWWW






Honey Oak




Bleached Larch

Old Oak



Nussbaum Walnut Bengali Mango Anthracite Oak



COLOUR: FF Cornwall Oak





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard



60-90





PRESTIGE

















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

Colour group	Price in P	Price in PLN excl./(inc.) VAT			
	Glass: Tempered Satin	Glass: Satin VSG 2.2.1			
PP	770.00 (947.10)				
CPL	707.00 (869.61)	Price from left column			
CLPL	690.00 (848.70)	 + surcharge according to table below 			
FF	583.00 (717.09)				

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PN-02	PN-03	PN-04	PN-05	PN-06
112.00	56.00	56.00	56.00	84.00
(137.76)	(68.88)	(68.88)	(68.88)	(103.32)

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm shorter doors)	100.00 (123.00)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩





Supermatt White

Natural Grandson

CPL GROUP WWWWW



Uni Anthracite

Walnut


Uni Black

CLPL GROUP WWWWW





Old Oak



Nussbaum Walnut Bengali Mango

Anthracite Oak



COLOUR: FF Columbia Walnut





Rail and Stile Doors



Tempered glass



VSG 3.3.1 glazed



3 hinges as standard



60-90





PRESTIGE

















Drop down

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

sleeves

- Satin glass, clear tempered bevelled (clear bevel), 4 mm thick, or Visiosun. In PO-07 - PO-10 models: standard mirror or graphite mirror glued on the panel that faces the other side of the door
- Optionally, for PO-02 and PO-05 models: Satin bevelled VSG 3.3.1 glass, plain on both sides (satin bevel, opaque)
- Optionally, for PO-03 and PO-06 models: clear bevelled VSG 3.3.1 glass, plain on both sides (clear bevel)
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

Drop down seal

	Price in PLN excl./(inc.) VAT			
Colour group		Glass: Tempered Satin or Visiosun	Mirror + panel	
	PO-01, PO-04	PO-02, PO-03, PO-05, PO-06, PO-11	PO-07, PO-08, PO-09, PO-10	
PP	720.00 (885.60)	1115,00 (1371,45 ⁾¹⁾	1250.00 (1537.50)	
CPL	686.00 (843.78)	1082.00 (1330.86)	1216.00 (1495.68)	
CLPL	668.00 (821.64)	1075.00 (1322.25)	1198.00 (1473.54)	
FF	540.00 (664.20)	1025.00 (1260.75)	1070.00 (1316.10)	

EXTRA CHARGE FOR GLAZING CHANGE - SATIN OR CLEAR VSG 3.3.1 GLASS, BEVELLED

PO-02	PO-03	PO-05	PO-06
550.00 (676.50)	550.00 (676.50)	600.00 (738.00)	600.00 (738.00)

Doors featuring glazing are subject to extended lead times.

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin or clear bevelled tempered glass (clear bevel) or Satin VSG 3.3.1 glass, plain on both sides (satin bevel, opaque)	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case) Door with Satin or clear tempered glass, bevelled (clear bevel) or Satin VSG 3.31, plain finish on both sides (satin opaque bevel); PO-01 not available in the longer option	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)*; PO-01 not available in the longer option	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are IIO mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00
Non-rebated door, wall-mounted standard sliding system, wall-mounted and bocket LOFT doors	50.00 (61.50)
nactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)


AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩









Old Oak

FF GROUP $\begin{picture}(60,0) \put(0,0){\line(1,0){100}} \put(0,0){\line$




1) Colour available for models PO-05 - PO-11 only

85 PRESTIGE Collection www.vivento.pl

99.00 (121.77)



COLOUR: FF Columbia Walnut





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200







Rebated















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

EXTRA CHARGE

430.00 (528.90)

70.00 (86.10)

PRICE LIST

Colour group	Price in PLN excl./(inc.) VAT			
	Glass: Tempered Satin	Glass: Satin VSG 2.2.1		
PP	730.00 (897.90)			
CPL	680.00 (836.40)	Price from left column		
CLPL	667.00 (820.41)	 + surcharge according to table below 		
FF	582.00 (715.86)			

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PP-02	PP-03	PP-04	PP-05	PP-06
220.00 (270.60)	88.00 (108.24)	132.00 (162.36)	176.00 (216.48)	44.00 (54.12)
You can change th	e Satin VSG 2.2.1 gla	ss to the Black VSG	2.2.1 glass for an add	itional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH

"100" width

Widths < "60"

Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩





Supermatt White

Natural Grandson

CPL GROUP WWWWW





Uni Anthracite

Walnut



CLPL GROUP WWWWW





Honey Oak





Old Oak

FF GROUP $\mathbf{\hat{W}}\mathbf{\hat{W}}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}$



Nussbaum Walnut Bengali Mango

Anthracite Oak

87 PRESTIGE Collection www.vivento.pl



COLOUR: FF Bianco





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200



















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

Calaur maun	Price in PLN excl./(inc.) VAT		
Colour group	Glass: Tempered Satin	Glass: Satin VSG 2.2.1	
FF	647.00 (795.81)	Price from left column + surcharge according to table below	

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PQ-02	PQ-03	PQ-04
120.00 (147.6)	60.00 (73.80)	90.00 (110.70)

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS







Riviera Oak

Delano Oak



COLOUR: FF Sibiu White





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200





















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

EXTRA CHARGE

70.00 (86.10)

PRICE LIST

WIDTH

"100" width

Colour group	Price in PLN excl./(inc.) VAT		
	Glass: Tempered Satin	Glass: Satin VSG 2.2.1	
CPL	642.00 (789.66)	Price from left column	
CLPL	630.00 (774.90)	+ surcharge according to table	
FF	537.00 (660.51)	below	

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PR-02	PR-04
60.00 (73.80)	60.00 (73.80)

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

Up to 60 mm shorter	60.00 (73.80)
Additional hinge	25.00 (30.75)
Additional hinge in SIMPLE non-rebated system	90.00 (110.70)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 644, 744, 844, 944 (extra charge for non-standard door frame width)	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1044	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS



CLPL GROUP WWWWW



FF GROUP $\begin{picture}(60,0) \put(0,0){\line(1,0){100}} \put(0,0){\line$



Nussbaum Walnut Bengali Mango



COLOUR: CLPL Honey Oak







Rail and Stile Doors

SIMPLE Non-rebated



VSG 2.2.1 glazed



3 hinges as standard



60-90



Rebated







AVAILABLE WIDTHS

• "60", "70", "80", "90"

CONSTRUCTION

A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- VSG 2.2.1 Black glass, plain on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

Calaur means	Price in PLN excl./(inc.) VAT	
Colour group	Glass: Black VSG 2.2.1	
CLPL	744.00 (915.12)	

OPTIONS WITH AN EXTRA CHARGE

Additional hinge 25.00 (30.75) Additional hinge in SIMPLE non-rebated system 90.00 (110.70) VENTILATION Ventilation undercut 30.00 (36.90) Metal ventilation sleeves in nickel or bronze (pcs) 30.00 (36.90) Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs) Plastic air grille in matt silver for "80" and "90" doors 60.00 (73.80) OTHER Non-rebated door, SIMPLE system 200.00 (246.00) Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors 50.00 (61.50) Inactive door leaf for a double leaf, width S2 in mm: 644, 744, 844, 944 (extra charge for non-standard door frame width)	NON-STANDARD HEIGHT	EXTRA CHARGE
Additional hinge in SIMPLE non-rebated system 90.00 (110.70) VENTILATION Ventilation undercut 30.00 (36.90) Metal ventilation sleeves in nickel or bronze (pcs) 30.00 (36.90) Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs) 16.00 (19.68) Plastic air grille in matt silver for "80" and "90" doors 60.00 (73.80) OTHER Non-rebated door, SIMPLE system 200.00 (246.00) Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors 50.00 (61.50) Inactive door leaf for a double leaf, width S2 in mm: 644, 744, 844, 944 (extra charge for non-standard door frame width)	Up to 60 mm shorter	60.00 (73.80)
VENTILATION Ventilation undercut 30.00 (36.90) Metal ventilation sleeves in nickel or bronze (pcs) 30.00 (36.90) Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs) 16.00 (19.68) Plastic air grille in matt silver for "80" and "90" doors 60.00 (73.80) OTHER Non-rebated door, SIMPLE system 200.00 (246.00) Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors 50.00 (61.50) Inactive door leaf for a double leaf, width S2 in mm: 644, 744, 844, 944 (extra charge for non-standard door frame width)	Additional hinge	25.00 (30.75)
Ventilation undercut 30.00 (36.90) Metal ventilation sleeves in nickel or bronze (pcs) Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs) Plastic air grille in matt silver for "80" and "90" doors 60.00 (73.80) OTHER Non-rebated door, SIMPLE system 200.00 (246.00) Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Inactive door leaf for a double leaf, width S2 in mm: 644, 744, 844, 944 (extra charge for non-standard door frame width)	Additional hinge in SIMPLE non-rebated system	90.00 (110.70)
Metal ventilation sleeves in nickel or bronze (pcs) Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs) Plastic air grille in matt silver for "80" and "90" doors OTHER Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Inactive door leaf for a double leaf, width S2 in mm: 644, 744, 844, 944 (extra charge for non-standard door frame width) 30.00 (36.90) 16.00 (19.68) 60.00 (73.80) 50.00 (246.00) 50.00 (61.50) 90.00 (110.70)	VENTILATION	
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs) Plastic air grille in matt silver for "80" and "90" doors 60.00 (73.80) OTHER Non-rebated door, SIMPLE system 200.00 (246.00) Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Inactive door leaf for a double leaf, width S2 in mm: 644, 744, 844, 944 (extra charge for non-standard door frame width)	Ventilation undercut	30.00 (36.90)
(pcs) Plastic air grille in matt silver for "80" and "90" doors 60.00 (73.80) OTHER Non-rebated door, SIMPLE system 200.00 (246.00) Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Inactive door leaf for a double leaf, width S2 in mm: 644, 744, 844, 944 (extra charge for non-standard door frame width) 90.00 (110.70)	Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
OTHER Non-rebated door, SIMPLE system 200.00 (246.00) Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors 50.00 (61.50) Inactive door leaf for a double leaf, width S2 in mm: 644, 744, 844, 944 (extra charge for non-standard door frame width) 90.00 (110.70)	Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Non-rebated door, SIMPLE system 200.00 (246.00) Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Inactive door leaf for a double leaf, width S2 in mm: 644, 744, 844, 944 (extra charge for non-standard door frame width) 90.00 (110.70)	Plastic air grille in matt silver for "80" and "90" doors	60.00 (73.80)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Inactive door leaf for a double leaf, width S2 in mm: 644, 744, 844, 944 (extra charge for non-standard door frame width) 50.00 (61.50)	OTHER	
pocket LOFT doors Inactive door leaf for a double leaf, width S2 in mm: 644, 744, 844, 944 (extra charge for non-standard door frame width) 90.00 (110.70)	Non-rebated door, SIMPLE system	200.00 (246.00)
(extra charge for non-standard door frame width)	Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Drop down seal 99.00 (121.77)	Inactive door leaf for a double leaf, width S2 in mm: 644, 744, 844, 944 (extra charge for non-standard door frame width)	90.00 (110.70)
	Drop down seal	99.00 (121.77)

AVAILABLE COLOURS CLPL GROUP WWWWW



Honey Oak



COLOUR: CPL Uni Anthracite





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard Modern nickel fittings



60-90



100-200

PRESTIGE



















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

Colour group	Price in PLN excl./(inc.) VAT		
Colour group	Glass: Tempered Satin	Glass: Satin VSG 2.2.1	
CPL	740.00 (910.20)	Price from left column	
CLPL	729.00 (896.67)	+ surcharge according to table	
FF	650.00 (799.50)	below	

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PT-02	PT-03	PT-04	PT-05	PT-06	
280.00	210.00	70.00	140.00	140.00	
(344.40)	(258.30)	(86.10)	(172.20)	(172.20)	

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm shorter doors)	100.00 (123.00)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS



CLPL GROUP WWWWW




FF GROUP $\begin{picture}(60,0) \put(0,0){\line(1,0){100}} \put(0,0){\line$



95 PRESTIGE Collection www.vivento.pl



COLOUR: FF Cornwall Oak





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200





















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

EXTRA CHARGE

PRICE LIST

Colour group	Price in P	Price in PLN excl./(inc.) VAT		
	Glass: Tempered Satin	Glass: Satin VSG 2.2.1		
PP	825.00 (1014.75)			
CPL	757.00 (931.11)	Price from left column		
CLPL	740.00 (910.20)	 + surcharge according to table below 		
FF	623.00 (766.29)			

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PU-02	PU-03	PU-04	PU-05	PU-06
132.00 (162.36)	44.00	66.00	66.00	110.00
	(54.12)	(81.18)	(81.18)	(135.30)

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH

HON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm shorter doors)	100.00 (123.00)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩





Supermatt White

Natural Grandson

CPL GROUP WWWWW



CLPL GROUP WWWWW







Nussbaum Walnut Bengali Mango

Anthracite Oak



COLOUR: CPL Uni Black





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200





















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

EXTRA CHARGE

PRICE LIST

	Price in PLN excl./(inc.) VAT			
Colour group	Glass: Tempered Satin	Glass: Satin VSG 2.2.1		
PP	765.00 (940.95)			
CPL	700.00 (861.00)	Price from left column		
CLPL	685.00 (842.55)	 + surcharge according to table below 		
FF	577.00 (709.71)			

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PW-02	PW-03	
100.00 (123.00)	50.00 (61.50)	
You can change the Satin VSG 2.21 glass to the Black VSG 2.21 glass for an additional charge of 50°		

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH

"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm shorter doors)	100.00 (123.00)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩





Supermatt White

Natural Grandson











CLPL GROUP WWWWW






Honey Oak



Bleached Larch

Old Oak



Nussbaum Walnut Bengali Mango

Anthracite Oak



COLOUR: FF Snow Oak





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard



60-90





100-200



















Ventilation sleeves

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

C-1	Price in PLN excl./(inc.) VAT			
Colour group	Glass: Tempered Satin	Glass: Satin VSG 2.2.1		
FF	605.00 (744.15)	Price from left column + surcharge according to table below		

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PX-02	PX-03	PX-04	PX-05	PX-06	PX-07	PX-08	
132.00	66.00	66.00	88.00	88.00	44.00	110.00	
(162.36)	(81.18)	(81.18)	(108,24)	(108,24)	(54.12)	(135.30)	

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm shorter doors)	100.00 (123.00)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)
Drop down seal	99.00 (121.77)

AVAILABLE COLOURS


FF GROUP $\mathbf{\hat{W}}\mathbf{\hat{W}}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}$







COLOUR: FF Snow Oak





Rail and Stile Doors



Tempered glass



VSG 2.2.1 3 hinges glazed as standard



Modern nickel fittings









PRESTIGE **PY**

















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

Calaur maun	Price in PLN excl./(inc.) VAT			
Colour group	Glass: Tempered Satin	Glass: Satin VSG 2.2.1		
FF	590.00 (725.70)	Price from left column + surcharge according to table below		

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PY-02	PY-03	PY-04	PY-05	PY-06	PY-07	PY-08
175.00	70.00	105.00	105.00	105.00	140.00	35.00
(215.25)	(86.10)	(129.15)	(129.15)	(129.15)	(172.20)	(43.05)

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Jp to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 50 mm shorter doors)	100.00 (123.00)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and bocket LOFT doors	50.00 (61.50)
	430.00 (528.90)
nactive door leaf for double doors, width S2 in mm: 420-609	430.00 (320.30)
nactive door leaf for double doors, width S2 in mm: 420-609 nactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)

AVAILABLE COLOURS

FF GROUP $\mathbf{\hat{W}}\mathbf{\hat{W}}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}$





PRESTIGE Collection www.vivento.pl 103



COLOUR: FF Anthracite Oak





Rail and Stile Doors



Tempered glass



VSG 2.2.1 glazed



3 hinges as standard



60-90



100-200





















AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• A robust rail and stile construction made of MDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

COMPONENTS

- Tempered Satin glass, 4 mm thick
- Option: Satin or Black VSG 2.2.1 glass, plain finish on both sides
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

PRICE LIST

Drop down seal

6-1	Price in PLN excl./(inc.) VAT			
Colour group	Glass: Tempered Satin	Glass: Satin VSG 2.2.1		
PP	770.00 (947.10)			
CPL	707.00 (869.61)	Price from left column		
CLPL	690.00 (848.70)	 + surcharge according to table below 		
FF	583.00 (717.09)			

EXTRA CHARGE FOR GLAZING CHANGE - SATIN VSG 2.2.1 GLASS

PZ-02	PZ-03	PZ-04	PZ-05	PZ-06
112.00	56.00	56.00	56.00	84.00
(137.76)	(68.88)	(68.88)	(68.88)	(103.32)

You can change the Satin VSG 2.2.1 glass to the Black VSG 2.2.1 glass for an additional charge of 50%.

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Plastic air grille in matt silver for "80", "90" and "100" doors	60.00 (73.80)
OTHER	
Non-rebated door, SIMPLE system	200.00 (246.00
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for a double leaf, width S2 in mm: 1010	160.00 (196.80)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩





Supermatt White

Natural Grandson

CPL GROUP WWWWW





Uni Anthracite

Uni Black Walnut

CLPL GROUP WWWWW






Honey Oak



Bleached Larch

Old Oak



Nussbaum Walnut Bengali Mango

Anthracite Oak

www.vivento.pl 105 PRESTIGE Collection

99.00 (121.77)



INTERNAL DOORS

/ BASIC

Timeless, durable and functional. BASIC collection doors blend in perfectly with any space, whether at home or in the office. Available in a wide range of colours and glazing options.

BASIC **STANDARD**



MDF frame



Timber Solid construction core board



2 hinges



3 hinges



Bolt locks



Tailor-made 60-90



BASIC STANDARD OI, CPL Uni Gray



STANDARD 01 FF Silver Oak

PRICE LIST

Colour group	Price in PLN excl./(inc.) VAT
PVC	550.00 (676.50)
PP	450.00 (553.50)
CPL	397.00 (488.31)
CLPL	385.00 (473.55)
FF	268.00 (329.64)
LAK	220.00 (270.60)
HPL laminate	Bespoke pricing

AVAILABLE WIDTHS

- "60", "70", "80", "90", other sizes available at an extra charge
- minimum sash width: 244 mm
- maximum sash width: 1144 mm

CONSTRUCTION

- MDF frame (timber frame available at an extra charge)
- Core: stabilising layer known as "honeycomb"
- Surface made of 3 mm thick HDF

COMPONENTS

- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 2 pcs. (3 pcs. in the "90" door leaf)

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS
- Steel: fixed, square large, adjustable



























100 & 110 100-220

Rebated

SIMPLE Non-rebated

Sliding Non-rebated

Reversible

doors

Two-tone

SOFT Edge

Ventilation cut

Ventilation

Air grille

Door closer

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	70.00 (86.10)
Up to 5 mm narrower	70.00 (86.10)
Narrower by more than 5 mm	95.00 (116.85)
Wider	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
More than 60 mm shorter	60.00 (73.80)
Up to 10 mm longer	60.00 (73.80)
11 mm to 450 mm longer (except for the LAK colour group)	140.00 (172.20)
Additional hinge (required for "110" doors, doors longer by 110 mm to 450 mm, and doors with a solid core infill)	20.00 (24.60)
Additional hinge in the SIMPLE non-rebated system (required for "110" doors, doors longer by 110 mm to 450 mm, and doors with a solid core infill)	90.00 (110.70)
Additional hinge for Reversed-Swing Doors (required for "110" doors, doors longer by 110 mm to 450 mm, and doors with a solid core infill)	150.00 (184.50)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Plastic ventilation sleeves (set)	20.00 (24.60)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation grille in a colour of your choice: White, Bleached Oak, Halifax Oak, Silver Oak, Matt Silver, Luminous Grey, Old Oak, Walnut, Nussbaum Walnut	60.00 (73.80)
Stainless steel air grille	240.00 (295.20)
OTHER	
Timber frame	50.00 (61.50)
Solid core board (extra charge applies for an additional hinge)	120.00 (147.60)
Two colour door leaf	50.00%
Door leaf, CONTRAST system	55.00 (67.65)
Door leaf, CONTRAST ABS system	70.00 (86.10)
SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut	40.00 (49.20)
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Non-rebated door leaf, MAGIC sliding system	100.00 (123.00)
Door leaf, reversed swing system	300.00 (369.00)
Inactive door leaf for double doors (extra charge applies for timber rails and stiles)	90.00 (110.70)
Inactive door leaf for double doors, width S2 under 610 mm (extra charge for timber rails and stiles applies)	185.00 (227.55)
Door closer reinforcement	45.00 (55.35)
Rebate 20 mm	60.00 (73.80)
Euro profile cylinder lock, with bolts (surcharge applies for an adjustable strike plate in the frame)	50.00 (61.50)
Top lock with core	40.00 (49.20)
Upper lock: euro profile, with bolts (extra charge applies for an adjustable strike plate in the frame)	40.00 (49.20)
Multipoint lock (in doors with fixed timber or MDF frames)	390.00 (479.70)
3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges)	40.00 (49.20)
200° Panoramic door viewer	100.00 (123.00)
Drop down seal	99.00 (121.77)
Double-sided reinforcement with horizontal stainless steel panel up to 170 mm high, or different panel dimensions possible, both in horizontal and vertical arrangements;	bespoke pricing
PORTUGUE WITH LACOMAT OR CLEAR CLASS IN NICKEL PLACK OR COLD	

PORTHOLE WITH LACOMAT OR CLEAR GLASS IN NICKEL, BLACK OR GOLD Outside Ø 240 mm, inside Ø 135 mm (minimum door leaf width 340 mm)

Outside Ø 320 mm, inside Ø 215 mm (minimum door leaf width 420 mm)

Glazing with safety glass or one-way glass pane

Outside Ø 400 mm, inside Ø 280 mm (minimum door leaf width 500 mm)


AVAILABLE COLOURS

PVC GROUP WWWWW



PP GROUP ₩₩₩₩₩









Old Oak



LAK GROUP W W W W

LAK GROOF	- 1//	v	v	v	v	•	
	438	MIN.	ANSA		W	Mill	1686
	2414				M		
White	Bleach	ned (Oak		Silv	er Oak	
THE STATE OF THE S							



PORTHOLE OPTI



www.vivento.pl 109 **BASIC Collection**

370.00 (455.10)

510.00 (627.30)

700.00 (861.00)

Bespoke pricing

BASIC

ASTORIA MIRROR



MDF frame Timber construction



Solid core filling




2 hinges as standard






Black, white or gold hinges





COLOUR: CPL Uni Grey



PRICE LIST

Calaur muaum	Price in PLN net (gross)		
Colour group	Glazing	Type 01	Type 02, Type 03
PP	Graphite mirror	880,00 (1082,40)	1150,00 (1414,50)
CPL		800,00 (984,00)	1070,00 (1316,10)
CLPL		785,00 (965,55)	1055,00 (1297,65)
FF		670,00 (824,10)	940,00 (1156,20)








100 & 110









EXTRA CHARGE













AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

- MDF frame (timber frame available at an extra charge)
- rigid honeycomb infill (solid panel at extra cost)
- Surface made of 6 mm thick HDF panel (3 mm for solid core filling)

DOOR FRAME VARIANTS

■ Fixed: MDF Adjustable: DIN

NON-STANDARD WIDTH

COMPONENTS

- Graphite mirror, 55 mm wide in the ASTORIA 01 model or with a width of 155 mm on models ASTORIA 02 and ASTORIA 03
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- BRILLIANT screw-in hinges in nickel, 2 pcs. (3 pcs. in the "90" door leaf). Colour changes at no extra charge Double-bolt hinges in nickel on doors with a solid core panel (3 pcs.)

OPTIONS WITH AN EXTRA CHARGE

Widths "100" and "110"	70.00 (86.10)
Up to 5 mm narrower	70.00 (86.10)
Narrower by more than 5 mm	95.00 (116.85)
Wider	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
More than 60 mm shorter	60.00 (73.80)
Jp to 10 mm longer	60.00 (73.80)
Length from 11 mm to 450 mm	140.00 (172.20)
Additional hinge (required for 110 doors with solid core board, doors longer by 110 mm to 450 mm doors with a solid core infill)	20.00 (24.60)
Additional hinge in the SIMPLE non-rebated system (required for doors longer by 110 mm to 450 mm and doors with a solid core infill)	90.00 (110.70)
Additional hinge for Reversed-Swing Doors (required for "110" doors, doors longer by 110 mm to 450 mm, and doors with a solid core infill)	150.00 (184.50)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs.), only available for type 01 for a min. width of "70"	16.00 (19.68)
Market constitution of constitution for the first of the	
Metal ventilation sleeves in nickel or bronze (pcs), only available for type 01 for min. "70" width	30.00 (36.90)
	30.00 (36.90)
for min. "70" width	30.00 (36.90) 50.00 (61.50)
for min. "70" width OTHER	
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted	50.00 (61.50)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges)	50.00 (61.50) 120.00 (147.60)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf	50.00 (61.50) 120.00 (147.60) 40.00 (49.20)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00%
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10)
for min. "70" width OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Non-rebated door leaf, MAGIC sliding system	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00) 50.00 (61.50) 100.00 (123.00)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Non-rebated door leaf, MAGIC sliding system Door leaf, reversed swing system Inactive door leaf for a double leaf	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00) 50.00 (61.50) 100.00 (123.00)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Non-rebated door leaf, MAGIC sliding system Door leaf, reversed swing system Inactive door leaf for a double leaf (surcharge for timber frame applies)	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00) 50.00 (61.50) 100.00 (123.00) 300.00 (369.00)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00) 50.00 (61.50) 100.00 (123.00) 300.00 (369.00) 90.00 (110.70)


AVAILABLE COLOURS PP GROUP **₩₩₩₩**₩

Supermatt White White Grain Supermatt Grey





CPL GROUP WWWWW



CLPL GROUP WWWWW







Old Oak



Bengali Mango

Anthracite Oak


BASIC **ASTORIA BLACK**



MDF frame










COLOUR: FF Bianco



PRICE LIST

Calaur muaum	Price in PLN no		ross)
Colour group	Glazing	Type 01	Type 02, Type 03
PP	Black Lacobel	800,00 (984,00)	930,00 (1143,90)
CPL		715,00 (879,45)	850,00 (1045,50)
CLPL		700,00 (861,00)	835,00 (1027,05)
FF		590,00 (725,70)	720,00 (885,60)





60-90



100 & 110







Non-rehated



EXTRA CHARGE

Non-rehated













Drop down

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

- MDF frame (timber frame available at an extra charge)
- rigid honeycomb infill (solid panel at extra cost)
- Surface made of 6 mm thick HDF panel (3 mm for solid core filling)

DOOR FRAME VARIANTS

- Fixed: MDF
- Adjustable: DIN

NON-STANDARD WIDTH

COMPONENTS

- Black Lacobel 55 me wide in the ASTORIA 01 model or with a width of 155 mm on models ASTORIA 02 and ASTORIA 03
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- BRILLIANT screw-in hinges in black, 2 pcs. (3 pcs. in the "90" door leaf). Colour changes at no extra charge
 - Double-bolt hinges in nickel on doors with a solid core panel (3 pcs.)

OPTIONS WITH AN EXTRA CHARGE

Widths "100" and "110"	70.00 (86.10)
Up to 5 mm narrower	70.00 (86.10)
Narrower by more than 5 mm	95.00 (116.85)
Wider	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
More than 60 mm shorter	60.00 (73.80)
Up to 10 mm longer	60.00 (73.80)
Length from 11 mm to 450 mm	140.00 (172.20)
Additional hinge (required for 110 doors with solid core board, doors longer by 110 mm to 450 mm doors with a solid core infill)	20.00 (24.60)
Additional hinge in the SIMPLE non-rebated system (required for doors longer by 110 mm to 450 mm and doors with a solid core infill)	90.00 (110.70)
Additional hinge for Reversed-Swing Doors (required for "110" doors, doors longer by 110 mm to 450 mm, and doors with a solid core infill)	150.00 (184.50)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs.), only available for type 01 for a min. width of "70"	16.00 (19.68)
Metal ventilation sleeves in nickel or bronze (pcs), only available for type 01 for min. "70"	30.00 (36.90)
OTHER	
Timber frame	50.00 (61.50)
Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm)	120.00 (147.60)
3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges)	40.00 (49.20)
Two colour door leaf	50.00%
Door leaf, CONTRAST system	55.00 (67.65)
Door leaf, CONTRAST ABS system	70.00 (86.10)
SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut	40.00 (49.20)
	200.00 (246.00)
Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	200.00 (246.00)
Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	
Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Non-rebated door leaf, MAGIC sliding system	50.00 (61.50) 100.00 (123.00)
Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and	
Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Non-rebated door leaf, MAGIC sliding system Door leaf, reversed swing system Inactive door leaf for a double leaf	50.00 (61.50) 100.00 (123.00) 300.00 (369.00)
Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Non-rebated door leaf, MAGIC sliding system Door leaf, reversed swing system Inactive door leaf for a double leaf (surcharge for timber frame applies)	50.00 (61.50) 100.00 (123.00) 300.00 (369.00) 90.00 (110.70)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩




CPL GROUP WWWWW



CLPL GROUP WWWWW



Old Oak



Bengali Mango

Anthracite Oak

BASIC ASTORIA GOLD



MDF T frame co



Solid core board




2 hinges 3 hinges as standard



Modern fittings



n Black, white or gold hinges



COLOUR: FF Bengali Mango



PRICE LIST

Calaur muaum	Clasina	Price in PLN net (g	ross)
Colour group	Glazing	Type 01	Type 02, Type 03
PP	Gold Lacobel	880,00 (1082,40)	1150,00 (1414,50)
CPL		800,00 (984,00)	1070,00 (1316,10)
CLPL		785,00 (965,55)	1055,00 (1297,65)
FF		670,00 (824,10)	940,00 (1156,20)





60-90




100 & 110



100-220



Rebated





EXTRA CHARGE













AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

- MDF frame (timber frame available at an extra charge)
- rigid honeycomb infill (solid panel at extra cost)
- Surface made of 6 mm thick HDF panel (3 mm for solid core filling)

DOOR FRAME VARIANTS

- Fixed: MDF
- Adjustable: DIN

NON-STANDARD WIDTH

COMPONENTS

- Gold Lacobel 55 mm wide in the ASTORIA 01 model or with a width of 155 mm on models ASTORIA 02 and ASTORIA 03
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- BRILLIANT screw-in hinges in gold, 2 pcs. (3 pcs. in the "90" door leaf). Colour changes at no extra charge

Double-bolt hinges in nickel on doors with a solid core panel (3 pcs.)

OPTIONS WITH AN EXTRA CHARGE

Widths "100" and "110"	70.00 (86.10)
Up to 5 mm narrower	70.00 (86.10)
Narrower by more than 5 mm	95.00 (116.85)
Wider	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
More than 60 mm shorter	60.00 (73.80)
Up to 10 mm longer	60.00 (73.80)
Length from 11 mm to 450 mm	140.00 (172.20)
Additional hinge (required for 110 doors with solid core board, doors longer by 110 mm to 450 mm doors with a solid core infill)	20.00 (24.60)
Additional hinge in the SIMPLE non-rebated system (required for doors longer by 110 mm to 450 mm and doors with a solid core infill)	90.00 (110.70)
Additional hinge for Reversed-Swing Doors (required for "110" doors, doors longer by 110 mm to 450 mm, and doors with a solid core infill)	150.00 (184.50)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs.), only available for type 01 for a min. width of "70"	16.00 (19.68)
Metal ventilation sleeves in nickel or bronze (pcs), only available for type 01 for min. "70"	30.00 (36.90)
	30.00 (36.90)
OTHER	30.00 (36.90) 50.00 (61.50)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF	
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted	50.00 (61.50)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges)	50.00 (61.50) 120.00 (147.60)
for min. "70"	50.00 (61.50) 120.00 (147.60) 40.00 (49.20)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00%
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65)
for min. "70" OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00) 50.00 (61.50)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Non-rebated door leaf, MAGIC sliding system Door leaf, reversed swing system Inactive door leaf for a double leaf	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00) 50.00 (61.50) 100.00 (123.00)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Non-rebated door leaf, MAGIC sliding system	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00) 50.00 (61.50) 100.00 (123.00) 300.00 (369.00)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Non-rebated door leaf, MAGIC sliding system Door leaf, reversed swing system Inactive door leaf for a double leaf (surcharge for timber frame applies)	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00) 50.00 (61.50) 100.00 (123.00) 300.00 (369.00) 90.00 (110.70)

AVAILABLE COLOURS


PP GROUP **₩₩₩₩**₩₩




CPL GROUP WWWWW



CLPL GROUP WWWWW







Bengali Mango

Anthracite Oak

115 **BASIC Collection** www.vivento.pl

BASIC **ASTORIA WHITE**



MDF frame



Solid core board



2 hinges as standard






Black, white or gold hinges



COLOUR: CPL Uni White



PRICE LIST

Calaur muaum	Price in PLN net (gross)		
Colour group	Glazing	Type 01	Type 02, Type 03
PP	Lacobel White	880,00 (1082,40)	1150,00 (1414,50)
CPL		800,00 (984,00)	1070,00 (1316,10)
CLPL		785,00 (965,55)	1055,00 (1297,65)
FF		670,00 (824,10)	940,00 (1156,20)





60-90





100-220



Rebated



Non-rehated



Non-rehated

EXTRA CHARGE













Drop down

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

- MDF frame (timber frame available at an extra charge)
- rigid honeycomb infill (solid panel at extra cost)
- Surface made of 6 mm thick HDF panel (3 mm for solid core filling)

DOOR FRAME VARIANTS

- Fixed: MDF
- Adjustable: DIN

NON-STANDARD WIDTH

COMPONENTS

- White Lacobel 55 mm wide in the ASTORIA 01 model or with a width of 155 mm on models ASTORIA 02 and ASTORIA 03
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- BRILLIANT screw-in hinges in white, 2 pcs. (3 pcs. in the "90" door leaf). Colour changes at no extra charge Double-bolt hinges in nickel on doors with
- a solid core panel (3 pcs.)

OPTIONS WITH AN EXTRA CHARGE


Widths "100" and "110"	70.00 (86.10)
Up to 5 mm narrower	70.00 (86.10)
Narrower by more than 5 mm	95.00 (116.85)
Wider	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
More than 60 mm shorter	60.00 (73.80)
Up to 10 mm longer	60.00 (73.80)
Length from 11 mm to 450 mm	140.00 (172.20)
Additional hinge (required for 110 doors with solid core board, doors longer by 110 mm to 450 mm doors with a solid core infill)	20.00 (24.60)
Additional hinge in the SIMPLE non-rebated system (required for doors longer by 110 mm to 450 mm and doors with a solid core infill)	90.00 (110.70)
Additional hinge for Reversed-Swing Doors (required for "110" doors, doors longer by 110 mm to 450 mm, and doors with a solid core infill)	150.00 (184.50)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs.), only available for type 01 for a min. width of "70"	16.00 (19.68)
Metal ventilation sleeves in nickel or bronze (pcs), only available for type 01	
	30.00 (36.90)
for min. "70"	30.00 (36.90)
OTHER Timber frame	50.00 (61.50)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF	
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted	50.00 (61.50)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges)	50.00 (61.50) 120.00 (147.60)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf	50.00 (61.50) 120.00 (147.60) 40.00 (49.20)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00%
for min. "70" OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10)
for min. "70" OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20)
For min. "70" OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Non-rebated door leaf, MAGIC sliding system	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00) 50.00 (61.50) 100.00 (123.00)
For min. "70" OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Non-rebated door leaf, MAGIC sliding system Door leaf, reversed swing system Inactive door leaf for a double leaf	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00) 50.00 (61.50) 100.00 (123.00)
OTHER Timber frame Solid core filling (extra charge applies for an additional hinge; the HDF thickness changes to 3 mm) 3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges) Two colour door leaf Door leaf, CONTRAST system Door leaf, CONTRAST ABS system SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut Non-rebated door, SIMPLE system Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors Non-rebated door leaf, MAGIC sliding system Door leaf, reversed swing system Inactive door leaf for a double leaf (surcharge for timber frame applies)	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00) 50.00 (61.50) 100.00 (123.00) 300.00 (369.00)
OTHER	50.00 (61.50) 120.00 (147.60) 40.00 (49.20) 50.00% 55.00 (67.65) 70.00 (86.10) 40.00 (49.20) 200.00 (246.00) 50.00 (61.50) 100.00 (123.00) 300.00 (369.00) 90.00 (110.70)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩



CPL GROUP WWWWW



CLPL GROUP WWWWW



Old Oak



Bengali Mango

Anthracite Oak

117 **BASIC Collection** www.vivento.pl



AVAILABLE WIDTHS

- "60", "70", "80", "90", other sizes available at an extra charge
- minimum sash width: 610 mm

CONSTRUCTION

- MDF rails and stiles (timber frame available at an extra charge)
- Core: stabilising layer known as "honeycomb"
- Surface made of 3 mm thick HDF

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS
- Steel: fixed, square large, adjustable

COMPONENTS

- Glass: Satin deco th. 4 mm,
 White Bark effect glass for the CLASSIC model,
 Satin macadi glass for the MADRYT and MACADI-3 models, Satin Sapporo glass for the SAPPORO model
- A mortise sash lock (options include a turn and release lock, a lock with a euro profile cylinder or a mortise latch without the bottom hole)
- Screw hinges, 2 pcs. (3 pcs. in the "90" door leaf).



Glazing beads



MDF frame



Timber construction Solid core board

































Air grille



Satin VSG 2.2.1 glass

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGI
Widths "100" and "110"	70.00 (86.10)
Jp to 5 mm narrower	70.00 (86.10)
Narrower by more than 5 mm	95.00 (116.85)
Wider	95.00 (116.85)
NON-STANDARD HEIGHT	
Jp to 60 mm shorter	50.00 (61.50)
More than 60 mm shorter	60.00 (73.80)
Jp to 10 mm longer	60.00 (73.80)
11 mm to 450 mm longer (except for the LAK colour group)	140.00 (172.20)
Modification of a model due to a non-standard door height	50.00 (61.50)
Additional hinge (required for 110 doors with solid core board, doors longer by 110 mm to 450 mm, and doors with a solid core infill)	20.00 (24.60)
Additional hinge in the SIMPLE non-rebated system (required for "110" doors, doors longer by 110 mm to 450 mm, and doors with a solid core infill)	90.00 (110.70)
Additional hinge for Reversed-Swing Doors (required for "110" doors, doors onger by 110 mm to 450 mm, and doors with a solid core infill)	150.00 (184.50)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Plastic ventilation sleeves (set)	20.00 (24.60)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation grille in a colour of your choice: White, Bleached Oak, Halifax Oak, Silver Oak, Matt Silver, Luminous Grey, Old Oak, Walnut, Nussbaum Walnut	60.00 (73.80)
Stainless steel air grille	240.00 (295.20)
OTHER	
Timber frame	50.00 (61.50)
Solid core board (extra charge applies for an additional hinge)	120.00 (147.60)
Two colour door leaf	50.00%
Door leaf, CONTRAST system	55.00 (67.65)
Door leaf, CONTRAST ABS system	70.00 (86.10)
SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut	40.00 (49.20)
Non-rebated door, SIMPLE system	200.00 (246.00
Non-rebated door, wall-mounted standard sliding system, wall-mounted LOFT doors and pocket doors (the PRESTON model is not available as a sliding cassette door due to the beading thickness)	50.00 (61.50)
Non-rebated door leaf, MAGIC sliding system	100.00 (123.00)
Door leaf, reversed swing system	300.00 (369.00
nactive door leaf for double doors (extra charge applies for timber rails and stiles)	90.00 (110.70)
	185.00 (227.55)
Standard 01, extra charge for timber rails and stiles applies)	45.00 (55.35)
Inactive door leaf for double doors, width S2 under 610 mm (only for Standard 01, extra charge for timber rails and stiles applies) Door closer reinforcement Rebate 20 mm	45.00 (55.35) 60.00 (73.80)

AVAILABLE COLOURS

$\mathsf{CPL^*}\,\mathsf{GROUP}\,\,\,\overline{\!\!\boldsymbol{\mathbb{W}}}\,\,\overline{\!\!\boldsymbol{\mathbb{W}}}\,\,\overline{\!\!\boldsymbol{\mathbb{W}}}\,\,\overline{\!\!\boldsymbol{\mathbb{W}}}\,\,\overline{\!\!\boldsymbol{\mathbb{W}}}\,\,\overline{\!\!\boldsymbol{\mathbb{W}}}\,\,\overline{\!\!\boldsymbol{\mathbb{W}}}$



Uni White Uni Grey

FF GROUP $\mathbf{\hat{W}}\mathbf{\hat{W}}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}$











Silver Oak











Nussbaum Walnut



Bengali Mango Anthracite Oak



119 **BASIC Collection** www.vivento.pl

^{*} CPL Colour Group range not available for the CARSON

PRESTON

For descriptions, colours available in the BASIC Collection, and an extra charge table, go to pp. 118-119.





Smart glazing bead



For PRESTON doors, we recommend the DIN PLUS CLASS architraves with the shape corresponding to the glazing bead of the PRESTON model. See p. 192.

The PRESTON model is available in the entire ranges of the FF, CLPL and CPL Colour Groups, excluding: FF Bianco and CPL Uni White.



PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL	-	650.00 (799.50)
CLPL		640.00 (787.20)
FF		560.00 (688.80)

EXTRA CHARGE FOR GLAZING CHANGE

	Type 02	Type 04	Type 05	Type 07	Type 08	Type 10	Type 11
Lacomat, Satin lines	253.00	173.00	248.00	75.00	248.00	124.00	248.00
or Visiosun	(311.19)	(212.79)	(305.04)	(92.25)	(305.04)	(152.52)	(305.04)
Satin VSG 2.2.1	360.00	220.00	340.00	120.00	340.00	170.00	340.00
	(442.80)	(270.60)	(418.20)	(147.60)	(418.20)	(209.10)	(418.20)

MANHATTAN



MANHATTAN 4/4 FF Halifax Oak



PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		705.00 (867.15)
FF	Satin deco, Chinchilla or Transparent	612.00 (752.76)
LAK		546.00 (671.58)

EXTRA CHARGE FOR GLAZING CHANGE

	Type 1/4	Type 2/4	Type 3/4	Type 4/4
Lacomat or Satin lines	58.00	116.00	174.00	232.00
	(71.34)	(142.68)	(214.02)	(285.36)

BASIC **FLAVIO**



FLAVIO 03 FF Cornwall Oak



PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		520.00 (639.60)
FF	Satin deco, Chinchilla or Transparent	427.00 (525.21)
LAK		362.00 (445.26)

EXTRA CHARGE FOR GLAZING CHANGE

	Type 02	Type 03	
Lacomat or Satin lines	23.00 (28.29)	52.00 (63.96)	

BASIC Collection www.vivento.pl 121

BASIC

BOSTON

For descriptions, colours available in the BASIC Collection, and an extra charge table, go to pp. 118-119.















PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		635.00 (781.05)
FF	Satin deco, Chinchilla or Transparent	545.00 (670.35)
LAK		480.00 (590.40)

EXTRA CHARGE FOR GLAZING CHANGE

	Type 03	Type 04	Type 05	Type 06	
Lacomat or Satin lines	32.00 (39.36)	65.00 (79.95)	76.00 (93.48)	152.00 (186.96)	

BASIC

CLASSIC





PRICE LIST

Calaum muaum	Classic at	Price in PLN excl./(inc.) VAT		
Colour group	Glazing*	Types 01, 03	Type 02	
CPL		580.00 (713.40)	480.00 (590.40)	
FF	White Bark, Chinchilla or Transparent	487.00 (599.01)	389.00 (478.47)	
LAK		422.00 (519.06)	324.00 (398.52)	
White bark effect doo	r glazing as standard.			

EXTRA CHARGE FOR GLAZING CHANGE

	Type 02	Type 03
Satin deco	35.00 (43.05)	110.00 (135.30)
Lacomat or Satin lines	46.00 (56.58)	173.00 (212.79)

LAMBRO



LAMBRO 5/5 FF Catania Oak













PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		570.00 (701.10)
FF	Satin deco, Chinchilla or Transparent	475.00 (584.25)
LAK		409.00 (503.07)

EXTRA CHARGE FOR GLAZING CHANGE

	Type 1/5	Type 2/5	Type 3/5	Type 4/5	Type 5/5
Lacomat or Satin lines	46.00	92.00	138.00	184.00	230.00
	(56.58)	(113.16)	(169.74)	(226.32)	(282.90)

BASIC **CENTUR**



CENTUR 3/3 FF Amber Oak





1/3v1








PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		513.00 (630.99)
FF	Satin deco, Chinchilla or Transparent	418.00 (514.14)
LAK		352.00 (432.96)

EXTRA CHARGE FOR GLAZING CHANGE

	Type 1/3	Type 2/3	Type 3/3
Lacomat or Satin lines	40.00	80.00	120.00
	(49.20)	(98.40)	(147.60)

BASIC Collection www.vivento.pl 123



0/6 2/6 4/6 6/6

PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		625.00 (768.75)
FF	Satin deco, Chinchilla or Transparent	530.00 (651.90)
LAK		464.00 (570.72)

EXTRA CHARGE FOR GLAZING CHANGE


	Type 2/6	Type 4/6	Type 6/6
Lacomat or Satin lines	39.00	78.00	117.00
	(47.97)	(95.94)	(143.91)

BASIC

PESARO



PESARO 5/5 FF Bengali Mango



PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		719.00 (884.37)
FF	Satin deco, Chinchilla or Transparent	624.00 (767.52)
LAK		558.00 (686.34)

EXTRA CHARGE FOR GLAZING CHANGE

	Type	Type	Type	Type	Type	Type	Type
	1/5	2/5 v1	2/5 v2	3/5 v1	3/5 v2	4/5	5/5
Lacomat or Satin lines	58.00	77.00	39.00	135.00	173.00	155.00	210.00
	(71.34)	(94.71)	(47.97)	(166.05)	(212.79)	(190.65)	(258.30)

TRIVENTO



TRIVENTO 3/3 LAK Bleached Oak









2/3 v1





PRICE LIST

0/3

Colour group	Glazing	Price in PLN excl./(inc.) VAT	
CPL		720.00 (885.60)	
FF	Satin deco, Chinchilla or Transparent	625.00 (768.75)	
LAK		560.00 (688.80)	

EXTRA CHARGE FOR GLAZING CHANGE

	Type 1/3 v1	Type 1/3 v2	Type 2/3 v1	Type 2/3 v2	Type 3/3
Lacomat or Satin lines	104.00	40.00	145.00	207.00	247.00
	(127.92)	(49.20)	(178.35)	(254.61)	(303.81)

BASIC **DALLAS**



DALLAS 4/4 LAK Bleached Oak









PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT	
CPL		515.00 (633.45)	
FF	Satin deco, Chinchilla or Transparent	420.00 (516.60)	
LAK		356.00 (437.88)	

3/4


EXTRA CHARGE FOR GLAZING CHANGE

	Type 1/4	Type 2/4	Type 3/4	Type 4/4	
Lacomat or Satin lines	18.00 (22.14)	36.00 (44.28)	54.00 (66.42)	72.00 (88.56)	


BASIC Collection www.vivento.pl 125

MADRYT

For descriptions, colours available in the BASIC Collection, and an extra charge table, go to pp. 118-119.



MADRYT 3/3 FF Bengali Mango



PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		515.00 (633.45)
FF	Satin macadi, Satin deco, Chinchilla or Transparent	420.00 (516.60)
LAK		355.00 (436.65)

Satin macadi door glazing as standard.

EXTRA CHARGE FOR GLAZING CHANGE


	Type 1/3	Type 2/3	Type 3/3
Lacomat or Satin lines	32.00	64.00	96.00
	(39.36)	(78.72)	(118.08)

BASIC

MACADI-3



MACADI-3 3/3 FF Cornwall Oak



PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		515.00 (633.45)
FF	Satin macadi, Satin deco, Chinchilla or Transparent	420.00 (516.60)
LAK		355.00 (436.65)
Satin macadi door gla	izing as standard.	(436.65)

EXTRA CHARGE FOR GLAZING CHANGE

	Type 1/3	Type 2/3	Type 3/3
Lacomat or Satin lines	32.00	64.00	96.00
	(39.36)	(78.72)	(118.08)

BASIC

CARSON



CARSON 04 LAK Bleached Oak









04







PRICE LIST

Calaur muaum	Clarina	Price in PLN excl./(inc.) VAT			
Colour group	Glazing	Types 01, 02, 03, 04, 05	Types 06, 07		
FF	Satin deco, Chinchilla	459.00 (564.57)	665.00 (817.95)		
LAK	or Transparent	394.00 (484.62)	595.00 (731.85)		

EXTRA CHARGE FOR GLAZING CHANGE

	Type 03	Types 04, 05	Types 06, 07
Lacomat or Satin	35.00	104.00	253.00
lines	(43.05)	(127.92)	(311.19)

BASIC **PANAMA**



PANAMA 3/3 LAK Silver Oak





1/3 v1









PRICE LIST

0/3

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		479.00 (589.17)
FF	Satin deco, Chinchilla or Transparent	384.00 (472.32)
LAK		318.00 (391.14)

EXTRA CHARGE FOR GLAZING CHANGE

	Type 1/3 v1	Type 1/3 v2	Type 2/3 v1	Type 2/3 v2	Type 3/3
Lacomat or Satin lines	20.00	6.00	25.00	39.00	45.00
	(24.60)	(7.38)	(30.75)	(47.97)	(55.35)

BASIC Collection www.vivento.pl 127



PORTO 6/6 FF Riviera Oak



PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		623.00 (766.29)
FF	Satin deco, Chinchilla or Transparent	528.00 (649.44)
LAK		462.00 (568.26)

EXTRA CHARGE FOR GLAZING CHANGE

	Type 2/6v1, 2/6v2	Type 4/6	Type 6/6	
Lacomat or Satin lines	39.00 (47.97)	78.00 (95.94)	117.00 (143.91)	

BASIC **RIMINI**



RIMINI 5/5 FF Nussbaum Walnut



PRICE LIST

Colour group	r group Glazing Price in PLN excl./(inc.) VAT	
CPL		709.00 (872.07)
FF	Satin deco, Chinchilla or Transparent	614.00 (755.22)
LAK		548.00 (674.04)


EXTRA CHARGE FOR GLAZING CHANGE

	Type 1/5	Type 2/5	Type 3/5	Type 4/5	Type 5/5	
Lacomat or Satin lines	46.00 (56.58)	92.00 (113.16)	138.00 (169.74)	184.00 (226.32)	230.00 (282.90)	

SOFIA



SOFIA 3/3 LAK Silver Oak



PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		715.00 (879.45)
FF	Satin deco, Chinchilla or Transparent	620.00 (762.60)
LAK		555.00 (682.65)


EXTRA CHARGE FOR GLAZING CHANGE

	Type 1/3	Type 2/3	Type 3/3
Lacomat or Satin lines	83.00	166.00	249.00
	(102.09)	(204.18)	(306.27)

BASIC **LIMA**



LIMA 3/3 LAK Silver Oak



PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		507.00 (623.61)
FF	Satin deco, Chinchilla or Transparent	412.00 (506.76)
LAK		347.00 (426.81)

EXTRA CHARGE FOR GLAZING CHANGE

	Types 1/1 & 1/3	Type 2/2	Type 3/3	
Lacomat or Satin lines	18.00 (22.14)	36.00 (44.28)	54.00 (66.42)	

BASIC Collection www.vivento.pl 129

BASIC

VERONA

For descriptions, colours available in the BASIC Collection, and an extra charge table, go to pp. 118-119.



VERONA 4/4 LAK Bleached Oak



PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		567.00 (697.41)
FF	Satin deco, Chinchilla or Transparent	472.00 (580.56)
LAK		407.00 (500.61)

EXTRA CHARGE FOR GLAZING CHANGE


	Type 1/4	Type 2/4	Type 3/4	Type 4/4
Lacomat or Satin lines	20.00	40.00	60.00	80.00
	(24.60)	(49.20)	(73.80)	(98.40)

BASIC

VEDI



VEDI 5/5 LAK Silver Oak



PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		530.00 (651.90)
FF	Satin deco, Chinchilla or Transparent	435.00 (535.05)
LAK		370.00 (455.10)


EXTRA CHARGE FOR GLAZING CHANGE

	Type 1/5	Type 2/5	Type 3/5	Type 4/5	Type 5/5	
Lacomat or Satin lines	13.00 (15.99)	26.00 (31.98)	39.00 (47.97)	52.00 (63.96)	65.00 (79.95)	

VENTE



VENTE 4/4 FF Silver Oak



PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		653.00 (803.19)
FF	Satin deco, Chinchilla or Transparent	558.00 (686.34)
LAK		492.00 (605.16)

EXTRA CHARGE FOR GLAZING CHANGE

	Type 1/4	Type 2/4	Type 3/4	Type 4/4
Lacomat or Satin lines	46.00	92.00	138.00	184.00
	(56.58)	(113.16)	(169.74)	(226.32)

BASIC **SAPPORO**



SAPPORO 4/4 FF Amber Oak



1/4







PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.) VAT
CPL		515.00 (633.45)
FF	Satin Sapporo, Satin deco, Chinchilla or Clear	420.00 (516.60)
LAK		365.00 (448.95)

EXTRA CHARGE FOR GLAZING CHANGE

	Type 1/4	Type 2/4	Type 3/4	Type 4/4	
Lacomat or Satin lines	22.00 (27.06)	44.00 (54.12)	66.00 (81.18)	88.00 (108.24)	

BASIC Collection www.vivento.pl 131

BASIC

ANATOLIA



PRICE LIST

Colour avour	Price in PLN excl./(inc.) VAT
Colour group	Type 01
PVC	630.00 (774.90)

ANATOLIA 01, PVC White Grain

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
Up to 5 mm narrower	70.00 (86.10)
6 mm to 10 mm narrower	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
61 mm to 140 mm shorter	60.00 (73.80)
Up to 10 mm longer	60.00 (73.80)
Additional hinge	20.00 (24.60)
Additional hinge in SIMPLE non-rebated system	90.00 (110.70)
Additional hinge in reversed swing doors	150.00 (184.50)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Plastic ventilation sleeves (set)	20.00 (24.60)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic air grille in white or matt silver	60.00 (73.80)
Stainless steel air grille	240.00 (295.20)
OTHER	
Solid core board (extra charge applies for an additional hinge)	250.00 (307.50)
Two colour door leaf	50.00%
Door leaf, CONTRAST system	55.00 (67.65)
Door leaf, CONTRAST ABS system	70.00 (86.10)
SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut	40.00 (49.20)
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Non-rebated door leaf, MAGIC sliding system	100.00 (123.00)
Door leaf, reversed swing system	300.00 (369.00)
Inactive door leaf for a double leaf	90.00 (110.70)
Door closer reinforcement	45.00 (55.35)
Rebate 20 mm	60.00 (73.80)
Euro profile cylinder lock, with bolts (surcharge applies for an adjustable strike plate in the frame)	50.00 (61.50)
Top lock with core	40.00 (49.20)
Upper lock: euro profile, with bolts (extra charge applies for an adjustable strike plate in the frame)	40.00 (49.20)
Multipoint lock (in doors with fixed timber or MDF frames)	390.00 (479.70)
3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges)	40.00 (49.20)
200° Panoramic door viewer	100.00 (123.00)
Drop down seal	99.00 (121.77)

AVAILABLE WIDTHS

- "60", "70", "80", "90", other sizes available at an extra charge
- minimum sash width: 610 mm
- maximum sash width: 944 mm

CONSTRUCTION

- Timber frame
- rigid honeycomb infill
- face layer made of wood effect pressed HDF with a thickness of 3 mm

COMPONENTS

- A mortise sash lock (options include a turn and release lock, a lock with a euro profile cylinder or a mortise latch without the bottom hole)
- Screw hinges, 2 pcs. (3 pcs. in the "90" door leaf)

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

AVAILABLE COLOURS

PVC GROUP WWWWW







White Grain

Natural Grandson Oak

Supermat grey with visible wood structure





PRICE LIST

Colour group	Glazing	Price in PLN excl./(inc.)			nc.) VAT		
Colour group	Glazing	Type 01	Type 02	Type 03	Type 04		
PVC	Satin deco, Chinchilla or Clear	630.00 (774.90)	740.00 (910.20)	820.00 (1008.60)	990.00 (1217.70)		

EXTRA CHARGE FOR GLAZING CHANGE

	Type 02	Type 03	Type 04
Lacomat or Satin lines	46.00	173.00	253.00
	(56.58)	(212.79)	(311.19)

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
Up to 5 mm narrower	70.00 (86.10)
6 mm to 10 mm narrower	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
61 mm to 140 mm shorter	60.00 (73.80)
Up to 10 mm longer	60.00 (73.80)
Additional hinge	20.00 (24.60)
Additional hinge in SIMPLE non-rebated system	90.00 (110.70)
Additional hinge in reversed swing doors	150.00 (184.50)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Plastic ventilation sleeves (set)	20.00 (24.60)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic air grille in white or matt silver	60.00 (73.80)
Stainless steel air grille	240.00 (295.20)
OTHER	
Solid core board (extra charge applies for an additional hinge)	250.00 (307.50)
Two colour door leaf	50.00%
Door leaf, CONTRAST system	55.00 (67.65)
Door leaf, CONTRAST ABS system	70.00 (86.10)
SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut	40.00 (49.20)
Non-rebated door, SIMPLE system	200.00 (246.00)
Non-rebated door, wall-mounted standard sliding system, wall-mounted and pocket LOFT doors	50.00 (61.50)
Non-rebated door leaf, MAGIC sliding system	100.00 (123.00)
Door leaf, reversed swing system	300.00 (369.00)
Inactive door leaf for a double leaf	90.00 (110.70)
Door closer reinforcement	45.00 (55.35)
Rebate 20 mm	60.00 (73.80)
Euro profile cylinder lock, with bolts (surcharge applies for an adjustable strike plate in the frame)	50.00 (61.50)
Top lock with core	40.00 (49.20)
Upper lock: euro profile, with bolts (extra charge applies for an adjustable strike plate in the frame)	40.00 (49.20)
Multipoint lock (in doors with fixed timber or MDF frames)	390.00 (479.70)
3D hinges adjustable in three planes (available complete with a frame fitted with the 3D hinges)	40.00 (49.20)
200° Panoramic door viewer	100.00 (123.00)
Drop down seal	99.00 (121.77)

AVAILABLE WIDTHS

- "60", "70", "80", "90", other sizes available at an extra charge
- minimum sash width: 610 mm
- maximum sash width: 944 mm

CONSTRUCTION

- Timber frame
- rigid honeycomb infill
- face layer made of flat pressed HDF, 3 mm thick

COMPONENTS

- Satin deco glass, 4 mm thick
- A mortise sash lock (options include a turn and release lock, a lock with a euro profile cylinder or a mortise latch without the bottom hole)
- Screw hinges, 2 pcs. (3 pcs. in the "90" door leaf)

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS

AVAILABLE COLOURS

PVC GROUP WWWWW





White Grain

Natural Grandson Oak

www.vivento.pl 133 **BASIC Collection**



INTERNAL ENTRANCE DOORS



SOLID PLUS doors are designed for use as internal entrance doors. The complete doorset consists of a 46 mm thick door leaf, a 90 mm wide fixed timber door frame, a steel threshold, a door viewer and a handle. When placing an order for an ASTORIA model, please specify the type (01, 02 or 03) and variant: Black, Mirror, Gold or White. For technological reasons, a door viewer cannot be installed in the SOLID PLUS ASTORIA 02 and ASTORIA 03 models with "60" and "70" widths.

COLOUR: PVC Natural Grandson Oak



SOLID PLUS STANDARD



SOLID PLUS ASTORIA 01



SOLID PLUS ASTORIA 02



SOLID PLUS ASTORIA 03



COLOUR: PVC Supermatt Grey

SOLID PLUS VEGAS 07



SOLID PLUS VEGAS 09



SOLID PLUS VEGAS 10



SOLID PLUS VEGAS 12



SOLID PLUS VEGAS 13



construction



















3 hinges as standard

3 reinforced

3D hinges

Bolt locks

Tailor-made

60-90

Panoramic viewfinder

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

- Timber frame
- Solid core board
- Surface made of 6 mm thick HDF

COMPONENTS

Door leaf:

- Mortise bolt locks with a euro profile cylinder, 2 pcs.
- Screw hinges adjustable in three planes, 3 pcs.
- Panoramic 200° door viewer (not for SOLID PLUS ASTORIA 02 or ASTORIA 03 with widths "60" and "70")
- Hinge security bolts
- Seal

Fixed timber door frame:

- Adjustable door strikes, 2 pcs.
- Screw hinges adjustable in three planes, 3 pcs.
- Seal
- Installation kit

Components:

- Stainless steel sheet threshold with seal
- Lambda handle with top escutcheon in stainless steel colour (see p. 210)
- euro profile cylinder in master key system, size 30/45G, nickel

DOOR FRAME VARIANTS

■ Timber, fixed, 44 × 90 mm

AVAILABLE COLOURS

PVC GROUP WWWWW







PP GROUP **₩₩₩₩**₩₩





Light Grey

Navy blue

Natural Grandson Oak











CLPL GROUP WWWWW

















PRICE LIST

Colour			Price in	PLN: excl./(inc.) VAT			
Group	STANDARD	ASTORIA 01	ASTORIA 02	ASTORIA 03	ASTORIA 01	ASTORIA 02	ASTORIA 03	VEGAS
			BLACK			GOLD/WHITE/MIRROR		
PVC	2060,00 (2533,80)	2380,00 (2927,40)	2410,00 (2964,30)	2510,00 (3087,30)	2460,00 (3025,80)	2630,00 (3234,90)	2730,00 (3357,90)	2210,00 (2718,30)
PP	1880,00 (2312,40)	2200,00 (2706,00)	2230,00 (2742,90)	2330,00 (2865,90)	2280,00 (2804,40)	2450,00 (3013,50)	2550,00 (3136,50)	-
CPL	1820,00 (2238,60)	2140,00 (2632,20)	2170,00 (2669,10)	2270,00 (2792,10)	2220,00 (2730,60)	2390,00 (2939,70)	2490,00 (3062,70)	-
CLPL	1800,00 (2214,00)	2120,00 (2607,60)	2150,00 (2644,50)	2250,00 (2767,50)	2200,00 (2706,00)	2370,00 (2915,10)	2470,00 (3038,10)	-
FF	1690,00 (2078,70)	2010,00 (2472,30)	2040,00 (2509,20)	2140,00 (2632,20)	2090,00 (2570,70)	2260,00 (2779,80)	2360,00 (2902,80)	-
LAK	1640,00 (2017,20)	-	-	-	-	-	-	-

OPTIONS AT AN EXTRA CHARGE - DOOR LEAF

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Up to 5 mm narrower	70.00 (86.10)
Narrower by more than 5 mm	95.00 (116.85)
Wider	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
More than 60 mm shorter	60.00 (73.80)
Up to 10 mm longer	60.00 (73.80)
Additional hinge (required for the1 00 door leaf)	20.00 (24.60)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
OTHER	
Door leaf, CONTRAST system	55.00 (67.65)
Multipoint lock	390.00 (479.70)
Timber threshold with seal, without a decorative layer	90.00 (110.70)
Drop down seal	99.00 (121.77)
Door closer reinforcement	45.00 (55.35)

OPTIONS AT AN EXTRA CHARGE - TIMBER DOOR FRAME

Non-standard width	60.00 (73.80)
Non-standard height: longer by up to 10 mm	60.00 (73.80)
Non-standard height: shorter	50.00 (61.50)
Change of door strike position (recommended for door frames with a non-standard height)	70.00 (86.10)
Additional hinge (required for the "100" door frame)	20.00 (24.60)
Multipoint lock strike	90.00 (110.70)

137 SOLID PLUS reinforced doors www.vivento.pl

ACOUSTIC





Remember your accessories. Check out our range of entrance door handles. See p. .210.

Our technical doors are designed for use as internal entrance doors. The single door version ensures acoustic insulation at the level of 32 dB, double door version = 27 dB. The thickness of the door leaf is 50 mm. The threshold and the euro profile cylinder are not included as standard. For available euro profile cylinders, go to p. 212.

TABLE OF DIMENSIONS

	Width	Door opening width [mm]	Door opening height [mm]	Frame outer width [mm]	Frame outer height [mm]	Suggested installation opening [mm] (W × H)
	80	801	2017	911	2071	930 × 2081
CINICI E DOODS	90	901	2017	1011	2071	1030 × 2081
SINGLE DOORS	100	1001	2017	1111	2071	1130 × 2081
	110	1101	2017	1211	2071	1230 × 2081

ACOUSTIC








3D hinges



Sound insulation



Tailor-made











AVAILABLE WIDTHS • "80", "90", other sizes available at an extra charge

CONSTRUCTION

Door leaf:

- Three-layer fire-resistant chipboard without a frame, with wooden strip glued around the perimeter
- Surface made of 3 mm thick HDF

Door frame:

■ Timber, fixed: 54 mm × 100 mm

COMPONENTS

Door leaf:

- Mortise, euro profile cylinder lock Screw hinges, adjustable, 3 pcs.
- drop-down gasket

Door frame:

- Striker
- Screw hinges, adjustable, 3 pcs.
- Soundproofing seal
- Installation kit

Components:

• OVAL 1701 handle with bottom pull for an insert

DOOR FRAME VARIANTS

- fixed timber 54 mm × 100 mm
- adjustable timber: bespoke pricing


AVAILABLE COLOURS

PVC GROUP WWWWW






PP GROUP **₩₩₩₩**₩₩







Uni Black

PRICE LIST

Calaur avana	Price in PLN: excl./(inc.) V	'AT
Colour group	Single doors (32 dB)	Double doors (27 dB)
PVC	2450.00 (3013.50)	4800.00 (5904.00)
PP	2360.00 (2902.80)	4600.00 (5658.00)
CPL	2290.00 (2816.70)	4505.00 (5541.15)
CLPL	2280.00 (2804.40)	4480.00 (5510.40)
FF	2190.00 (2693.70)	4320.00 (5313.60)

CLPL GROUP WWWWW

Walnut

Uni Anthracite



OPTIONS AT AN EXTRA CHARGE - DOOR LEAF

NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	50%
Up to 5 mm narrower	70.00 (86.10)
Narrower by more than 5 mm	95.00 (116.85)
Wider	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
More than 60 mm shorter	60.00 (73.80)
Up to 10 mm longer	60.00 (73.80)
Length from 11 mm to 300 mm	50%
Additional hinge (required for the "100" and "110" doors, and doors that are 110 mm to 300 mm longer)	60.00 (73.80)
Change of door lock and strike positions (recommended for doors with a non-standard height)	70.00 (86.10)
OTHER	
Fire rated air grille 300 mm × 150 mm	900.00 (1107.00)
Top lock with core	100.00 (123.00)
200° Panoramic door viewer	100.00 (123.00)
Customised door for customer's lock to be installed	180.00 (221.40)
DOOR CLOSERS AND ELECTRIC STRIKES	
GROOM 200 surface-mounted door closer with sprung arm, silver	280.00 (344.40)
GROOM 200 door closer for double doors (2 pcs.) with adjustable action (1 pc.)	990.00 (1,217.70)
Concealed door closer ITS96	800.00 (984.00)
Concealed door closer ITS96 for double doors	2600.00 (3,198.00
DES7, 12 V symmetrical fail-safe electric strike	180.00 (221.40)

FF GROUP $\begin{picture}(60,0) \put(0,0){\line(1,0){100}} \put(0,0){\line$



OPTIONS AT AN EXTRA CHARGE - TIMBER DOOR FRAME

Non-standard width	60.00 (73.80)
Non-standard height: longer by up to 10 mm	60.00 (73.80)
Non-standard height: longer from 11 mm to 300 mm	140.00 (172.20)
Non-standard height: shorter	50.00 (61.50)
Change of door strike position (recommended for door frames with a non-standard height)	70.00 (86.10)
Additional hinge (required for the "100" door frame)	60.00 (73.80)

139 Internal entrance doors www.vivento.pl

EI30, EI60 FIRE ACOUSTIC

EI30 FIRE RATED ACOUSTIC INTERNAL ENTRANCE DOORS, CLPL OId Oak



Our fire rated technical doors are designed for use as internal entrance doors. The single door version ensures acoustic insulation at the level of 32 dB, double door version = 27 dB. The thickness of the EI30 door leaf is 50 mm, and for the EI60 door it is 60 mm.

Technical fire rated doors can be installed on masonry walls (115 mm min. th.), concrete or reinforced concrete walls (100 mm min. th.), cellular concrete walls (min. th. of 150 mm for El30 and 175 mm for El60) or gypsum board rated El30 or El60, respectively, for fire resistance (100 mm min. th.).

The threshold and the euro profile cylinder are not included as standard. For the available euro profile cylinders, go to p. 212.

Fire doors must be fitted with a fire rated door closer.



Remember your accessories. Check out our range of entrance door handles.

PRICE LIST EI30

Colour group	Price in PLN: excl./(inc.) VAT					
	Single doors	Smoke control single doors	Double doors	Smoke control double doors		
	(32 dB)	(32 dB)	(27 dB)	(27 dB)		
PVC	2830.00 (3480.90)	2880.00 (3542.40)	5520.00 (6789.60)	5585.00 (6869.55)		
PP	2750.00 (3382.50)	2790.00 (3431.70)	5320.00 (6543.60)	5400.00 (6642.00)		
CPL	2680.00 (3296.40)	2730.00 (3357.90)	5230.00 (6432.90)	5290.00 (6506.70)		
CLPL	2665.00 (3277.95)	2720.00 (3345.60)	5200.00 (6396.00)	5265.00 (6475.95)		
FF	2575.00 (3167.25)	2630.00 (3234.90)	5040.00 (6199.20)	5100.00 (6273.00)		

PRICE LIST EI60

Colour group	Price in PLN: excl./(inc.) VAT					
	Single doors	Smoke control single doors	Double doors	Smoke control double doors		
	(32 dB)	(32 dB)	(27 dB)	(27 dB)		
PVC	3030.00 (3726.90)	3080.00 (3788.40)	5920.00 (7281.60)	5990.00 (7367.70)		
PP	2990.00 (3677.70)	3040.00 (3739.20)	5830.00 (7170.90)	5900.00 (7257.00)		
CPL	2880.00 (3542.40)	2930.00 (3603.90)	5630.00 (6924.90)	5690.00 (6998.70)		
CLPL	2870.00 (3530.10)	2920.00 (3591.60)	5600.00 (6888.00)	5670.00 (6974.10)		
FF	2775.00 (3413.25)	2830.00 (3480.90)	5440.00 (6691.20)	5500.00 (6765.00)		

TABLE OF DIMENSIONS

	Width	Door opening width [mm]	Door opening height [mm]	Frame outer width [mm]	Frame outer height [mm]	Suggested installation opening [mm] (W × H)
	80	801	2017	911	2071	930 × 2081
CINICI E DOODS	90	901	2017	1011	2071	1030 × 2081
SINGLE DOORS	100	1001	2017	1111	2071	1130 × 2081
	110	1101	2017	1211	2071	1230 × 2081



Solid core board

Tailor-made



3 reinforced



3D hinges



Sound insulation



Fire resistant EI30



Fire resistant EI60



80-90









AVAILABLE WIDTHS

• "80", "90", other sizes available at an extra charge

CONSTRUCTION

Door leaf:

- Three-layer fire-resistant chipboard without a frame, with wooden strip glued around the perimeter
- Surface made of 3 mm thick HDF

Door frame:

■ Timber, fixed: 54 mm × 100 mm

COMPONENTS

Door leaf:

- Mortise, euro profile cylinder lock
- Screw hinges, adjustable, 3 pcs.
- drop-down gasket

Door frame:

Striker

- Screw hinges, adjustable, 3 pcs. Soundproofing seal
- Intumescent seal
- Intumescent smoke seal (in smoke control doors)
- Installation kit

Components:

- OVAL 1701 handle with bottom pull for insert
- GROOM 200 overhead door closer with arm, silver
- GROOM 200 surface-mounted door closer with sprung arm for double doors, silver

DOOR FRAME VARIANTS

- fixed timber: 54 mm × 100 mm
- adjustable timber: bespoke pricing

AVAILABLE COLOURS

PVC GROUP WWWWW







El30, El60

FIRE ACOUSTIC

PP GROUP **₩₩₩₩**₩₩







Supermatt White

Light Grey

Natural Grandson

CPL GROUP WWWWW

Navy blue









Uni Anthracite

Uni White





Uni Black

Walnut











Bleached Larch

Old Oak





















Nussbaum Walnut









Bengali Mango

OPTIONS AT AN EXTRA CHARGE - DOOR LEAF

NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	50%
Up to 5 mm narrower	70.00 (86.10)
Narrower by more than 5 mm	95.00 (116.85)
Wider	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
More than 60 mm shorter	60.00 (73.80)
Up to 10 mm longer	60.00 (73.80)
Length from 11 mm to 300 mm	50%
Additional hinge (required for the "100" and "110" doors, and the doors that are 110 mm to 300 mm longer)	60.00 (73.80)
Change of door lock and strike positions (recommended for doors with a non-standard height)	70.00 (86.10)
OTHER	
Fire rated air grille 300 mm × 150 mm (not in smoke control doors)	900.00 (1107.00)
Top lock with core	100.00 (123.00)
200° Panoramic door viewer	100.00 (123.00)
Customised door for customer's lock to be installed	180.00 (221.40)
DOOR CLOSERS AND ELECTRIC STRIKES	
GROOM 200 surface-mounted door closer with sprung arm, silver	No extra charge
GROOM 200 door closer for double doors (2 pcs.) with adjustable action (1 pc.)	No extra charge
Concealed door closer ITS96	800.00 (984.00)
Concealed door closer ITS96 for double doors	2600.00 (3,198.0


OPTIONS AT AN EXTRA CHARGE - TIMBER DOOR FRAME

Fire rated electric strike, obverse 447 FIRE, (6-12 V, 12 V or 24 V)

Non-standard width	60.00 (73.80)
Non-standard height: longer by up to 10 mm	60.00 (73.80)
Non-standard height: longer from 11 mm to 300 mm	140.00 (172.20)
Non-standard height: shorter	50.00 (61.50)
Change of door strike position (recommended for door frames with a non-standard height)	70.00 (86.10)
Additional hinge (required for the "100" door frame)	60.00 (73.80)

141 Internal entrance doors www.vivento.pl

1300.00 (1599.00)



made to iieasure doors

VIVENTØ

Design a door tailored to your interior with us

space is of great importance to you and a source of strong emotions. Choosing the size, style, colour and material of a door is not to be underestimated. We have been manufacturing the best doors for your interior for over 37 years. We also do it when the layout of your space requires non-standard solutions.

Please contact us if you don't find the door you are looking for. Our Bespoke Doors Department is looking forward to new challenges!

MADE TO MEASURE DOORS



BRILLIANT


COLLECTION DOORS

SPREAD YOUR WINGS

Your choice is not limited to standard door sizes. Taller, lower, wider or narrower doors are not a problem. We can make doors in bespoke sizes and with the features described for your required door collection and for the chosen model.

EXTRA CHARGES FOR CHANGING DOOR LEAF SIZES

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case)	220.00 (270.60)
Up to 240 mm longer (feasibility evaluated case by case)	220.00 (270.60)
Additional hinge (required for doors 110 mm to 240 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 240 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)



PRESTIGE

COLLECTION **DOORS**

VALUABLE INFORMAT

What a door will look like depends on the non-standard height, whereas the modification must be agreed on an individual basis. Modification options for taller doors shown here are only for reference.

EXTRA CHARGES FOR CHANGING DOOR LEAF SIZES

NON-STANDARD WIDTH	EXTRA CHARGE
"100" width	70.00 (86.10)
Widths < "60"	430.00 (528.90)
Non-standard width, Door with Satin Deco, Lacomat or Satin VSG 2.2.1 glass	210.00 (258.30)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	60.00 (73.80)
More than 60 mm shorter (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Up to 470 mm longer (feasibility evaluated case by case) Door with Satin Deco, Lacomat or VSG 2.2.1 Satin glass.	220.00 (270.60)
Additional hinge (required for doors that are 110 mm to 470 mm longer)	25.00 (30.75)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 470 mm longer) $$	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
Modification of a model due to a non-standard door height (for more than 60 mm either longer or shorter doors)	100.00 (123.00)



BASIC

COLLECTION DOORS



What a door will look like depends on the non-standard height, whereas the modification must be agreed on an individual basis. Modification options for taller doors shown here are only for reference.

EXTRA CHARGES FOR CHANGING DOOR LEAF SIZES

NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	70.00 (86.10)
Up to 5 mm narrower	70.00 (86.10)
Narrower by more than 5 mm	95.00 (116.85)
Wider	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
More than 60 mm shorter	60.00 (73.80)
Up to 10 mm longer	60.00 (73.80)
11 mm to 450 mm longer (except for the LAK colour group)	140.00 (172.20)
Additional hinge (required for 110 doors with solid core board, and doors that are 110 mm to 450 mm longer)	20.00 (24.60)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 450 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
Modification of a model due to a non-standard door height	50.00 (61.50)

The finishing and construction method of the door leaf allows for length correction by cutting at the bottom, but not by more than 60 mm for door leaves on a timber frame, and 30 mm for door leaves on an MDF frame. Cutting double and non-rebated doors for sliding systems on your own is not possible.

DOOR FRAMES FOR

NON-STANDARD SIZE DOORS

made to illeasure doors

VIVENTØ

TIMBER FIXED

DOOR FRAME



EXTRA CHARGES FOR CHANGED DOOR FRAME SIZES

NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	25% extra charge
Non-standard width	60.00 (73.80)
NON-STANDARD HEIGHT	
Shorter	50.00 (61.50)
Up to 10 mm longer	60.00 (73.80)
Additional hinge	20.00 (24.60)
Change of door strike position (recommended for door frames with a non-standard height)	70.00 (86.10)

MDF FIXED DOOR FRAME



EXTRA CHARGES FOR CHANGED DOOR FRAME SIZES

NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	25% extra charge
Non-standard width	60.00 (73.80)
NON-STANDARD HEIGHT	
Shorter	50.00 (61.50)
Up to 10 mm longer	60.00 (73.80)
11 mm to 470 mm longer	140.00 (172.20)
Additional hinge	20.00 (24.60)
Additional hinge in SIMPLE non-rebated system	90.00 (110.70)
Change of door strike position (recommended for door frames with a non-standard height)	70.00 (86.10)

ADJUSTABLE DIN

DOOR FRAME



EXTRA CHARGES FOR CHANGED DOOR FRAME SIZES

NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	25%
Double door frame 100-200	25%
Non-standard width	80.00 (98.40)
Non-standard width of adjustable angle	30.00 (36.90)
NON-STANDARD HEIGHT	
Shorter	50.00 (61.50)
Up to 10 mm longer	60.00 (73.80)
11 mm to 470 mm longer	230.00 (282.90)
Additional hinge	20.00 (24.60)
Change of door strike position (recommended for door frames with a non-standard height)	70.00 (86.10)
Non-standard height of adjustable angle	30.00 (36.90)

"DUALE" DUAL RANGE

ADJUSTABLE FRAME



EXTRA CHARGES FOR CHANGED DOOR FRAME SIZES

NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	25%
Double door frame 100-200	25%
Non-standard width	80.00 (98.40)
Non-standard width of adjustable angle	30.00 (36.90)
NON-STANDARD HEIGHT Shorter	50.00 (61.50)
Shorter	50.00 (61.50)
Up to 10 mm longer	60.00 (73.80)
11 mm to 470 mm longer	230.00 (282.90)
Additional hinge	20.00 (24.60)
Change of door strike position (recommended for door frames with a non-standard height)	70.00 (86.10)
Non-standard height of adjustable angle	30.00 (36.90)



READY FOR A CHANGE

We created the Vivento INVE door with your comfort in mind. Their proprietary design provides an option to reverse the opening direction without any hassle by swapping the positions of door frame jambs and reversing the door leaf. A unique solution with a clear purpose, this will give you a freedom of choice. You don't have to decide on the hand of your door at the time of purchase, but you can do it in the peace and quiet of your home. Vivento INVE doors are always ready for the change.

And this is not all yet. Also worth noting is the unusual connection between the frame head and jambs, as well as the door rebate. The rebate is 3 mm high on the shorter sides and 13 mm high on the longer ones. Add to this symmetrical layout of the hinges and a lock mounted right halfway up the door height, and you will get a practical door with an exceptionally interesting design.

The versatility of this model is also a significant asset in property building projects. The door you order can be used as left- or right-handed, depending on your current needs. You only need to follow a few steps to swap the door's handing. You no longer face any limits. Vivento INVE – stylish, convenient, made to last.



For detailed technical drawings with dimensions, go to the technical section on p. 224



INVE VERSATILE DOORS



VIVENTØ

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

- MDF frame (timber frame available at an extra charge)
- Core: stabilising layer known as "honeycomb"
- Surface made of 3 mm thick HDF

COMPONENTS

- A symmetrical mortise sash lock (options include a turn and release lock or with a euro profile cylinder)
- innovative hinges in Zinc White (possible change to white or black for an additional charge), 2 pcs. (3 pcs. in the "90" door leaf)

DOOR FRAME VARIANTS

Adjustable: DIN

PRICE LIST

	Price in PLN excl./(inc.) VAT						
Colour group	BASIC STANDARD 01 Door in the INVE system	Adjustable DIN Door Frame in INVE system					
PVC	510.00 (627.3)						
PP	415.00 (510.45)						
CPL	377.00 (463.71)	Price of selected					
CLPL	368.00 (452.64)	model + surcharge: 60.00 (72.00)					
FF	303.00 (372.69)						
LAK	249.00 (306.27)						

OPTIONS AT AN EXTRA CHARGE - DOOR LEAF

NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	70.00 (86.10)
OTHER	
Changing hinge colour from zinc white to white or black	20.00 (24.60)
Timber frame	50.00 (61.50)
Solid core board (extra charge applies for an additional hinge)	120.00 (147.60)
Two colour door leaf	50.00%
Door leaf, CONTRAST system	55.00 (67.65)
Non-rebated door, SIMPLE system	200.00 (246.00)

OPTIONS AT EXTRA CHARGE - DIN ADJUSTABLE DOOR FRAME

NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	25%
OTHER	
Changing hinge colour from zinc white to white or black	20.00 (24.60)

AVAILABLE COLOURS

PVC GROUP WWWWW



PP GROUP **₩₩₩₩**₩₩






CLPL GROUP WWWWW



FF GROUP

Old Oak



LAK GROUI		VV
White	Bleached Oak	Silver Oak
Scandinavian Elm		

TABLE OF DIMENSIONS

Width	W [mm]	W1 [mm]	W2 [mm]	W3 [mm]	S1 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	H4 [mm]	Suggested installation opening [mm]	
60	603	626	647	745	618	644					675 × 2055	
70	703	726	747	845	718	744	2020	2020	2024	20.47	2002	775 × 2055
80	803	826	847	945	818	844			2024	2043	2092	875 × 2055
90	903	926	947	1045	918	944					975 × 2055	

W - Door frame clear width

W1 - Door frame rebate width

W2 - Door frame outer width

W3 - Door frame width with architraves

S1 - Door leaf rebate width

S2 - Overall door leaf width

H1 - Door frame clear height

H2 - Overall door leaf height H3 - Door frame outer height

H4 - Door frame height with architraves



The doors in the SIMPLE system do not use a rebate, namely, their edges are square and the door leaf is flush with the frame. It is a modern solution used in interiors furnished according to a variety of styles.

They are manufactured in all the varied models from the BRILLIANT, ELEGANTE, PRESTIGE and BASIC collections. Equipped as standard with built-in hinges, adjustable in three planes (3 hinges for the BRILLIANT Collection, 2 hinges for the ELEGANTE, PRESTIGE and BASIC collections) and a magnetic lock as a sash lock, euro profile cylinder or mortise latch versions to choose from (without the bottom hole) to ensure silent closing.

Changing the height of the SIMPLE door will make changing the hinge and lock positions necessary. When ordering the SIMPLE double doors, please note the required size of the installation opening (see p. 222).



Mortise hinge, adjustable in three planes



Magnetic lock in the door leaf



Adjustable magnetic lock strike in the door frame

SIMPLE NON-REBATED DOORS

made to illeasure doors

VIVENTØ

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge, as per the range of your selected door and door frame model

CONSTRUCTION

As per the range of your selected door and door frame model

COMPONENTS

Door leaf:

- A magnetic sash lock in satin chrome (options include a turn and release lock with a bolt diameter reduction, a lock with a euro profile cylinder or a mortise latch without the bottom hole) Possible change from satin chrome to white or black for an extra charge
- A standard mortise key lock for double rebated doors where the door leaves come together (can be changed to a euro profile cylinder lock or a lock without a bottom hole).
- Mortise hinges, adjustable in three planes, in chrome (3 hinges for the BRILLIANT Collection, 2 hinges for the ELEGANTE, PRESTIGE and BASIC collections, possible change to white, black or gold at no extra charge)

Door frame:

- Mortise hinges, adjustable in three planes, in chrome (3 hinges for the door frame complete with a door leaf in the BRILLIANT Collection, 2 hinges for the ELEGANTE, PRESTIGE and BASIC collections, possible change to white, black or gold at no extra charge)
- Magnetic lock strike
- Seal
- Installation kit

AVAILABLE COLOURS

• As per the range of your selected door and door frame model

DOOR FRAME VARIANTS

- Fixed: timber & MDF in the 44 mm × 100 mm size
- Adjustable: DIN adjustment range min. (100-120) and more

PRICE LIST

	Price in PLN: excl./(inc.) VAT						
Colour group	Non-rebated door, SIMPLE system	Door frame, SIMPLE non-rebated system					
PVC							
PP	Price of selected	Price of selected					
CPL	model + surcharge:	model + surcharge:					
CLPL	200.00 (246.00)	200.00 (246.00)					
FF	•						

OPTIONS WITH AN EXTRA CHARGE

	EXTRA CHARGE
Change of magnetic lock colour from satin chrome to white or black	50,00 (61,50)
Additional hinge for door leaf (required for "110" door leaves, door leaves longer by more than 110 mm, with solid core filling)	90.00 (110.70)
Additional hinge in door frame (required for "110" door frames, door frames longer by 110 mm to 450 mm and for a doorset with a solid core door leaf)	90.00 (110.70)
rod diameter reducer for WC lock	3.00 (3.69)

Other options at an extra charge as per the range of your selected door and door frame model.

COLOURS OF MORTISE HINGES AVAILABLE IN SIMPLE SYSTEM





Chrome

White





k


CAUTION





For detailed technical drawings with dimensior go to the technical section on p. 221-222

Made to Measure Doors www.vivento.pl 151



Reversed swing doors or just reverse doors are different from conventional doors in the way they are installed. They swing open towards the interior of a room, and their external side is flush with the wall. With this solution, you can customise the swing of the door to suit the layout of your interior and maintain its functionality and good look at the same time. For example, they are perfect for small corridors.

The reversed swing door system is available for the BASIC collection, complete with a DIN adjustable frame. For full specifications, including door colours, please see the relevant BASIC models (pp. 107-133) and the section on DIN adjustable frames (p. 188). Frames in reverse system are available only with fixed angle with 80 mm architrave and movable angle with 60 mm architrave in standard 45° connection, for wall with a minimum thickness of 100 mm. It is possible to deliver a DIN adjustable frame for the reversed swing system with a 90-degree architrave joint for an additional charge.

WIDTHS AVAILABLE:

• "60", "70", "80", "90", other sizes available at an extra charge

DESIGN:

 As per the range of your selected door model

COMPONENTS

Door leaf:

 A magnetic sash lock in satin chrome (options include a turn and release lock with a bolt diameter reduction, a lock with a euro profile cylinder or a mortise latch without the bottom hole)
 Possible change from satin chrome to white or black for an extra charge 2 mortise hinges, adjustable in three planes in chrome (possible change to white, black or gold for an extra charge)

<u>Door frame:</u>

- 2 mortise hinges, adjustable in three planes (possible change to white, black or gold for an extra charge)
- Magnetic lock strike
- Seal
- Installation kit

AVAILABLE COLOURS

 As per the range of your selected door model

DOOR FRAME VARIANTS

DIN adjustable

VALUABLE INFORMATION



made to illeasure doors

VIVENTØ

PRICE LIST

	Price in PLN: excl./(inc.) VAT			
Colour group	BASIC reversed swing door leaf	Adjustable DIN door frame, reversed swing system		
PP				
CPL	Price of selected	Price of selected adjustment range		
CLPL	model + surcharge: 300.00 (369.00)	+ surcharge 300.00 (369.00)		
FF and LAK	-			

OPTIONS AT AN EXTRA CHARGE - DOOR LEAF


NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	70.00 (86.10)
Up to 5 mm narrower	70.00 (86.10)
Narrower by more than 5 mm	95.00 (116.85)
Wider	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
More than 60 mm shorter	60.00 (73.80)
Up to 10 mm longer	60.00 (73.80)
11 mm to 450 mm longer (except for the LAK colour group)	140.00 (172.20)
Additional hinge (required for 110 doors with solid core board, "110", longer than 110 mm to 450 mm, filled with solid board)	150.00 (184.50)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Plastic ventilation sleeves (set)	20.00 (24.60)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic ventilation grille in a colour of your choice: White, Bleached Oak, Halifax Oak, Silver Oak, Matt Silver, Luminous Grey, Old Oak, Walnut, Nussbaum Walnut	60.00 (73.80)
Stainless steel air grille	240.00 (295.20)
OTHER	
Timber frame	50.00 (61.50)
Solid core filling (extra charge applies for an additional hinge)	120.00 (147.60)
Two colour door leaf	50.00%
Door leaf, CONTRAST system	55.00 (67.65)
Door closer reinforcement	45.00 (55.35)
Change of magnetic lock colour from satin chrome to white or black	50,00 (61,50)
Change of hinge colour from chrome to white, black or gold	150.00 (184.50)
rod diameter reducer for WC lock	3.00 (3.69)
Drop down seal	99.00 (121.77)

OPTIONS AT EXTRA CHARGE - DIN ADJUSTABLE DOOR FRAME

NON-STANDARD WIDTH	
Widths "100" and "110"	25%
Non-standard width	80.00 (98.40)
NON-STANDARD HEIGHT	
Shorter	50.00 (61.50)
Up to 10 mm longer	60.00 (73.80)
11 mm to 450 mm longer	230.00 (282.90)
Additional hinge in door frame (required for "110" door frames, door frames longer by 110 mm to 450 mm and for a doorset with a solid core door leaf)	150.00 (184.50)
OTHER	
Frame comes with the 90° joint of its components (not for the adjustment range of 60-75)	60.00 (73.80)
Change of hinge colour from chrome to white, black or gold	150.00 (184.50)
Other options at an extra charge as per the range of your selected BASIC doo	r.

HINGE COLOURS AVAILABLE FOR REVERSED SWING DOORS





For detailed technical drawings with dimensior go to the technical section on p. 223

TABLE OF DIMENSIONS

Width	Door opening width W [mm]	Frame outer width W2 [mm]	Frame outer width inc. architraves W3 [mm]	total width of S2 door leaf [mm]	Suggested installation opening width SO [mm]	Door opening height H1 [mm]	total height of H2 door leaf [mm]	Frame outer height H3 [mm]	Frame height with architraves H4 [mm]	Suggested installation opening height HO [mm]
60	628	696	788	644	725					
70	728	796	888	744	825)29 2062	2100	2075	
80	828	896	988	844	925					
90	928	996	1088	944	1025		- 2028 2029 -	2028 2029 2062	2108	2075
100	1028	1096	1188	1044	1125					
110	1128	1196	1288	1144	1225					

Made to Measure Doors www.vivento.pl 153



A unique door offering spectacular arrangement opportunities. The all-aluminium fixed frame in combination with a non-rebated door leaf are installed flush with the wall surface, making the door INVISIBLE. The effect is enhanced by finishing the door with a PAINT-ME foil, which can be coated with wall paints, wallpaper or using decorative plaster, for example. You can also choose to finish the door with one of the decorative layers from our range.

The INVISIBLE door comes with 2 mortise hinges and a magnetic sash lock as standard (options include a turn and release lock, a lock with a euro profile cylinder or a mortise latch without the bottom hole). The frame construction differs depending on whether it is fixed in a masonry or gypsum board wall. When coating the door yourself, you need to apply a supplied primer to the frame, whereas if finished with the PAINT-ME foil, the door is ready to be painted on. Apply paint or stick wallpaper with the door leaf laid flat.

When placing your order, please specify the type of wall (brick or gypsum board) in which the frame will be installed.

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

- MDF rails and stiles (timber frame available at an extra charge)
- Core: stabilising layer known as "honeycomb"
- Surface made of 3 mm thick HDF

DOOR FRAME VARIANTS

• Fixed aluminium for masonry or gypsum board walls

COMPONENTS

Door leaf:

- Concealed hinges, 2 pcs.
- A magnetic sash lock (options include a turn and release lock with a bolt diameter reduction, a lock with a euro profile cylinder or a mortise latch without the bottom hole)

Aluminium door frame:

- Concealed hinges, 2 pcs.
- Striker
- Seal
- Installation kit
- Acrylic primer

INVISIBLE - FLUSH WITH WALL DOORS

made to illeasure doors

VIVENTØ

PRICE LIST

	Price in PLN: excl./(inc.) VAT				
Colour group	INVISIBLE outswing door leaf, 180°(W 60-90)	INVISIBLE inswing door leaf, 90° (W 60-90)	Aluminium door frame for brick or gypsum board walls (W 60-90)		
PAINT-ME	410.00 (504.30)	410.00 (504.30)			
PVC	720.00 (885.60)	720.00 (885.60)			
PP	560.00 (688.80)	560.00 (688.80)			
CPL	520.00 (639.60)	520.00 (639.60)	1200.00 (1476.00)		
CLPL	500.00 (615.00)	500.00 (615.00)			
FF	410.00 (504.30)	410.00 (504.30)			

OPTIONS AT AN EXTRA CHARGE - DOOR LEAF

ION-STANDARD WIDTH	EXTRA CHARGE
Vidths "100" and "110"	70.00 (86.10)
Jp to 5 mm narrower	70.00 (86.10)
larrower by more than 5 mm	95.00 (116.85)
Vider	95.00 (116.85)
ION-STANDARD HEIGHT	
Jp to 60 mm shorter	50.00 (61.50)
1ore than 60 mm shorter	60.00 (73.80)
Jp to 10 mm longer	60.00 (73.80)
ength from 11 mm to 450 mm	140.00 (172.20)
additional hinge (required for "110" doors, longer by 110 mm to 450 mm, loors with a solid core infill)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height	t) 70.00 (86.10)
ENTILATION	
entilation undercut	30.00 (36.90)
Plastic ventilation sleeves (set)	20.00 (24.60)
1etal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic air grille in white or matt silver	60.00 (73.80)
tainless steel air grille	240.00 (295.20)
THER	
imber frame	50.00 (61.50)
olid core board (extra charge applies for an additional hinge)	120.00 (147.60)
Change of magnetic lock colour from satin chrome to white or black	50,00 (61,50)
od diameter reducer for WC lock	3.00 (3.69)

OPTIONS WITH AN EXTRA CHARGE - DOOR FRAME

NON-STANDARD WIDTH	
Widths "100" and "110"	200.00 (246.00)
Non-standard width	30%
NON-STANDARD HEIGHT	
Non-standard height	30%
Change of door strike position (recommended for doors with a non-standard height) $ \\$	70.00 (86.10)
Additional hinge (required for the "110" frame and frames that are 110 mm to 450 mm longer)	90.00 (110.70)

For detailed technical drawings with dimensions go to technical section, p. 225



AVAILABLE COLOURS

FILM FOR DIY PAINTING OR WALLPAPERING




PVC GROUP WWWWW



PP GROUP **₩₩₩₩**₩₩










TABLE OF DIMENSIONS

Туре	Door leaf height Hd [mm]	Construction opening height Ho [mm]	Frame outer height Hz [mm]	Clear opening height Hp [mm]	Number of hinges
ext. 180° STANDARD	2020	2070	2062	2020	2
int. 90° REVERSED-SWING	2030	2080	2072	2030	2

Door leaf	Construction opening	Frame outer width Sz [mm]	Clear opening width Sp [mm]		
width Sd [mm]	width So [mm]		int. 90°	ext. 180°	
744	824	814	696	729	
844	924	914	796	829	
944	1024	1014	896	929	

Made to Measure Doors www.vivento.pl 155



The CONTRAST system will, in an original way, give the right character to your room. By using the alternative colour for the door edging to create a contrasting colour combination will add a large amount of expressiveness and modern touch to the interior. The effect can be further accentuated with an edging-coloured door frame.

The system is available for BASIC series doors and entrance doors. It enables the use of edging (facing applied on the thickness of a door) that has a different colour than that of the main door plane. This also makes it possible to mix and match the colours of the frame and door. The CONTRAST system is available for different edge types: standard rebated, SOFT rebated and SIMPLE non-rebated, as well as for sliding doors.

The CONTRAST ABS system, with a coating thickness of 1 mm, is available for non-rebated and sliding doors.

When placing an order for the CONTRAST system, please indicate the colour of the door leaf, the colour of the edge and the colour of the door frame.

PRICE LIST

Due divet true	Price in PLN: excl./(inc.) VAT	
Product type	Price for the CONTRAST system	Price for the CONTRAST ABS system
BASIC	55.00 (67.65)	70.00 (86.10)

CONTRAST

DOOR EDGES



Rebated



SOFT rebated



SIMPL F Non-rebated



Sliding Non-rebated

The SOFT edge is available for Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut.

COLOURS AVAILABLE FOR THE CONTRAST SYSTEM







CPL Matt Silver

CPL Matt Gold and CPL Matt Silver are available for SIMPLE non-rebated doors and sliding doors.

PVC GROUP WWWWW







White Grain

Supermatt Grey

Natural Grandson Oak

























FF GROUP WWWWW





Sibiu White





























Anthracite Oak











SIMPLE Non-rebated

CONTRAST ABS

DOOR EDGES

Sliding Non-rebated

COLOURS AVAILABLE FOR THE CONTRAST ABS SYSTEM



ABS Bianco



ABS Natural Grandson Oak



ABS Halifax Oak





157 Made to Measure Doors www.vivento.pl



Dual Colour Doors are an interesting option in interior design. You can create an original colour accent in your home with this door solution which uses two colours to match different decors in the rooms on both sides of a door. Dare original colour combinations and enjoy a unique design for your interior.

Dual Colour Doors feature the construction of the models from the BASIC Collection within one of the Colour Group ranges. They can be made in a non-standard size as per the range of your selected door and door frame model.

When placing an order, please specify the colour of:

- the door leaf on the total width side S2,
- the door leaf on the rebate width side S1,
- edging (finishing layer on the door thickness)
- fixed angle profile in the frame
- the frame board and the adjustable angle in the frame

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION AND COMPONENTS

• As per the range of your selected door and door frame model

PRICE LIST

	Price in PLN: excl./(inc.) VA	г
Product type	Door leaf	DIN adjustable frame with fixed angle profile in different colour
BASIC	Price of selected model + 50% extra charge	Price of selected model + 50% extra charge

AVAILABLE COLOURS

 As per the range of your selected door and door frame model within the same Colour Group.

DOOR FRAME VARIANTS

 Adjustable: DIN with fixed angle profile in different colour





Angled doors are an effective solution to enhance your options when arranging loft rooms. You install such doors closer to a sloping ceiling and use the remaining space in a more functional way.

Angled doors are manufactured in a selection of models and colours to fit in the dimensions of the wall opening. We can fit non-standard glazing to suit non-standard angled door sizes, but due to the complexity of the product and the manufacturing process, each order is subject to an individual feasibility assessment.

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge, as per the range of your selected door and door frame model

CONSTRUCTION AND COMPONENTS

• As per the range of your selected door and door frame model

PRICE LIST

	Price in PLN: excl./(inc.) VAT			
Product type	Door leaf	Fixed timber or MDF door frame		
PRESTIGE	Price of selected model +950.00 (1168.50)	Price of selected model +500.00 (615.00)		
BASIC	Price of selected model +400.00 (492.00)	Price of selected model +400.00 (492.00)		

AVAILABLE COLOURS

 As per the range of your selected door and door frame model

DOOR FRAME VARIANTS

■ Fixed: timber and MDF



We also have a solution to make life easier for our four-legged friends. Doors with pet flaps provide them access to a room despite a closed door. These can be used, for example, in the bathroom or kitchen, where you put a water bowl for your pet.

They feature the construction of the STANDARD 01 model with a solid core infill as standard. Pet flaps can be made in a glazed door leaf - depending on the selected design. Feasibility is assessed on an individual basis. The flap is available in two sizes, the small one for pets up to 7 kg and the large one for pets up to 18 kg.




TABLE OF DIMENSIONS

Size	Sc [mm]	Sp [mm]	Hc [mm]	Hp [mm]
Small flap for animals up to 7 kg	198	155	236	170
Large flap for animals up to 18 kg	294	230	352	252



Sc - total width of door inc. frame

Sp - pet flap width Hc - total height of door inc. frame

Hp - pet flap height

DOORS WITH PET FLAP



VIVENTØ

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

- MDF frame (timber frame available at an extra charge)
- Solid core board
- Surface made of 3 mm thick HDF

COMPONENTS

- swinging pet door made of grey plastic, with magnet to close the flap and with a vertical lock
- A mortise key lock (options include a turn and release lock, a lock with a euro profile cylinder or without the bottom hole)
- Screw hinges, 3 pcs.

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS
- Steel: fixed, square large, adjustable

PRICE LIST

Colour group	Price in PLN excl./(inc.) VAT				
	STANDARD 01 + small pet flap	STANDARD 01 + large pet flap	Door frame		
PVC	1100.00 (1353.00)	1290.00 (1586.70)			
PP	930.00 (1143.90)	1130.00 (1389.90)			
CPL	900.00 (1107.00)	1100.00 (1353.00)	Price according		
CLPL	890.00 (1094.70)	1080.00 (1328.40)	to selected type, without surcharge		
FF	790.00 (971.70)	980.00 (1205.40)			
LAK	680.00 (836.40)	880.00 (1082.40)			

OPTIONS AT AN EXTRA CHARGE - DOOR LEAF

NON-STANDARD WIDTH	EXTRA CHARGE
Up to 5 mm narrower	70.00 (86.10)
Narrower by more than 5 mm	95.00 (116.85)
Wider	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
More than 60 mm shorter	60.00 (73.80)
Up to 10 mm longer	60.00 (73.80)
11 mm to 450 mm longer (except for the LAK colour group)	140.00 (172.20)
Additional hinge	20.00 (24.60)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 450 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
OTHER	
Timber frame	50.00 (61.50)
Door leaf, CONTRAST system	55.00 (67.65)
Door leaf, CONTRAST ABS system	70.00 (86.10)
SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut	40.00 (49.20)
Non-rebated door, SIMPLE system	200.00 (246.00)
Door leaf, reversed swing system	300.00 (369.00)
Door closer reinforcement	45.00 (55.35)
Rebate 20 mm	60.00 (73.80)
Drop down seal	99.00 (121.77)

OPTIONS WITH AN EXTRA CHARGE - DOOR FRAME

As per selected frame model.

AVAILABLE COLOURS

PVC GROUP WWWWW







White Grain

Supermatt Grey

Natural Grandson

PP GROUP **₩₩₩₩**₩₩







Supermatt Grev

Supermatt White





Light Grev

Navv blue

Natural Grandson







Uni White

Luminous Grey

CLPL GROUP WWWWW



Uni Anthracite



Honey Oak





Old Oak











Snow Oak





















Amber Oak





Anthracite Oak





Bleached Oak





Scandinavian Elm

White



Functional doors equipped with an access window and protected by a roller shutter, often used at facilities such as pharmacies, courier parcel pick-up points, canteens or post offices where direct contact is necessary but the access must be limited for safety reasons.

INSET doors with an access shutter window are produced as rebated doors. Filled with a solid core panel, the door features an access window and ledge available in all sizes, covered with a PVC rolling shutter locked with pull latches. The maximum height of the access window is 550 mm. The maximum access window width is the total width of the door leaf less 360 mm.

PRICE LIST

Calaur araun	Price in PLN: excl./(inc.) VAT				
Colour group	INSET single door leaf 60-90	Door frame			
PVC	1950.00 (2398.50)				
PP	1800.00 (2214.00)	_			
CPL	1750.00 (2152.50)	Price according to selected			
CLPL	1735.00 (2134.05)	model without surcharge			
FF	1635.00 (2011.05)				
LAK	1585.00 (1949.55)	_			

INSET DOORS WITH AN ACCESS SHUTTER WINDOW

made to illeasure doors

VIVENTØ

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

- MDF frame (timber frame available at an extra charge)
- Solid core board
- Surface made of 3 mm thick HDF

COMPONENTS

- Mortise, euro profile cylinder lock
- Screw hinges, 3 pcs.
- PVC rolling shutter with pull latches
- Ledge

AVAILABLE COLOURS - SHUTTERS

• White, Beige, Silver, Graphite, Walnut, Black

AVAILABLE COLOURS - CASING, GUIDES AND CABLES

■ White, Brown

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE

NON-STANDARD WIDTH

OPTIONS AT AN EXTRA CHARGE - DOOR LEAF

NON-STANDARD WIDTH	EXTRA CHARGE
Up to 5 mm narrower	70.00 (86.10)
Narrower by more than 5 mm	95.00 (116.85)
Wider	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
More than 60 mm shorter	60.00 (73.80)
Up to 10 mm longer	60.00 (73.80)
11 mm to 450 mm longer (except for the LAK colour group)	140.00 (172.20)
Additional hinge	20.00 (24.60)
Additional hinge for SIMPLE non-rebated system (required for doors that are 110 mm to 450 mm longer)	90.00 (110.70)
Change of lock position (recommended for doors with a non-standard height)	70.00 (86.10)
VENTILATION	
Ventilation undercut	30.00 (36.90)
Plastic ventilation sleeves (set)	20.00 (24.60)
Plastic ventilation sleeves in matt black, white, gold, satin chrome or chrome (pcs)	16.00 (19.68)
Metal ventilation sleeves in nickel or bronze (pcs)	30.00 (36.90)
Plastic air grille in white or matt silver	60.00 (73.80)
Stainless steel air grille	240.00 (295.20)
OTHER	
Timber frame	50.00 (61.50)
Door leaf, CONTRAST system	55.00 (67.65)
Door leaf, CONTRAST ABS system	70.00 (86.10)
SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut	40.00 (49.20)
Non-rebated door, SIMPLE system	200.00 (246.00)
Door leaf, reversed swing system	300.00 (369.00)
Rebate 20 mm	60.00 (73.80)
Drop down seal	99.00 (121.77)
Door closer reinforcement	45.00 (55.35)

OPTIONS WITH AN EXTRA CHARGE - DOOR FRAME

As per selected frame model.

AVAILABLE COLOURS

PVC GROUP WWWWW







White Grain

Supermatt Grey

Natural Grandson

PP GROUP **₩₩₩₩**₩₩







Supermatt Grev

Supermatt White

White Grain



Light Grev

Navv blue







Uni White

EXTRA CHARGE







CLPL GROUP WWWWW









Old Oak



































Nussbaum Walnut





Bengali Mango Anthracite Oak









Scandinavian Elm



Double-acting doors swing open in both directions. They are installed where fast and free access is a must, for example when you open a door hands-free, and where a lock or a handle is not needed. They are common in restaurants or public bathrooms, but nowadays are used more and more in homes too.

The SWING double-acting doors are manufactured as rebate-free, one-panel style or with porthole glazing, both as single and double doors.

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

- Timber frame
- Solid core board
- Surface made of 3 mm thick HDF

COMPONENTS

- 3 dual acting swing hinges for single doors, nickel
- 4 dual acting swing hinges for "60" "90" double doors, nickel
- 6 dual acting swing hinges for "100" "200" double doors, nickel

ADDITIONAL ACCESSORIES

- Porthole, glazed with the clear or Lacomat glass; possible options include clear or Lacomat safety glass, and one-way mirror glass - individual pricing applies
- Double-sided reinforcement with horizontal stainless steel panel up to 170 mm high; different panel dimensions possible, both in horizontal and vertical arrangements – individual pricing applies

DOOR FRAME VARIANTS

■ Fixed: timber, MDF

swing - Double-Acting Doors **made to illeasure doors**

VIVENTØ

PRICE LIST

Colour group	Price in PLN: excl./(inc.) VAT					
	Single doors 60-90	Double doors 60-90	Double doors 100-200	Door frame		
PVC	1395.00 (1715.85)	2092.50 (2573.78)	2790.00 (3431.70)			
PP	1300.00 (1599.00)	1900.00 (2337.00)	2600.00 (3198.00)	Price of		
CPL	1195.00 (1469.85)	1792.50 (2204.78)	2390.00 (2939.70)	selected door frame		
CLPL	1180.00 (1451.40)	1770.00 (2177.10)	2360.00 (2902.80)	+ surcharge:		
FF	1085.00 (1334.55)	1627.50 (2001.83)	2170.00 (2669.10)	130.00 (159.90)		
LAK	1035.00 (1273.05)	1552.50 (1909.58)	2070.00 (2546.10)			

OPTIONS AT AN EXTRA CHARGE - DOOR LEAF

NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	70.00 (86.10)
Up to 5 mm narrower	70.00 (86.10)
Narrower by more than 5 mm	95.00 (116.85)
Wider	95.00 (116.85)
NON-STANDARD HEIGHT	
Up to 60 mm shorter	50.00 (61.50)
More than 60 mm shorter	60.00 (73.80)
Up to 10 mm longer	60.00 (73.80)
11 mm to 450 mm longer (except for the LAK colour group)	140.00 (172.20)
Additional hinge (required for 110 doors with solid core board, and the doors that are 110 mm to 450 mm longer)	150.00 (184.50)
OTHER	
Change of the hinge colour from nickel to black or gold	300.00 (369.00)
Two colour door leaf	50.00%
Door leaf, CONTRAST system	55.00 (67.65)
Door leaf, CONTRAST ABS system	70.00 (86.10)
SOFT rebated edge in: Uni White, Uni Black, Silver Oak, Cornwall Oak, Halifax Oak, Riviera Oak, Bengali Mango, Nussbaum Walnut	40.00 (49.20)
PORTHOLE WITH LACOMAT OR CLEAR GLASS IN NICKEL, BLACK OR GOLD)
Outside Ø 240 mm, inside Ø 135 mm (minimum door leaf width 340 mm)	370.00 (455.10)
Outside Ø 320 mm, inside Ø 215 mm (minimum door leaf width 420 mm)	510.00 (627.30)
Outside Ø 400 mm, inside Ø 280 mm (minimum door leaf width 500 mm)	700.00 (861.00)
Glazing with safety glass or one-way glass pane	Bespoke pricing
DOUBLE-SIDED REINFORCEMENT WITH STAINLESS STEEL PANEL (SET)	
Horizontal reinforcement with a height up to 170 mm	450.00 (553.50)
Horizontal reinforcement with a height over 170 mm	Bespoke pricing
Vertical reinforcement	Bespoke pricing
DOOR PULLS	
U010K Round	40.00 (49.20)
U03KW Square	40.00 (49.20)
U02OW Oval	80.00 (98.40)
UO4PR Rectangular	80.00 (98.40)
HALF-CIRCLE PULLS	
P050K Round	90.00 (110.70)
P06KW Square	90.00 (110.70)

OPTIONS WITH AN EXTRA CHARGE - DOOR FRAME

As per selected frame model.

DOOR PULLS



Round



Square





Oval









HALF MOON GRIP PULL HANDLES

For our full range of pull handles, go to p. 214

PORTHOLES







For detailed technical drawings with dimensigo to the technical section on p. 228.



AVAILABLE COLOURS

PVC GROUP WWWWW







White Grain

Supermatt Grey

PP GROUP **₩₩₩₩**₩₩







Supermatt Grev

Supermatt White





Light Grev

Navv blue







Uni White

Luminous Grey

Uni Grey

Uni Anthracite





Honey Oak





Old Oak

FF GROUP $\begin{picture}(60,0) \put(0,0){\line(1,0){100}} \put(0,0){\line$

















Halifax Oak





Riviera Oak







Amber Oak





Bengali Mango Anthracite Oak









Scandinavian Elm



An impressive, elegant and functional solution often fitted in the representative part of the home. You can use a double door to create a unique space by connecting adjacent rooms, such as a kitchen and dining room or a study and living room. Double doors are also practical as they provide wide passageways, thus facilitating everyday life.

Double doors are manufactured as the rebated version of any of the models and colours in our range, with various width configurations (symmetrical and asymmetrical) and any available sizes, as per the range of the selected door model, and at an extra charge, as per the range of your selected door and door frame model.

The double doors can be manufactured in the SIMPLE system, where both the active and passive door leaves fit snugly in the rebate.

DOUBLE DOORS

made to illeasure doors

VIVENTØ

AVAILABLE WIDTHS

- "100", "110", "120", "130", "140", "150", "160", "170", "180", "190", "200",
- Other sizes available at an extra charge, as per the range of your selected door and door frame model

CONSTRUCTION

- Rail and stile or the BASIC doors with timber rails and stiles
- Core and surface: as per the range of the selected door model

COMPONENTS

Active door leaf:

- A mortise sash lock (options include a turn and release lock, a lock with a euro profile cylinder or a mortise latch without the bottom hole)
- Screw hinges, 2 pcs. (3 pcs. in the "90" door, BRILLIANT, ELEGANTE and PRESTIGE)
- The asymmetric double doors must be provided with the same number of hinges on both doors, with an extra charge per additional hinge, according to the current surcharge price list.

Inactive door leaf:

- Striker
- Shoot bolts
- Screw hinges, 2 pcs. (3 pcs. in the "90" door, BRILLIANT, ELEGANTE and PRESTIGE)
- The asymmetric double doors must be provided with the same number of hinges on both doors, with an extra charge per additional hinge, according to the current surcharge price list.

Door frame:

- Screw hinges, 4 pcs. (6 pcs. in the 90 door frame, BRILLIANT, ELEGANTE and PRESTIGE)
- Seal
- Installation kit

AVAILABLE COLOURS

 As per the range of your selected door and door frame model

DOOR FRAME VARIANTS

- Fixed: timber and MDF
- Adjustable: DIN, DUALE, ZOS (not for the BRILLIANT collection)



Shoot bolt



Strike in the inactive door leaf

PRICE LIST

	Price in PLN: excl./(inc.) VAT				
Colour group	Active door leaf	Inactive door leaf		Timber frame (for doors on the MDF frame	
	Active door lear	BRILLIANT, ELEGANTE I PRESTIGE	BASIC	 as standard, excluding BRILLIANT, ELEGANTE and PRESTIGE doors) 	
PP					
CPL	Duine accounting to	Price of selected model	Price of selected		
CLPL	 Price according to selected model 	+ extra charge as per door leaf width	model + surcharge:	50.00 (61.50) on top of the active door leaf 50.00 (61.50) on top of the inactive door leaf	
FF	without surcharge	according to table below	90.00 (110.70)		
LAK	_				

OPTIONS AT AN EXTRA CHARGE - DOOR LEAF


BRILLIANT, ELEGANTE & PRESTIGE	EXTRA CHARGE
Inactive door leaf for double doors, width S2 in mm: 420-609	430.00 (528.90)
Inactive door leaf for double doors, width S2 in mm: 610, 710, 810, 910	90.00 (110.70)
Inactive door leaf for double doors, width S2 in mm: 1010	160.00 (196.80)
GROOM 200 door closer for double doors (2 pcs) with adjustable action (1 pc.)	990.00 (1217.70)
BASIC STANDARD 01	
Inactive door leaf for double doors, width S2 under 610 mm (only for Standard 01, extra charge for timber rails and stiles applies)	185.00 (227.55)
GROOM 200 door closer for double doors (2 pcs) with adjustable action (1 pc.)	990.00 (1217.70)

OPTIONS WITH AN EXTRA CHARGE - DOOR FRAME

As per selected frame model.

For detailed technical drawings with dimension go to the technical section on p. 222

Made to Measure Doors www.vivento.pl 167



An option for conventionally opened doors, sliding doors are ideal for both small and large rooms, as in the first case, they save space, while in the latter, they divide open interiors into convenient spaces. Another benefit of this design is that the entire mechanism is wall mounted, so it can be installed where you cannot or do not want to integrate a cassette for a pocket door system.

The sliding doors are manufactured as non-rebated doors in all of the offered models and colours, in any size, according to the selected door model range. The standard sliding door leaf is fitted with the U01OK round matt chrome pull, and cut at the bottom to accommodate a stop mounted for the vertical stabilisation of the door.

A SINGLE SLIDING DOORSET IN A WALL-MOUNTED SYSTEM CONSISTS OF:

- A non-rebated sliding door with the U01OK round matt chrome pull handle (options include the U03KW square matt chrome pull handle free of charge or another pull handle from the range, as per the price list)
- Set of sliding system components:
 - sliding track with stabilising profile
 - Spacer strip
 - Pelmet cover for the track
- OPTIONAL: door stop
- OPTIONAL: hook bolt lock
- OPTIONAL: "tunnel" version frame

The wall-mounted double door system consists of a doubled quantity of single door system components. Additionally, we recommend that you link the two sliding tracks with a connector (price: 20.00 (24.60)). Double sliding doors are not fitted with the door stop or the hook bolt lock.

Our hook bolt locks come with round, square, oval or rectangular escutcheons, in matt chrome, glossy chrome, matt black, matt gold, shiny gold and patina. The euro profile cylinder version with a round or square escutcheon is only available in matt chrome. The lock with a round escutcheon is not available in matt gold. Having chosen a hook bolt lock with a round, square, oval or rectangular escutcheon, matching a respective shape for a pull handle is recommended.

WALL-MOUNTED SYSTEM

made to illeasure doors

SLIDING DOORS

VIVENTØ

SLIDING SYSTEM COMPONENTS

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

• As per the range of your selected door model

COMPONENTS

- As per the range of your selected door model
- U010K round pull handle in matt chrome is fitted as standard. You can exchange the U010K round door pull for the U03KW square pull in matt chrome free of charge. Other door pulls are fitted at an extra charge.

AVAILABLE COLOURS

• As per the range of your selected door and door frame model; excludes the PVC group colours

DOOR FRAME VARIANTS

- Fixed: timber & MDF in the "Tunnel" version
- Adjustable: DIN, DUALE, ZOS in the "Tunnel" version

PRICE LIST

	Width 60, 7	Width 60, 70, 80, 90		k 110
Colour group	Door leaf	Sliding system accessory kit [sliding track with stabilising profile + spacer strip + pelmet]	Door leaf	Sliding system accessory kit [sliding track with stabilising profile + spacer strip + pelmet]
эp		605.00 (744.15) 300.00 (369.00) +105.00 (129.15) +200.00 (246.00)		790.00 (971.70) 420.00 (516.60) +130.00 (159.90) +240.00 (295.20)
CPL	Price of door leaf +	540.00 (664.20) 300.00 (369.00) +80.00 (98.40) +160.00 (196.80)	Price of door leaf +	740.00 (910.20) 420.00 (516.60) +100.00 (123.00) +220.00 (270.60)
CLPL	surcharge: 50.00 (61.50)	520.00 (639.60) 300.00 (369.00) +70.00 (86.10) +150.00 (184.50)	surcharge: 120.00 (147.60)	720.00 (885.60) 420.00 (516.60) +90.00 (110.70) +210.00 (258.30)
FF and LAK	_	470.00 (578.10) 300.00 (369.00) +50.00 (61.50) +120.00 (147.60)	_	670.00 (824.10) 420.00 (516.60) +70.00 (86.10) +180.00 (221.40)

OPTIONS WITH AN EXTRA CHARGE

DOOR STOP				EXTRA CHARGE	
D	PP	CPL	CLPL	FF and LAK	
Door stop	200.00 (246.00)	160.00 (196.80)	140.00 (172.20)	120.00 (147.60)	
OTHER					
Door stop higher	than standard			120.00 (147.60)	
A set of sliding s	ystem components m	ade to custom size		50%	
	or a euro profile cylind oval or rectangular es			180.00 (221.40)	
A turn and releas square, oval or re	200.00 (246.00)				
Closer for sliding	370.00 (455.10)				
DOOR PULLS					
U010K Round				40.00 (49.20)	
U03KW Square				40.00 (49.20)	
U02OW Oval				80.00 (98.40)	
U04PR Rectangu	80.00 (98.40)				
HALF-CIRCLE PL	JLLS				
P050K Round				90.00 (110.70)	
P06KW Square				90.00 (110.70)	

TABLE OF DIMENSIONS


Width	S2 [mm]	So [mm]	H2 [mm]	Hcs [mm]	L [mm]
60	644	600			1300
70	744	700	2070	2000 2107	1500
80	844	800	2030	2098-2103	1800
90	944	900			2000

Other options at an extra charge as per the range of your selected door.



Stabilising profile

Pelmet cover





Spacer strip

Hook locks



are available in: Matt Chrome Glossy Chrome

 matte black Matt Gold Shiny Gold

A hook bolt lock with a round square oval or rectangular escutcheon

Patina

DOOR PULLS









U010K Round

U03KW Sauare

U02OW U04PR Rectangular

HALF MOON GRIP **PULL HANDLES**





P050K Round

P06KW Square

For our full range of pull handles, go to p. 214

For detailed technical drawings with dimensior go to the technical section on p. 226

S2 - Overall door leaf width

- Construction opening width

H2 - Overall door leaf height

Hcs - Whole system size without brackets (adjustment on carriages)

- Travel track length

www.vivento.pl 169 Made to Measure Doors



A brand new version of the sliding door - very minimalist and modern. The sliding door is manufactured as a non-rebated door in any colour and model required from the BASIC door series, in any size, according to the selected door model range. The standard sliding door leaf is fitted with the U010K round matt chrome pull, and cut at the bottom to accommodate a stop mounted for the vertical stabilisation of the door.

The uniqueness of this product lies in the completely invisible mechanism. This solution requires the use of a much wider door than the size of the opening in the wall, so the minimum width of the MAGIC door is "80".

A SLIDING DOORSET IN THE MAGIC SYSTEM CONSISTS OF:

- A non-rebated door with the U010K round matt chrome pull handle (options include the U03KW square matt chrome pull handle free of charge or another pull handle from the range, as per the price list)
- Travel track

MAGIC WALL-MOUNTED SYSTEM SLIDING DOORS

made to illeasure doors

VIVENTØ

AVAILABLE WIDTHS

- "80", "90", other sizes available at an extra charge as per the range of the selected BASIC door model
- minimum width of the door leaf: 844 mm
- maximum width of the door leaf: 1144 mm

AVAILABLE COLOURS, CONSTRUCTION AND COMPONENTS

- As per the range of your selected BASIC door model
- U010K round pull handle in matt chrome is fitted as standard. You can exchange the U010K round door pull for the U03KW square pull in matt chrome free of charge. Other door pulls are fitted at an extra charge.

PRICE LIST

	Width 80, 90		Width 100 & 110	Width 100 & 110		
Colour group	Door leaf	MAGIC travel track	Door leaf	MAGIC travel track		
PVC						
PP	Price of door leaf		Price of door			
CPL	+ surcharge: 100.00	1500.00 (1845.00)	leaf + surcharge:	1550.00 (1906.50)		
CLPL	(123.00)	(,	170.00 (209.10)	(,		
FF and LAK	_					

OPTIONS AT AN EXTRA CHARGE - DOOR LEAF

DOOR PULLS	
U010K Round	40.00 (49.20)
U03KW Square	40.00 (49.20)
U02OW Oval	80.00 (98.40)
UO4PR Rectangular	80.00 (98.40)
HALF-CIRCLE PULLS	
P050K Round	90.00 (110.70)
P06KW Square	90.00 (110.70)

DOOR PULLS



Round



Square





Oval



Rectangular





Round



Square

HALF MOON GRIP

For our full range of pull handles, go to p. 214

TABLE OF DIMENSIONS

Width	S2 [mm]	So [mm]	H2 [mm]	Ho [mm]
80	844	626		
90	944	726	2070	1000
100	1044	826	2030	1990
110	1144	926		

- Overall door leaf width
- Construction opening width Overall door leaf height So
- H2
- Construction opening height

For detailed technical drawings with dimensions, go to the technical section on p. 226



AVAILABLE COLOURS

PVC GROUP WWWWW







White Grain

Supermatt Grey

PP GROUP **₩₩₩₩**₩₩







Supermatt White



Light Grev

Navv blue

Natural Grandson







Uni White

Luminous Grey

Uni Grey

CLPL GROUP WWWWW









Old Oak


























Nussbaum Walnut







Bengali Mango







Scandinavian Elm



The stylised version of the sliding door, the LOFT system, gives your interior a unique industrial feel thanks to its exposed works. The door boasts quiet and smooth sliding thanks to roller bearings, is easy to install and the comes with full-range door position adjustment. The varnish coating on the runner and all parts of the system is highly resistant to mechanical wear and dust accumulation.

A SINGLE SLIDING DOORSET IN THE LOFT SYSTEM CONSISTS OF:

- A door with the U010K round matt chrome pull handle (options include the U03KW square matt chrome pull handle free of charge or another pull handle from the range, as the per price list)
- Stabilising profile
- Travel track

LOFT WALL MOUNTED SYSTEM SLIDING DOORS

made to illeasure doors

VIVENTØ

AVAILABLE WIDTHS

- "60", "70", "80", "90", other sizes available at an extra charge, as per the range of your selected door model
- minimum width of the door leaf: 644 mm
- maximum width of the door leaf: BASIC 1144 mm, BRILLIANT, ELEGANTE and PRESTIGE 1044 mm.

AVAILABLE COLOURS, CONSTRUCTION AND COMPONENTS

- As per the range of your selected door model
- BASIC door leaf in the LOFT system must come with the solid core infill, subject to the surcharge price list.
- U010K round pull handle in matt chrome is fitted as standard. You can exchange the U010K round door pull for the U03KW square pull in matt chrome free of charge. Other door pulls are fitted at an extra charge.

PRICE LIST

	Width 60, 70, 80,	90	Width 100, 110	
Colour group	Door leaf	LOFT travel track	Door leaf	LOFT travel track
PVC				
PP	Price of door leaf		Price of door leaf	
CPL	+ surcharge:	500.00 (615.00)	+ surcharge:	850.00 (1045.50)
CLPL	50.00 (61.50)	(013.00)	120.00 (147.60)	
FF and LAK				

OPTIONS WITH AN EXTRA CHARGE

	EXTRA CHARGE
Closer for sliding system mechanism	370.00 (455.10)
Double door track connector	15.00 (18.45)
Stabilising profile for door leaf	40.00 (49.20)
DOOR PULLS	
U010K Round	40.00 (49.20)
U03KW Square	40.00 (49.20)
U02OW Oval	80.00 (98.40)
U04PR Rectangular	80.00 (98.40)
Surface-mounted black (1 pc.)	40.00 (49.20)
HALF-CIRCLE PULLS	
P050K Round	90.00 (110.70)
P06KW Square	90.00 (110.70)

TABLE OF DIMENSIONS

Width	S2 [mm]	So [mm]	H2 [mm]	HO [mm]
60	644	600		
70	744	700	2030	2005
80	844	800	2030	2005
90	944	900		

- S2 Overall door leaf width
- SO Construction opening width
- H2 Overall door leaf height
- HO Construction opening height

For detailed technical drawings with dimensions, go to the technical section on p. 227

LOFT SLIDING SYSTEM COMPONENTS





Runner

Door closer





Connector

Stabilising profile

DOOR PULLS










U010K Round

U03KW Square

U02OW U04PR Oval Rectangular



HALF MOON GRIP PULL HANDLES





P050K Round

P06KW Square

For our full range of pull handles, go to p. 214

Made to Measure Doors www.vivento.pl 173



Sliding doors that slide neatly into the wall are a unique solution that saves space and makes rooms more liveable, as well as it creates excellent design effects. They are unobtrusive, do not block narrow corridors and allow furniture and other fittings to be positioned freely. They are the perfect solution for both small and large rooms, as well as for commercial premises. You can use them to divide large, open spaces into smaller zones or to create storage spaces such as wardrobes or pantries.

The sliding doors are manufactured as non-rebated doors in all of the offered models (excluding the PRESTON) and colours, in any size, according to the selected door model range. The standard sliding door leaf is fitted with the U010K round matt chrome pull, and cut at the bottom to accommodate a stop mounted for the vertical stabilisation of the door. The pocket sliding system is suitable for 125 mm thick walls. An option for BRILLIANT, ELEGANTE, PRESTIGE or STANDARD 01 sliding doors, we can supply a doorset for a wall thickness of 100 mm without a surcharge. The cassette structure can be fitted with an 80 mm angle's architrave at no extra charge, or with a 90-degree joint at an extra charge. The size of cassette structure can be modified by ordering an adjustable angle profile for the DIN adjustable frame, thus extending the wall by at least 16 mm on each side; by ordering an adjustable angle with +20 mm adjustment tongue, the structure width is extended by at least 36 mm each side. For the price list of architraves for DIN adjustable frames, go to p. 188.

Our hook bolt locks come with round, square, oval or rectangular escutcheons, in matt chrome, glossy chrome, matt black, matt gold, shiny gold and patina. The euro profile cylinder version with a round or square escutcheon is only available in matt chrome. The lock with a round escutcheon is not available in matt gold. Having chosen a hook bolt lock with a round, square, oval or rectangular escutcheon, matching a respective shape for a pull handle is recommended.

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

CONSTRUCTION

As per the range of your selected door model

AVAILABLE COLOURS

 As per the range of your selected door model; excluding the PVC and PP group colours

COMPONENTS

- As per the range of your selected door model
- U010K round pull handle in matt chrome is fitted as standard. You can exchange the U010K round door pull for the U03KW square pull in matt chrome free of charge. Other door pulls are fitted at an extra charge.

DOOR FRAME VARIANTS

- Fixed: pocket encasement
- Adjustable: adjustable cassette structure (individual pricing depending on the thickness of the wall adjacent to the cassette).

made to illeasure doors

VIVENTØ

THE BASIC SINGLE DOOR SET INCLUDES:

- A non-rebated door with the U010K round matt chrome pull handle (options include the UO3KW square matt chrome pull handle free of charge or another pull handle from the range, as per the price list)
- Set of sliding system components:
- Cassette with stabilising profile for 125 mm thick walls (as an option for 100 mm thick walls, no extra charge)
- Brush seal, white, grey or brown, 3 pcs.
- Cassette structure for 125 mm thick walls (as an option for 100 mm thick walls, no extra charge)

The pocket sliding system in the double door version consists of a doubled quantity of single door system components. Double sliding doors are not fitted with the hook bolt lock.

PRICE LIST

Colour group	Width 60, 70	0, 80, 90	Width 100 8	110
	Door leaf	Sliding system accessory kit [cassette with stabilising profile + brush seals 3 pcs. + pocket encasement]	Door leaf	Sliding system accessory kit [cassette with stabilising profile + brush seals 3 pcs. + pocket encasement]
CPL		1710.00 (2103.30) 1200.00 (1476.00) +110.00 (135.30) +400.00 (492.00)	Price of	1890.00 (2324.70) 1300.00 (1599.00) +110.00 (135.30) +480.00 (590.40)
CLPL	Price of door leaf + surcharge: 50.00 (61.50)	1200.00 (1476.00) + surcharge: +110.00 (135.30) 50.00 +390.00 (479.70)		1880.00 (2312.40) 1300.00 (1599.00) +110.00 (135.30) +470.00 (578.10)
FF and LAK	(01.50)	1660.00 (2041.80) 1200.00 (1476.00) +110.00 (135.30) +350.00 (430.50)	(147.60)	1840.00 (2263.20) 1300.00 (1599.00) +110.00 (135.30) +430.00 (528.90)

OPTIONS WITH AN EXTRA CHARGE

	EXTRA CHARGE
Cassette structure made with a 90-degree joint	60.00 (73.80)
Sliding system accessory kit for 100 mm thick walls	No extra charge
A sliding system accessory kit made to custom size	50%
A hook key lock or a euro profile cylinder lock with a round, square, oval or rectangular escutcheon	180.00 (221.40)
A turn and release hook bolt lock with a round, square, oval or rectangular escutcheon	200.00 (246.00)
Custom aluminium pockets: Non-standard pocket width Non-standard pocket height	+30% +30%
Closer for sliding system mechanism	370.00 (455.10)
DOOR PULLS	
U01OK Round	40.00 (49.20)
UO3KW Square	40.00 (49.20)
U02OW Oval	80.00 (98.40)
UO4PR Rectangular	80.00 (98.40)
HALF-CIRCLE PULLS	
P050K Round	90.00 (110.70)
PO6KW Square	90.00 (110.70)

For detailed technical drawings with dimensions, go to the technical section on p. 227



TABLE OF DIMENSIONS

Width	S2 [mm]	H2 [mm]	C [mm]	C' [mm]	D [mm]	E [mm]	E' [mm]	W3 [mm]	W3' [mm]	F [mm]	F' [mm]	Hk [mm]	H1 [mm]	H3 [mm]
60	644	2030	1308	2516	653	603	1168	739	1304	635	1210	2115	2030	2098
70	744	2030	1508	2916	753	703	1368	839	1504	735	1410	2115	2030	2098
80	844	2030	1708	3316	853	803	1568	939	1704	835	1610	2115	2030	2098
90	944	2030	1908	3716	953	903	1768	1039	1904	935	1810	2115	2030	2098

SLIDING SYSTEM COMPONENTS





Pocket encasement

sealing brushes





A hook holt lock with a round, square, oval or rectangular escutcheon

Stabilising profile

- Hook locks are available in:
- Matt Chrome Glossy Chrome
- matte black
- Matt Gold
- Shiny Gold
- Patina

DOOR PULLS









U010K Round

U03KW Square

U02OW U04PR Oval

Rectangular

HALF MOON GRIP PULL HANDLES






P050K

P06KW Square

For our full range of pull handles, go to p. 214

- S2 Total width of door leaf
- H2 Total height of door leaf
- Total width of cassetteTotal width of cassette in double doors - Width of cassette pocket
- Clear opening width in cassette structure clear opening width in cassette structure in double doors
- W3 Cassette structure width including architraves
- W3'- Cassette structure width including architraves in double doors

 F Clear opening width w/o cassette
- structure clear opening width w/o cassette structure in double doors
- Total height of cassette
- H1 Height of cassette structure in clear opening
- H3 Outer height of cassette with the band



The "FOLD" bifold doors come with this unique opening method that makes them a perfect solution in limited spaces and using conventional doors or sliding doors would be troublesome. It is thanks to their design that they need much less space to open. They are perfect for wardrobes and pantries, but also for confined attic spaces or narrow corridors.

The "FOLD" bifold doors are manufactured as non-rebated, one-panel style single doors ("60" to "90") and double doors ("100" to "200"). Both halves are coupled with 2 hinges. The door is linked with the floor using a floor mounted stabiliser. The mechanism is mounted in the top section of the timber frame. The load capacity of the single system is max. 2×25 kg. The clearances between the floor and the bottom edge of the door, and between the top edge of the door and the door frame are up to 15 mm.

THE "FOLD" BIFOLD DOOR SET INCLUDES:

- 2 flush door leaves
- 2 mortise hinges
- mechanism
- Timber frame

made to illeasure doors

VIVENTØ

AVAILABLE WIDTHS

• 60-200, other sizes available at an extra charge

CONSTRUCTION

- MDF frame (timber frame available at an extra charge)
- Core: stabilising layer known as "honeycomb"
- Surface made of 3 mm thick HDF

COMPONENTS

• Two mortise hinges in satin nickel (possible change to black or gold at no extra cost)

DOOR FRAME VARIANTS

■ Fixed: timber

PRICE LIST

			Price in PLN:	excl./(inc.) V	'AT		
Colour group	Single door	s, widths 60-90		Double doors, widths "100"-200			
	"FOLD" door leaf	Fixed timber door frame	Mechanism for bifold doors	"FOLD" door leaf	Fixed timber door frame	Mechanism for bifold doors	
PVC	940.00 (1156.20)	530.00 (651.90)		1880.00 (2312.40)	632.50 (777.98)		
CPL	745.00 (916.35)	519.00 (638.37)		1490.00 (1832.70)	618.75 (761.06)	
CLPL	730.00 (897.90)	512.00 (629.76)	190.00 (233.70)	1460.00 (1795.80)	610.00 (750.30)	380.00 (467.40)	
FF	630.00 (774.90)	492.00 (605.16)	_	1260.00 (1549.80)	585.00 (719.55)	•	
LAK	580.00 (713.40)	492.00 (605.16)		1160.00 (1426.80)	585.00 (719.55)		

OPTIONS WITH AN EXTRA CHARGE

HINGES	EXTRA CHARGE		
Mortise hinges in satin nickel	Without surcharge, fitted as standard		
Mortise hinges in black or gold	50.00 (61.50)		

Other surcharges as per the price list for the STANDARD 01 model and the fixed timber door

HALF-CIRCLE PULLS

P050K Round	90.00 (110.70)
P06KW Square	90.00 (110.70)

HALF MOON GRIP PULL HANDLES



Round





For our full range of pull handles, go to p. 214



Mortise hinge

VALUABLE INFORMATION

The "FOLD" bifold doors are available with a timber frame. The doorset can be made in a longer version, up to the dimension of H3 = 2074 mm.

For detailed technical drawings with dimensions, go to the technical section on p. 229.



AVAILABLE COLOURS

PVC GROUP WWWWW







White Grain

Natural Grandson

CPL GROUP **₩₩₩**₩₩







Uni White

Luminous Grey

Uni Grey



Uni Anthracite

Walnut

CLPL GROUP WWWWW







Bleached Larch

Old Oak







Bianco

Sibiu White



Silver Oak

Cornwall Oak

Halifax Oak

Columbia Walnut

Sonoma Oak











Amber Oak

Catania Oak







White

Scandinavian



DOOR FRAMES AND ACCESSORIES

TIMBER FIXED DOOR FRAME







FRAME FOR SIMPLE NON-REBATED SYSTEM

Fixed timber "Tunnel" style door frame

The fixed timber door frame is made of softwood and with a fixed width of 90 mm (or 100 mm for the SIMPLE door frame). Available finished with a selected decorative layer. The complete frame consists of two side jambs and a head jamb. The frame can be manufactured either as a rebated or "tunnel" version (no extra charge).

AVAILABLE WIDTHS

- "60", "70", "80", "90", other sizes available at an extra charge
- Minimum clear opening frame width W=601 mm

COMPONENTS

- Screw hinges, 2 pcs. (3 pcs. in frame "90")
- Striker
- Seal
- Installation kit

PRICE LIST

	Price in PLN: excl./(inc.) VAT				
Colour group	Price list for Single door frame "60"-"90"	Price list for double door frame "100"-"200"			
PP	410.00 (504.30)				
CPL	399.00 (490.77)	25%			
CLPL	392.00 (482.16)	25% extra charge			
FF and LAK	372.00 (457.56)				

OPTIONS WITH AN EXTRA CHARGE

ION-STANDARD WIDTH	EXTRA CHARGE
Vidths "100" and "110"	25% extra charge
lon-standard width	60.00 (73.80)
NON-STANDARD HEIGHT	
Shorter	50.00 (61.50)
Jp to 10 mm longer	60.00 (73.80)
Additional hinge	20.00 (24.60)
Additional hinge in SIMPLE non-rebated system	90.00 (110.70)
Change of door strike position (recommended for door frames with a non-standard height)	70.00 (86.10)
OTHER	
SD adjustable hinges	40.00 (49.20)
Standard top strike	50.00 (61.50)
Adjustable top strike	70.00 (86.10)
Adjustable lower strike	70.00 (86.10)
1ultipoint lock strike	90.00 (110.70)
Door frame for SIMPLE non-rebated system (44 mm × 100 mm)	200.00 (246.00)
Door frame for SWING door	130.00 (159.90)
Ooor frame for FOLD door	120.00 (147.60)
imber threshold with seal, without a decorative layer	90.00 (110.70)
Stainless steel sheet threshold with seal	80.00 (98.40)
Customised for electric door strike mounting	90.00 (110.70)
Customised for concealed door closer	90.00 (110.70)

TABLE OF DIMENSIONS

Width	W [mm]	W1 [mm]	W2 [mm]	S1 [mm]	S2 [mm]	H1 [mm]	H2 [mm]		Suggested installation opening [mm]
60	601	624	689	618	644				710 × 2075
70	701	724	789	718	744	2017	2070	2061	810 × 2075
80	801	824	889	818	844	2017	2030	2061	910 × 2075
90	901	924	989	918	944				1010 × 2075

Further widths increase dimensions W, W1, W2, S1 and S2 by 100 mm and are charged extra for the

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩




CPL GROUP ₩₩₩₩₩



CLPL GROUP WWWWW





LAK GROUI		\vee \vee
White	Bleached Oak	Silver Oak
Scandinavian Elm		

W - Door frame clear width

W1 - Door frame rebate width

W2 - Door frame outer width S1 - Door leaf rebate width

S2 - Overall door leaf width H1 - Door frame clear height

H2 - Overall door leaf height H3 - Door frame outer height

For detailed technical drawings with dimension, go to the technical section on p. 230



FIXED **MDF** DOOR FRAME







MDF standard "Tunnel" style door frame

The door frame is made of MDF with a fixed width of 90 mm (or 100 mm for the SIMPLE door frame). The complete frame consists of two side jambs and a head jamb. The frame can be manufactured either as a rebated or "tunnel" version (no extra charge).

FRAME FOR SIMPLE

NON-REBATED SYSTEM

AVAILABLE WIDTHS

- "60", "70", "80", "90", other sizes available at an extra charge
- Minimum clear opening frame width W=603 mm

COMPONENTS

- Screw hinges, 2 pcs. (3 pcs. in frame "90")
- Striker
- Seal
- Installation kit

PRICE LIST

	Price in PLN: excl./(inc.) VAT							
Colour group	Price list for Single door frame "60"-"90"	Price list for double door frame "100"-"200"						
PP	265.00 (325.95)							
CPL	255.00 (313.65)	050/						
CLPL	250.00 (307.50)	25% extra charge						
FF and LAK	230.00 (282.90)							

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	25% extra charge
Non-standard width	60.00 (73.80)
NON-STANDARD HEIGHT	
Shorter	50.00 (61.50)
Up to 10 mm longer	60.00 (73.80)
11 mm to 470 mm longer	140.00 (172.20)
Additional hinge	20.00 (24.60)
Additional hinge in SIMPLE non-rebated system	90.00 (110.70)
Change of door strike position (recommended for door frames with a non-standard height)	70.00 (86.10)
OTHER	
3D adjustable hinges	40.00 (49.20)
Standard top strike	50.00 (61.50)
Adjustable top strike	70.00 (86.10)
Adjustable lower strike	70.00 (86.10)
Multipoint lock strike	90.00 (110.70)
Door frame for SIMPLE non-rebated system (44 mm × 100 mm)	200.00 (246.00)
Door frame for SWING door	130.00 (159.90)
Timber threshold with seal, without a decorative layer	90.00 (110.70)
Stainless steel sheet threshold with seal	80.00 (98.40)
Customised for electric door strike mounting	90.00 (110.70)
Customised for concealed door closer	90.00 (110.70)

TABLE OF DIMENSIONS

Width	W [mm]	W1 [mm]	W2 [mm]	S1 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	Suggested installation opening [mm]
60	603	624	691	618	644				710 × 2075
70	703	724	791	718	744	2010	2070	2007	810 × 2075
80	803	824	891	818	844	-2019	-2019 2030	30 2063	910 × 2075
90	903	924	991	918	944				1010 × 2075

Further widths increase dimensions W, W1, W2, S1 and S2 by 100 mm and are charged extra for the double leaf frame.

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩




CPL GROUP ₩₩₩₩₩



CLPL GROUP WWWWW



FF GROUP



Anthracite Oak

White	Bleached Oak	Silver Oak



- W Door frame clear width
- W1 Door frame rebate width
- W2 Door frame outer width S1 Door leaf rebate width
- S2 Overall door leaf width H1 Door frame clear height
- H2 Overall door leaf height H3 - Door frame outer height

For detailed technical drawings with dimensions, go to the technical section on p. 230



181 Door Frames and Accessories www.vivento.pl

ACCESSORIES FOR FIXED FRAMES

60 MM STANDARD ARCHITRAVE




The standard architrave is manufactured from MDF with a fixed width of 60 mm. The complete architrave consists of three pieces: two vertical and one horizontal.



80 MM STANDARD ARCHITRAVE



The standard architrave is manufactured from MDF with a fixed width of 80 mm. The complete architrave consists of three pieces: two vertical and one horizontal.



QUARTER ROUND



The quarter round is manufactured from MDF with a fixed width of 18 mm. The complete quarter round consists of three pieces: two vertical and one horizontal.



AVAILABLE WIDTHS


• "90", "200", other sizes available at an extra charge 100%

PRICE LIST

Colour group	Price in PLN: excl./(inc.) VAT											
	60 mm standard arc	chitrave	80 mm standard arc	hitrave	Quarter round							
	For single doors 60-90	For double doors 100-200	For single doors 60-90	For double doors 100-200	For single doors 60-90	For double doors 100-200						
рP	63.00 (77.49)	73.00 (89.79)	73.00 (89.79)	83.00 (102.09)	45.00 (55.35)	55.00 (67.65)						
CPL	58.00 (71.34)	68.00 (83.64)	68.00 (83.64)	78.00 (95.94)	38.00 (46.74)	48.00 (59.04)						
CLPL	55.00 (67.65)	65.00 (79.95)	65.00 (79.95)	75.00 (92.25)	35.00 (43.05)	45.00 (55.35)						
FF and LAK	45.00 (55.35)	55.00 (67.65)	55.00 (67.65)	65.00 (79.95)	25.00 (30.75)	35.00 (43.05)						

AVAILABLE COLOURS







Matt Silver



CLPL GROUP WWWWW



Sibiu White Snow Oak Silver Oak Cornwall Oak Halifax Oak Columbia Walnut Cedar Sonoma Oak Riviera Oak Amber Oak Catania Oak

Nussbaum Walnut Bengali Mango

Anthracite Oak

Delano Oak

Matt Gold

TOP LIGHT AND SIDELIGHT



Top lights and sidelights are the perfect solution for bringing more light in. The sidelight will work particularly well as a built-in feature if you have a wide passageway, while the top light is an elegant solution that allows you to enjoy more light from above while creating a very modern look.

We make the top light and sidelight to bespoke orders and to match the style of a fixed frame. The sidelight is only available with tempered glass or VSG 2.2.1. Extra charges apply for the selected glass on top of the price listed above.

PRICE LIST

	Price in PLN: excl./(inc.) VAT					
Colour group	1 linear metre of fixed top light with glazing in the Chinchilla, Satin deco, Lacomat or Satin lines					
PP	315.00 (387.45)					
CPL	305.00 (375.15)					
CLPL	299.00 (367.77)					
FF and LAK	295.00 (362.85)					

OPTIONS WITH AN EXTRA CHARGE

Surcharge for Clear or Satin tempered glass (per 1 m²)	100.00 (123.00)
Surcharge for Clear or Satin VSG 2.21 glass (per 1 m²)	190 00 (233 70)

TYPES OF GLAZING







Satin lines









Tempered satin Clear Tempered or VSG 2.2.1 Satin or Clear VSG 2.2.1

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩





CLPL GROUP WWWWW





Anthracite Oak



183 Door Frames and Accessories www.vivento.pl

ADJUSTABLE DOOR FRAME

STEEL FRAME ZOS CASING



The Steel Frame ZOS Casing is an innovative solution for fully concealing an existing door frame (steel, timber or MDF) without the need to dismantle it, which usually involves damage to walls or tiles, resulting in a major refurbishment of the entire room.



ADJUSTABLE DOOR FRAME

STEEL FRAME ZOS CASING

The ZOS conceals the existing door frame around the entire wall thickness, for example, together with tiles at no risk of damaging them, and you can avoid narrowing the door leaf at the same time. If an "80" door leaf was installed on the existing frame, you will still be able to hang the same "80"-width door after the installation of the Steel Frame Casing.

Each Steel Frame Casing is adjustable up to 20 mm thanks to a movable angle. The casing is manufactured in a variety of versions for any wall thickness, starting from 60 mm. Within the adjustment ranges of 240-260,

the frame is a sectional version made with a minimum of two parts. The sectional version for the "Tunnel" frame is available from the 220-240 range.

ZOS reduces the clear opening of your existing frame by only 30 mm!



HOW DO	I CALCUL	ATE THE	WIDTH (OF THE 2	ZOS?						
1. m	ım (clear o	pening v	vidth of e	existing f	rame) - 6	5 mm (cle	earance f	or assem	ıbly) = (mm	(ZOS outer width)
2. m	nm (ZOS o	uter widt	:h) + 32 r	nm = (ZOS widt	th in fram	ne rebate	.)		
3. m	nm (ZOS w	ridth in re	ebate) - 5	56 mm =	m	m (ZOS v	width in f	rame cle	ar openii	ng)	
HOW DO	I CALCUL	ATE THE	WIDTH (OF THE I	DOOR LE	AF FOR	zos?				
1. m	nm (ZOS w	ridth in fr	ame reba	ate) - 8 n	nm =		Door reba	ate width	1)		
2. m	nm (Door r	ebate wi	dth) + 26	5 mm = (mm	(Total d	oor leaf v	width)			
HOW DO	I CALCUL	ATE THE	HEIGHT	OF THE	DOOR L	EAF FOR	ZOS?				
1. m	ım (clear o	pening h	eight of e	existing fr	rame) – 3	mm (clea	arance fo	r assemb	oly) =		ZOS frame outer height)
2. n	nm (ZOS fr	ame out	er heiaht) + 16 m ı	m = [mm (70	OS heigh	t in fram	e rebate)		
	nm (ZOS fr									/ mm do	15 mm
(clearar	ice betwee	en door a	nd floor	level) = (mn	1 (door le	eaf rebate	e height)			
4. m	ım (Door r	ebate he	ight) + 1 3	3 mm = (mm	1 (Total d	oor leaf l	neight)			
TABLE OF	F DIMENSI	ONS									
Width	W [mm]	W1 [mm]	W2 [mm]	W3 [mm]	S1 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	H4 [mm]	Suggested installation opening width [mm]
60	570	626	594	736	618	644					594-600
70	670	726	694	836	718	744	_				694-700
80	770	826	794	936	818	844	2000	2030	2012	2083	794-800
90	870	926	894	1036	918	944	_				894-900
Further width	ns increase din	nensions W	, W1, W2, W	3, S1 and S2	2 by 100 mm	n and are ch	arged extra	for the dou	ble leaf fran	ne.	
							5 (
Adjustment r	ange	х	[mm]				Door framDoor fram				
60-80	60-80					- Door fram			7e		
80-100		8	0			W3 – Door frame width with architraves S1 – Door leaf rebate width					
100-120		10	00			S2 - Overall door leaf width H1 - Door frame clear height					
120-140		12	20			H2	- Overall do	or leaf heig	ht		
V (V 120)		V				H3	 Door fram 	ie outer hei	gnt		

For detailed technical drawings with dimensions, go to the technical section on p. 231

Door Frames and Accessories www.vivento.pl 185

H4 - Door frame height with architraves

ADJUSTABLE DOOR FRAME

STEEL FRAME ZOS CASING



The Steel Frame Casing is a solution which lets you forget about problems related to non-standard hinge spacing in the existing frame, non-standard strike plate positions or sizes, and very common non-standard rebate (lip) dimensions. To complete a quick and hassle-free installation on the existing frame, you only need to remove the existing hinges, but only if they protrude beyond the outline of the lining.

The frame can also be manufactured to any width. As a result, its use is unlimited on those existing door frames that are heavily warped; it allows for correcting up to 6 mm of warping. Unless the existing frame has been warped by over 6 mm during its lifetime, there are no reasons not to install a standard Steel Frame Casing and hang a typical door leaf on it. The standard ZOS "80" can be installed in the door opening of an existing door frame with dimensions ranging from 794 mm to 800 mm.

Curvatures outside 6 mm require you order the ZOS to a custom size. In this case, please note that the door leaf must also be customised to suit the dimensions of the Steel Frame Casing.

Another solution for curvatures exceeding 6 mm would involve removing one vertical piece of the existing frame, which will then enable the installation of a standard ZOS and a standard door leaf.



The Steel Frame Casing can also be made in the form of a "tunnel".

The ZOS, just like any other door frame in our range, can be manufactured in non-standard widths, which helps you use this solution regardless of the condition of any of your existing door frames. The 6 mm curvature tolerance mentioned earlier is also the suggested clearance for installation (3 mm on each side).

To check if fitting a standard ZOS is possible, measure the clear width and height of the existing door frame. The width should be measured in four places: at the level of the bottom and top hinges, and at the lock and threshold levels. The clear height should be measured in three places: at the corners and at the centre of the width of the existing frame. Moreover, the top and bottom corners of the existing door frame should be checked for right angles. This measurement is enough to validate or exclude the curvature of the existing frame.

For door leaves hung on the ZOS, the installation of handles on a long, narrow back plate is recommended. This is related to reduction of the clear width of the frame by 30 mm without changing the width of the door leaf.

Each Steel Frame Casing comes with a detailed installation manual with additional descriptions of the components comprising a set.

STEEL FRAME ZOS CASING

AVAILABLE WIDTHS

- "60", "70", "80", "90", other sizes available at an extra charge
- Minimum clear opening frame width W=500 mm

COMPONENTS

- Screw hinges, 2 pcs. (3 pcs. in the "90" frame), in Zinc white
- Striker
- Seal
- Installation kit

PRICE LIST FOR 60-90 SINGLE DOOR FRAME

Adjustment	Price in PLN: excl./(inc.) VAT									
range [mm]	Colour group									
min-max	PP	CPL	CLPL	FF and LAK						
60-80	640.00 (787.20)	610.00 (750.30)	600.00 (738.00)	520.00 (639.60)						
80-100	E70.00 (6E1.00)	510.00 (627.30)	500.00 (615.00)	430.00 (528.90)						
100-120	- 530.00 (651.90)	310.00 (627.30)	300.00 (813.00)	430.00 (328.90)						
120-140	E70.00 (70110)	FEO 00 (676 FO)	E40.00 (664.20)	460.00 (E6E.90)						
140-160	570.00 (701.10)	550.00 (676.50)	540.00 (664.20)	460.00 (565.80)						
160-180	(10.00 (750.70)	F00 00 (717 40)	F70 00 (70110)	400.00 (602.70)						
180-200	610.00 (750.30)	580.00 (713.40)	570.00 (701.10)	490.00 (602.70)						
200-220	(40.00 (707.20)	(10.00 (750.70)	(00 00 (770 00)	F20.00 (C70.C0)						
220-240	640.00 (787.20)	610.00 (750.30)	600.00 (738.00)	520.00 (639.60)						
240-260	600 00 (040 70)	CCO OO (011 00)	CEO OO (700 EO)	FF0 00 (676 F0)						
260-280	690.00 (848.70)	660.00 (811.80)	650.00 (799.50)	550.00 (676.50)						
280-300	770.00 (007.00)	700 00 (001 00)	600 00 (040 70)	F00 00 (717 40)						
300-320	730.00 (897.90)	700.00 (861.00)	690.00 (848.70)	580.00 (713.40)						
320-340	760 00 (074 00)	770 00 (00700)	700 00 (005 60)	610.00 (750.70)						
340-360	760.00 (934.80)	730.00 (897.90)	720.00 (885.60)	610.00 (750.30)						
360-380	010 00 (006 70)	700 00 (050 40)	770 00 (04710)	650.00 (799.50)						
380-400	- 810.00 (996.30)	780.00 (959.40)	770.00 (947.10)							
400-420	000 00 (1171 00)	070 00 (1070 10)	000 00 (105700)	740.00 (910.20)						
420-440	920.00 (1131.60)	870.00 (1070.10)	860.00 (1057.80)							
440-460	1000 00 (105 4 60)	000 00 (1100 00)	050 00 (1100 50)	070 00 (1000 00)						
460-480	1020.00 (1254.60)	960.00 (1180.80)	950.00 (1168.50)	830.00 (1020.90)						
480-500	1150 00 (1414 50)	1050.00 (1201.50)	10.40.00 (1070.20)	020 00 (1171 00)						
500-520	1150.00 (1414.50)	1050.00 (1291.50)	1040.00 (1279.20)	920.00 (1131.60)						
520-540	1000 00 (1476 00)	11.40.00 (1.400.00)	1170 00 (1700 00)	1010 00 (1040 70)						
540-560	1200.00 (1476.00)	1140.00 (1402.20)	1130.00 (1389.90)	1010.00 (1242.30)						
560-580	1000 00 (1574 40)	1070 00 (1510 00)	1000 00 (1500 60)	1100 00 (1757 00)						
580-600	1280.00 (1574.40)	1230.00 (1512.90)	1220.00 (1500.60)	1100.00 (1353.00)						
Over 600 mm	Bespoke pricing	Bespoke pricing	Bespoke pricing	Bespoke pricing						
Adjustable angle	90.00 (110.70)	70.00 (86.10)	68.00 (83.64)	60.00 (73.80)						
Adjustable angle with +20 mm adjustment tongue	120.00 (147.60)	90.00 (110.70)	88.00 (108.24)	80.00 (98.40)						

OPTIONS WITH AN EXTRA CHARGE


NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	25%
Double door frame 100-200	25%
Non-standard width	80.00 (98.40)
Non-standard width of adjustable angle profile (to be ordered separately)	30.00 (36.90)
NON-STANDARD HEIGHT	
Shorter	50.00 (61.50)
Up to 45 mm longer	60.00 (73.80)
Additional hinge	20.00 (24.60)
Change of door strike position (recommended for door frames with a non-standard height)	70.00 (86.10)
Non-standard height of adjustable angle profile (to be ordered separately)	30.00 (36.90)
OTHER	
Timber threshold with seal, without a decorative layer	90.00 (110.70)
Stainless steel sheet threshold with seal	80.00 (98.40)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩



CPL GROUP **₩₩₩**₩₩









Anthracite Oak

LAK GROU	• * * * * *	₩ ₩
White	Bleached Oak	Silver Oak
Scandinavian		

187 Door Frames and Accessories www.vivento.pl

ADJUSTABLE **DIN** DOOR FRAME
















TO THE RESCUE

If it turns out that "despite all efforts" you need a door frame with a larger adjustment range, we have two solutions for you.

You can order an adjustable angle profile with the +20 mm adjustment tongue to extend the adjustment range by up to 40 mm, and if that is not enough, you can also order a "Tunnel" style DIN frame and use it as an extension profile to increase the adjustment range by its lower value.



DIN sectional

TABLE OF DIMENSIONS

Width	W [mm]	W1 [mm]	W2 [mm]	W3 [mm]	S1 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	H4 [mm]	Suggested installation opening [mm]
60	603	624	647	745	618	644			2030 2039		675 × 2055
70	703	724	747	845	718	744	2017	7 2030		2088	775 × 2055
80	803	824	847	945	818	844	- 2017			039 2088	875 × 2055
90	903	924	947	1045	918	944					975 × 2055

Further widths increase dimensions W, W1, W2, W3, S1 and S2 by 100 mm and are charged extra for the double leaf frame.

Adjustment range	X [mm]
60-75	60
80-100	80
100-120	100
120-140	120
X - (X+20)	X

For detailed technical drawings with dimensions, go to the technical section on p. 232



- W Door frame clear width
- W1 Door frame rebate width
- W2 Door frame outer width
- W3 Door frame width with architraves S1 - Door leaf rebate width
- S2 Overall door leaf width
- H1 Door frame clear height
- H2 Overall door leaf height
- H3 Door frame outer height
- H4 Door frame height with architraves

ADJUSTABLE **DIN** DOOR FRAME

The DIN adjustable frame is made of MDF to any wall thickness, starting at 60 mm (or 100 mm for the SIMPLE door frame).
Two-centimetre adjustment is provided in the form of an adjustable angle

bracket.

The frame can also be manufactured to any clear width. The complete frame consists of two side jambs and a head jamb with angles on both sides. The frame can be manufactured either as a rebated or "Tunnel" version at no extra charge. Within the adjustment ranges of 280–300, the frame is a sectional version made with a minimum of two parts. The sectional version for the "Tunnel" frame is available from the 260-280 range.

AVAILABLE WIDTHS

- "60", "70", "80", "90", other sizes available at an extra charge
- Minimum clear opening frame width W=603 mm

COMPONENTS

- Screw hinges, 2 pcs. (3 pcs. in frame 90)
- Striker
- Seal
- Installation kit

PRICE LIST FOR 60-90 SINGLE DOOR FRAME

Adjustment range	Price in PLN: excl./(inc.) VAT					
[mm]	Colour group					
min-max	PP	CPL	CLPL	FF and LAK		
60-75	460.00 (565.80)	440.00 (541.20)	420.00 (516.60)	365.00 (448.95)		
80-100	430.00 (528.90)	410.00 (504.30)	390.00 (479.70)	310.00 (381.30)		
100-120	430.00 (328.90)	410.00 (304.30)	390.00 (479.70)	310.00 (361.30)		
120-140	460.00 (565.80)	440.00 (541.20)	420.00 (516.60)	365.00 (448.95)		
140-160	400.00 (303.00)	440.00 (341.20)	420.00 (310.00)	303.00 (448.93)		
160-180	510.00 (627.30)	490.00 (602.70)	470.00 (578.10)	410.00 (504.30)		
180-200	310.00 (027.30)	430.00 (002.70)	470.00 (370.10)	410.00 (304.30)		
200-220	550.00 (676.50)	530.00 (651.90)	510.00 (627.30)	440.00 (541.20)		
220-240	330.00 (070.30)	330.00 (031.30)	310.00 (027.50)	440.00 (341.20)		
240-260	600.00 (738.00)	580.00 (713.40)	560.00 (688.80)	480.00 (590.40)		
260-280	000.00 (750.00)	300.00 (713.40)	300.00 (000.00)	100.00 (330.10)		
280-300	640.00 (787.20)	620.00 (762.60)	600.00 (738.00)	520.00 (639.60)		
300-320	0 10.00 (707.20)	020.00 (702.00)	(700.00)	020.00 (000.00)		
320-340	700.00 (861.00)	680.00 (836.40)	660.00 (811.80)	565.00 (694.95)		
340-360	700.00 (0000)	000.00 (000.10)		000.00 (00 1.00)		
360-380	760.00 (934.80)	740.00 (910.20)	720.00 (885.60)	610.00 (750.30)		
380-400						
400-420	820.00 (1008.60)	800.00 (984.00)	780.00 (959.40)	660.00 (811.80)		
420-440				000.00 (011.00)		
440-460	880.00 (1082.40)	860.00 (1057.80)	840.00 (1033.20)	710.00 (873.30)		
460-480						
480-500	940.00 (1156.20)	920.00 (1131.60)	900.00 (1107.00)	760.00 (934.80)		
500-520		· · ·		· · · · ·		
520-540	1000.00 (1230.00)	980.00 (1205.40)	960.00 (1180.80)	810.00 (996.30)		
540-560						
560-580	- 1060.00 (1303.80)	1040.00 (1279.20)	1020.00 (1254.60)	860.00 (1057.80)		
580-600						
Over 600 mm	Bespoke pricing	Bespoke pricing	Bespoke pricing	Bespoke pricing		
Adjustable angle	90.00 (110.70)	70.00 (86.10)	68.00 (83.64)	60.00 (73.80)		
Adjustable angle with +20 mm adjustment tongue	120.00 (147.60)	90.00 (110.70)	88.00 (108.24)	80.00 (98.40)		

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	25%
Double door frame 100-200	25%
Non-standard width	80.00 (98.40)
Non-standard width of adjustable angle profile (to be ordered separately)	30.00 (36.90)
NON-STANDARD HEIGHT	
Shorter	50.00 (61.50)
Up to 10 mm longer	60.00 (73.80)
11 mm to 470 mm longer	230.00 (282.90)
Additional hinge	20.00 (24.60)
Additional hinge in SIMPLE non-rebated system	90.00 (110.70)
Additional hinge in reversed swing system	150.00 (184.50)
Change of door strike position (recommended for door frames with a non- standard height)	70.00 (86.10)
Non-standard height of adjustable angle profile (to be ordered separately)	30.00 (36.90)
OTHER	
Standard top strike	50.00 (61.50)
Door frame for SIMPLE non-rebated system(adjustment range 100-120)	200.00 (246.00)
Reversed swing door frame with 60 mm architraves at 45° angle	300.00 (369.00)
Door frame with angle architraves and a height of 80 mm	No extra charge
Door frame with angle architraves and a height of 100 mm	70.00 (86.10)
A frame made by joining sections at 90°, (not for the 60-75 adjustment range; not for a frame with 100 mm angle architraves or with + 20 mm adjustment tongue)	60.00 (73.80)
Timber threshold with seal, without a decorative layer	90.00 (110.70)
Stainless steel sheet threshold with seal	80.00 (98.40)
Customised for electric door strike mounting	90.00 (110.70)
Customised for a surface-mounted door closer	50.00 (61.50)
Customised for concealed door closer	90.00 (110.70)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩



CPL GROUP ₩₩₩₩₩





FF GROUP WWWWW





Scandinavian

189 Door Frames and Accessories www.vivento.pl

"DUALE" DUAL RANGE

ADJUSTABLE FRAME



The DUALE adjustable frame is made of MDF to any wall thickness, starting at 100 mm. Four-centimetre adjustment is provided in the form of an adjustable angle bracket. The frame can also be manufactured to any clear width. The complete frame consists of two side jambs and a head jamb with angles on both sides.

TABLE OF DIMENSIONS

Width	W [mm]	W1 [mm]	W2 [mm]	W3 [mm]	S1 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	H4 [mm]	Suggested installation opening [mm]	
60	603	624	647	745	618	644					675 × 2055	
70	703	724	747	845	718	744	2017 2	- 2017 2030 2039 -	2272	0070	2000	775 × 2055
80	803	824	847	945	818	844			2039	2088	875 × 2055	
90	903	924	947	1045	918	944						

Further widths increase dimensions W, W1, W2, W3, S1 and S2 by 100 mm and are charged extra for the double leaf frame.

Adjustment range	X [mm]	
100-140	100	
140-180	140	
180-220	180	
220-260	220	
260-300	260	
300-340	300	

W - Door frame clear width

W1 - Door frame rebate width

W2 - Door frame outer width

W3 - Door frame width with architraves

S1 - Door leaf rebate width

S2 - Overall door leaf width H1 - Door frame clear height

H2 - Overall door leaf height

H3 - Door frame outer height H4 - Door frame height with architraves

For detailed technical drawings with dimensions, go to the technical section on p. 232



"DUALE" DUAL RANGE

ADJUSTABLE FRAME

AVAILABLE WIDTHS

- "60", "70", "80", "90", other sizes available at an extra charge
- Minimum clear opening frame width W=603 mm

COMPONENTS

- Screw hinges, 2 pcs. (3 pcs. in frame "90")
- Striker
- Seal
- Installation kit

PRICE LIST FOR 60-90 SINGLE DOOR FRAMES

A	Price in PLN: excl./(inc.) VAT Colour group						
Adjustment range [mm] min-max							
	PP	CPL	CLPL	FF and LAK			
100-140	460.00	440.00	420.00	365.00			
	(565.80)	(541.20)	(516.60)	(448.95)			
140-180	510.00	490.00	470.00	410.00			
	(627.30)	(602.70)	(578.10)	(504.30)			
180-220	550.00	530.00	510.00	440.00			
	(676.50)	(651.90)	(627.30)	(541.20)			
220-260	600.00	580.00	560.00	480.00			
	(738.00)	(713.40)	(688.80)	(590.40)			
260-300	640.00	620.00	600.00	520.00			
	(787.20)	(762.60)	(738.00)	(639.60)			
300-340	700.00	680.00	660.00	580.00			
	(861.00)	(836.40)	(811.80)	(713.40)			

OPTIONS WITH AN EXTRA CHARGE

NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	25%
Double door frame 100-200	25%
Non-standard width	80.00 (98.40)
Non-standard width of adjustable angle profile (to be ordered separately)	30.00 (36.90)
NON-STANDARD HEIGHT	
Shorter	50.00 (61.50)
Up to 10 mm longer	60.00 (73.80)
11 mm to 470 mm longer	230.00 (282.90)
Additional hinge	20.00 (24.60)
Change of door strike position (recommended for door frames with a non-standard height)	70.00 (86.10)
Non-standard height of adjustable angle profile (to be ordered separately)	30.00 (36.90)
OTHER	
Standard top strike	50.00 (61.50)
Door frame with angle architraves and an overall height of 80 mm	No extra charge
Door frame with angle architraves and an overall height of 100 mm	70.00 (86.10)
Timber threshold with seal, without a decorative layer	90.00 (110.70)
Stainless steel sheet threshold with seal	80.00 (98.40)

AVAILABLE COLOURS



CPL GROUP ₩₩₩₩₩






FF GROUP $\mathbf{\hat{W}}\mathbf{\hat{W}}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}$



Anthracite Oak



Door Frames and Accessories www.vivento.pl 191

DIN PLUS ARCHITRAVES

FOR DIN AND DUALE ADJUSTABLE FRAMES



The DIN PLUS architraves are a solution for simple and quick interior modification. They come in five different designs, so every user can find the right model for them. DIN PLUS architrave is manufactured from MDF with a fixed height of 80 mm. The complete architrave consists of three pieces: two vertical and one horizontal. The DIN PLUS architrave can be fitted to DIN and DUALE frames with 60 mm architraves (standard), and 80 mm and 100 mm architraves (option with surcharge as per surcharge price list). The DIN PLUS architrave cannot be fitted to the frame with a 90° architrave joint.


DIN PLUS ARCHITRAVES

FOR DIN AND DUALE ADJUSTABLE FRAMES

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

ARTE CLASS



PRICE LIST

Calaur maun	Price in PLN: excl./(inc.) VAT				
Colour group	RETRO, STYLE I, STYLE II	ARTE, CLASS			
PP	130.00 (159.90)	190.00 (233.70)			
CPL	105.00 (129.15)	180.00 (221.40)			
CLPL	100.00 (123.00)	175.00 (215.25)			
FF and LAK	85.00 (104.55)	155.00 (190.65)			

OPTIONS WITH AN EXTRA CHARGE


NON-STANDARD WIDTH	EXTRA CHARGE
Widths "100" and "110"	25%
Architraves for double doors 100-200	25%
Non-standard width	50.00 (61.50)
DIN PLUS architraves for door frame with 80 mm or 100 mm architraves	50.00 (61.50)
NON-STANDARD HEIGHT	
Shorter	50.00 (61.50)
Up to 10 mm longer	50.00 (61.50)
11 mm to 470 mm longer	220.00 (270.60)

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩







Bianco Sibiu White Snow Oak Silver Oak Cornwall Oak Halifax Oak Columbia Walnut Cedar Sonoma Oak



Amber Oak

Catania Oak

Riviera Oak

LAK GROU	P 🖤 🖤 🖤	$^{\prime}$ $^{\Diamond}$
White	Bleached Oak	Silver Oak
Scandinavian Elm		

Door Frames and Accessories www.vivento.pl 193

HEAD CASING FOR

DIN AND DUALE ADJUSTABLE FRAME





The head casing for the DIN and DUALE adjustable frame is a sophisticated decorative detail that can completely change the look of both the door and the entire room. Its design is reminiscent of antique architecture and fits perfectly into classic, English, vintage or glamour interiors, where it goes well with decorative wall panels (e.g. HERO or RYFLA wall panels, see pp. 198-204).

The head casing is manufactured from MDF with a fixed height of 100 mm.

The head casing can be mounted on a DIN adjustable door frame with 60 mm architraves (optionally: DIN with 80 mm and 100 mm architraves) and DUALE (not for frames with 90° architrave joints).

AVAILABLE WIDTHS

• "60", "70", "80", "90", other sizes available at an extra charge

PRICE LIST

Colour group	Price in PLN: excl./(inc.) VAT
PP	190.00 (233.70)
CPL	180.00 (221.40)
CLPL	175.00 (215.25)
FF and LAK	155.00 (190.65)

OPTIONS WITH AN EXTRA CHARGE

	EXTRA CHARGE
Widths "100" and "110"	25%
Head casing for double doors "100"-"200"	25%
The head casing matching the DIN frame with 80 mm or 100 mm architraves	50.00 (61.50)


For detailed technical drawings with dimensions, go to the technical section on p. 234



AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩





CLPL GROUP WWWWW



FF GROUP $\mathbf{W}\mathbf{W}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}\mathbf{\nabla}$



47474 2222 2222



SKIRTING BOARDS

We make MDF skirting boards in 80 mm, 100 mm and 120 mm heights and 2000 mm lengths, with a 45 degree joint as standard. The skirting boards should be glued with mounting glue.

Skirting boards with different heights and widths can be made for an extra charge of 100%.

SOFT 01/080, height h = 80 mm **SOFT 01/100,** height h = 100 mm **SOFT 01/120,** height h = 120 mm **SOFT 04/080,** height h = 80 mm **SOFT 04/100,** height h = 100 mm **SOFT 04/120,** height h = 120 mm










SLANT 02/080, height h = 80 mm **SLANT 02/100,** height h = 100 mm **SLANT 02/120,** height h = 120 mm **SLANT 03/080,** height h = 80 mm **SLANT 03/100,** height h = 100 mm **SLANT 03/120,** height h = 120 mm









PRICE LIST

	Price in PLN: excl./(inc.) VAT/piece					
Colour group	All models					
	Height 80 mm	Height 100 mm	Height 120 mm			
PP	48.00 (59.04)	48.00 (59.04)	72.00 (88.56)			
CPL	44.00 (54.12)	44.00 (54.12)	66.00 (81.18)			
CLPL	43.00 (52.89)	43.00 (52.89)	64.50 (79.33)			
FF and LAK	33.00 (40.59)	33.00 (40.59)	49.50 (60.88)			

OPTIONS WITH AN EXTRA CHARGE

Skirting board height change: lower	+100%
Skirting board height change: higher	+100%
Skirting board thickness change	+100%

We understand that every interior is unique and requires unique solutions, so we create products tailored to your needs.



Looking for skirting boards in a different size and shape? Leave us a message! <u>info@vivento.pl</u>

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩₩








FF GROUP WWWWW



Anthracite Oak



Door Frames and Accessories www.vivento.pl 195

ANGLE FRAME - LARGE

STEEL





Designed for all types of interiors: flats, public buildings, offices, hotels etc., steel door frames can be used for masonry walls and plasterboard partitioning (gypsum board) for installation in rooms with fully finished walls and floors.

PRICE LIST

	Price in PLN: excl./(inc.) VAT						
Туре	Single door widths "60", "70", "80", "90"	Single door widths "100", "110"	Double door widths "120"- "150"	Double door widths "150"- "220"			
Rebated	676.00 (831.48)	728.00 (895.44)	936.00 (1151.28)	1,131.00 (1391.13)			

OPTIONS WITH AN EXTRA CHARGE

30.00 (36.90)
140.00 (172.20)
10.00%
160.00 (196.80)
10.00%
Bespoke pricing

TABLE OF DIMENSIONS

						Suggested installation opening [mm]						
Width	w ₂ [mm]			W ₂ [mm]	H ₃ [mm]	W ₁ H ₂ i H ₄ [mm]	W [mm]	H ₁ [mm]	Fixed frame		Angle frame	
							S _{0 (min)}	H _{o (min)}	S _{0 (min)}	H _{o (min)}		
60	697		627		601		697		671			
70	797		727		701		797		771			
80	897		827		801		897		871			
90	997	2065	927	2030	901	2017	997	2065	971	2052		
100	1097		1027		1001		1097		1071			
110	1197		1127		1101		1197		1171			
120-200	1297- 2097		1227- 2027		1201- 2001		1297- 2097		1271- 2071			

 W_2 - Door frame rebate width W_1 - Door frame rebate width W - Door frame clear width

S_o - Wall opening width (+10 mm/-0 mm)

H₄ - Door frame rebate height

H₃ - Outer door frame height
H₂ - Door leaf height
H₁ - Door frame clearance height

 $H_{0}\,$ - Wall opening height (+5 mm/-0 mm)

WIDTHS AVAILABLE:

• "60", "70", "80", "90", other sizes available according to price list

CONSTRUCTION:

• Steel sheet with a thickness of 1.2 mm

COMPONENTS

- Seals available in: white, grey, brown and graphite
- 2 hinges as standard, 3 hinges as a free-of-charge option (size 13.5)

COLOURS

- The frame is powder coated in standard RAL colours: 9010, 9016, 9003, 8017, 7047, 1001 and 7024
- Other colours according to RAL palette available at an extra charge

AVAILABLE COLOURS



For detailed technical drawings with dimensions, go to the technical section on p. 233

STEEL

ADJUSTABLE FRAME



Steel adjustable frames are designed for installation in various types of rooms with finished walls and floors, including flats, public buildings, hotels, etc. The complete frame kit consists of a main section, adjustment part, with a seal, hinges and a set of plugs also included.

WIDTHS AVAILABLE:

• "60", "70", "80", "90", other sizes available according to price list

CONSTRUCTION

• Steel sheet with a thickness of 1.5 mm

COMPONENTS

- Seals available in 3 colours: white, grey and brown
- 2 hinges as standard, 3 hinges as a free-ofcharge option (size 13.5)

COLOURS

- The frame is powder coated in standard RAL colours: 9010, 9016, 9003, 8017, 7047, 1001 and 7024
- Other colours according to RAL palette available at an extra charge

PRICE LIST

A divistment vance	Price in PLN: excl./(inc.) VAT					
Adjustment range min-max [mm]	Single door widths "60", "70", "80", "90"	Single door widths "100", "110"	Double door widths "120"-"150"	Double door widths "150"-"220"		
95-125	1079.00 (1327.17)	1248.00 (1535.04)	1547.00 (1902.81)	1833.00 (2254.59)		
125-155	1157.00 (1423.11)	1326.00 (1630.98)	1638.00 (2014.74)	1937.00 (2382.51)		
155-185	1261.00 (1551.03)	1430.00 (1758.90)	1755.00 (2158.65)	2080.00 (2558.40)		
185-215	1391.00 (1710.93)	1547.00 (1902.81)	1885.00 (2318.55)	2223.00 (2734.29)		
215-245	1521.00 (1870.83)	1638.00 (2014.74)	2028.00 (2494.44)	2405.00 (2958.15)		
245-275	1625.00 (1998.75)	1781.00 (2190.63)	2158.00 (2654.34)	2561.00 (3150.03)		
275-305	1846.00 (2270.58)	2015.00 (2478.45)	2392.00 (2942.16)	2782.00 (3421.86)		
305-335	1989.00 (2446.47)	2119.00 (2606.37)	2587.00 (3182.01)	2964.00 (3645.72)		
335-365	2080.00 (2558.40)	2249.00 (2766.27)	2730.00 (3357.90)	3146.00 (3869.58)		

OPTIONS WITH AN EXTRA CHARGE

Door closer reinforcement, standard	30.00 (36.90)
Adaptation for an electric door strike with lock chamber cover and door closer reinforcement	140.00 (172.20)
Galvanised sheet steel frame	10.00%
Fail-safe electric strike, GEZE	160.00 (196.80)
Frame coating in other RAL colours (excl. intense, metallic and pearlescent colours)	10.00%
Frame coating in other RAL colours: intense, metallic and pearlescent colours	Bespoke pricing

AVAILABLE COLOURS



TABLE OF DIMENSIONS

Width W ₂ [mm]	H ₃	W ₁	W ₁ H ₄ H ₂ [mm] [mm]			· ·	Suggested installation opening [mm					
	[mm]	[mm] [mm]		[mm]	[mm]	S _{o (min)}	H _{0 (min)}					
60	717		627		601		684					
70	817		727			701		784				
80	917		827			801		884				
90	1017	2075	927	2030	2030	2030	2030	2030 2030	901	2017	984	2033
100	1117		1027			1001		1084				
110	1217		1127			1101		1184				
120-200	1317-2117		1227-2027			1201-2001		1284-2084				

W₂ -external width of door frame

W₁ - Door frame rebate width W - Door frame clear width


 S_0 - Wall opening width (+10 mm/-0 mm)

H₄ - Door frame rebate height

 H_3 -external frame height H_2 - Door leaf height

H₁ - door frame clearance height

 $\rm H_{\rm o}$ - Wall opening height (+5 mm/-0 mm)



AVAILABLE WIDTHS

- launch panel: 242 mm (on the HERO 02 model: 258 mm)
- extension panel: 220 mm

HERO wall slat panels are manufactured to a length of 2750 mm. The starter panel has a width of 242 mm (HERO 02: 258 mm), and the extension panel has a width of 220 mm. When ordering the required number of panels, consider the starter panel and multiple extension panels. The delivered slats can be cut to any desired length. HERO slat wall panels must be stored laid flat on a level surface in dry and cool conditions at 40-60% humidity. The MDF products must not be exposed to heat, moisture or direct contact with water. Install with mounting glue and quick-mounting dowels in the slots under the slats.

CONSTRUCTION AND COMPONENTS

HERO wall slat panels are made of MDF. They come in two variants, as a starter panel and an extension panel. Both panels consist of two components: a base panel and slats. Each can be ordered in a different colour scheme. The price depends on the choice of lamella colour.

The base panel is made from 16 mm thick MDF.

Fixed to the base panel, the slats come in different sizes and shapes, depending on the type of the HERO panels selected.

The starter panel is installed as the first section of a decorative wall. It is made up of a base panel and 5 slats, of which the outermost slat is removed to make space for the last extension panel to be fixed as a decorative finish.




PANEL ASSEMBLY VIDEO TUTORIAL

Watch the video tutorial on our YouTube channel and see how you can easily install the HERO wall slat panels yourself.




DESIGNS OF HERO LAMELLA PANELS


HERO 01




HERO 02




HERO 03




HERO 04




HERO 05




HERO 06



HERO 07



HERO 08



One extension panel is used to stretch the decoration length by 22 cm. It is made with a base panel and 4 slats. The panels can be cut to size so that the final slat can be fitted from the starter panel.

The HERO wall slat panels are available in a wide range of colours. They can come in a mono-colour version (same colour for the base panel and the slats) and a dual-colour version (base panel colour different from that of the slats). The price is only influenced by the choice of slat colour, not the colour of the base panel.

The wall slat package includes, free of charge, a finishing layer with glue for a neat finish to be put on the slat panels, e.g. around the cut-out for electrical sockets. Thermofilm may have a different shade from the colour of the decorative slat panels, but once applied under heat, the finishing layer will change to a correct colour.

PRICE LIST

C-1	Starter panel	Extension panel		
Colour group	price in PLN: net (gross)			
PP	330.00 (405.90)			
CPL	310.00 (381.30)			
CLPL	290.00 (356.70)			
FF and LAK	240.00 (295.20)			

HERO WALL SLAT PANELS

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩





CLPL GROUP WWWWW






Anthracite Oak


LAK GROUP WVVVV







Ideal for larger areas, with the deep slats always creating a beautiful effect of play between light and shade.








Simple in form, they will create an ideal backdrop for all interior designs.








The rounded slats soften the stark form while maintaining the full crispness of the finish.








The fine semi-circular slats blend in perfectly with the clean form of the interior.








The unmistakable simplicity is the result of deep slats with softened rounded edges.







The harmonious arrangement of the mushroom-shaped slats will unobtrusively emphasise the style of any interior.








The unique shape of the slats will enliven any surface, while dramatically improving the acoustic characteristics of the room.








With their irregular depth, the slats produce a dynamic effect for a look that cannot be boring.








The gentle waves of the surface will beautifully accentuate any room setting.



DECORATIVE PANELS

RYFLA 01



The starter panel is installed as the first section of a decorative wall, followed by multiple 10 cm wide extension panels and a final panel at the end. For the end panel, you can also use an extension panel cut to the required size.

The package includes, free of charge, a finishing layer with glue for a neat finish to be put on the slat panels, e.g. around the cut-out for electrical sockets. Thermofilm may have a different shade from the colour of the decorative slat panels, but once applied under heat, the finishing layer will change to a correct colour.

When ordering the required number of panels, consider the starter panel, the final panel and multiple extension panels. The delivered panels can be cut to any desired length.

They must be stored laid flat on a level surface in dry and cool conditions at 40-60% humidity.

The MDF products must not be exposed to heat, moisture or direct contact with water.

Install with mounting adhesive and quick-mounting dowels by driving screws into the panel tongues through pre-drilled holes.

SIZES AVAILABLE

RYFLA decorative panels are manufactured to a length of 2750 mm. The starter panel has a width of 111 mm, the extension panel has a width of 100 mm and the end panel 110 mm.

CONSTRUCTION AND COMPONENTS

RYFLA decorative panels are made of MDF. They come in three variants, as a starter panel, an extension panel and an end panel.

PRICE LIST

Calarin miarin	Starter panel	Extension panel	Final panel		
Colour group	price in PLN: net (gross)				
CPL		150.00 (184.50)			
CLPL	140.00 (172.20)				
FF and LAK		120.00 (147.60)			

We understand that every interior is unique and requires unique solutions, so we create products tailored to your needs.

If you are looking for non-standard skirting boards to finish off an arrangement, for example so that the entire thickness of a slat/ panel sits on the skirting board, or skirting boards to crown the wall panels, we will be happy to make them to your bespoke order.

Write to us! info@vivento.pl

AVAILABLE COLOURS

PP GROUP **₩₩₩₩**₩



CPL GROUP ₩₩₩₩






Old Oak



Anthracite Oak



Scandinavian

If you want a handle from outside the Vivento range, we recommend ordering a door leaf with a lock without the bottom hole.



SEPARATE SQUARE ROSETTE

VENA NEW



AVAILABLE COLOURS

Brass satin	Nickel satin	Black

Handle rose thickness 10 mm	Price in PLN: excl./(inc.) VAT
Handle	70.00 (86.10)
Escutcheon - Key hole	39.00 (47.97)
Escutcheon - Lock cylinder	39.00 (47.97)
Escutcheon - Bathroom	59.00 (72.57)

CASCADA



AVAILABLE COLOURS



Handle rose thickness 11 mm	Price in PLN: excl./(inc.) VAT	
Handle	70.00 (86.10)	
Escutcheon - Key hole	27.00 (33.21)	
Escutcheon - Lock cylinder	27.00 (33.21)	
Escutcheon - Bathroom	38.00 (46.74)	

ARCO



AVAILABLE COLOURS



Handle rose thickness 11 mm	Price in PLN: excl./(inc.) VAT	
Handle	65.00 (79.95)	
Escutcheon - Key hole	27.00 (33.21)	
Escutcheon - Lock cylinder	27.00 (33.21)	
Escutcheon - Bathroom	38.00 (46.74)	

EXIMUS NEW



AVAILABLE COLOURS



Handle rose thickness 9 mm	Price in PLN: excl./(inc.) VAT
Handle	95.00 (116.85)
Escutcheon - Key hole	25.00 (30.75)
Escutcheon - Lock cylinder	25.00 (30.75)
Escutcheon - Bathroom	40.00 (49.20)

ERGO NEW



AVAILABLE COLOURS



Handle rose thickness 10 mm	Price in PLN: excl./(inc.) VAT
Handle	55.00 (67.65)
Escutcheon - Key hole	25.00 (30.75)
Escutcheon - Lock cylinder	25.00 (30.75)
Escutcheon - Bathroom	40.00 (49.20)

EUFORIO



AVAILABLE COLOURS



Handle rose thickness 10 mm	Price in PLN: excl./(inc.) VAT
Handle	95.00 (116.85)
Escutcheon - Key hole	65.00 (79.95)
Escutcheon - Lock cylinder	65.00 (79.95)
Escutcheon - Bathroom	85.00 (104.55)

SPIGOLA SK



AVAILABLE COLOURS

Glossy Chrom	ne Matt Ch	rome Bl	ack
Anthracite	Glossy gold	Gold matt.	Copper

Handle rose thickness 6 mm	Price in PLN: excl./(inc.) VAT
Handle	162.00 (199.26)
Escutcheon - Key hole	60.00 (73.80)
Escutcheon - Lock cylinder	60.00 (73.80)
Escutcheon - Bathroom	90.00 (110.70)

TOTAL SI NEW



AVAILABLE COLOURS

Glossy Chrom	e Matt Ch	rome	Black	k
Anthracite	Glossy gold	Gold ma	tt.	Copper

Handle rose thickness 6 mm	Price in PLN: excl./(inc.) VAT
Handle	186.00 (228.78)
Escutcheon - Key hole	60.00 (73.80)
Escutcheon - Lock cylinder	60.00 (73.80)
Escutcheon - Bathroom	90.00 (110.70)

ARIANNA PRO NEW



AVAILABLE COLOURS

Glossy Chrome	Matt Chrome	Black
Anthracite	Matt gold	Copper
Handle rose thickness 6 mm		Price in PLN: excl./(inc.) VAT
tilickiless o illi		exci., (iiic.) VAI
Handle		162.00 (199.26)
	Key hole	, , . , . ,

90.00 (110.70)

Escutcheon - Bathroom

SEPARATE SQUARE ROSETTE



AVAILABLE COLOURS



Handle rose thickness 7 mm	Price in PLN: excl./(inc.) VAT	
Handle	138.00 (169.74)	
Escutcheon - Key hole	60.00 (73.80)	
Escutcheon - Lock cylinder	60.00 (73.80)	
Escutcheon - Bathroom	90.00 (110.70)	

FOSTER BI



AVAILABLE COLOURS



Handle rose thickness 7 mm	Price in PLN: excl./(inc.) VAT
Handle	81.00 (99.63)
Escutcheon - Key hole	39.00 (47.97)
Escutcheon - Lock cylinder	39.00 (47.97)
Escutcheon - Bathroom	59.00 (72.57)

NESH Q



AVAILABLE COLOURS

Chrome	Satin chrome
Black	

Handle rose thickness 10 mm	Price in PLN: excl./(inc.) VAT
Handle	220.00 (270.60)
Escutcheon - Key hole	85.00 (104.55)
Escutcheon - Lock cylinder	85.00 (104.55)
Escutcheon - Bathroom	125.00 (153.75)

SEPARATE SQUARE ROSETTE - FIRE RATED

When ordering the fire rated handles, please specify the door leaf thickness in order for the appropriate fitting set to be fitted.

KVADRAT 1701

FIRE RATED



KVADRAT 1703

FIRE RATED



KVADRAT 1704

FIRE RATED



AVAILABLE COLOURS



Stainless steel

Handle rose thickness 9 mm	Price in PLN: excl./(inc.) VAT
Handle 1701	75.00 (92.25)
Handle 1703	95.00 (116.85)
Handle 1704	75.00 (92.25)
Escutcheon - Key hole	32.00 (39.36)
Escutcheon - Lock cylinder	32.00 (39.36)
Escutcheon - Bathroom	80.00 (98.40)

SQUARE KNOBS

Q FIT



AVAILABLE COLOURS

Chrome	Satin chrome	Black
Handle rose thickness 10	-	Price in PLN: excl./(inc.) VAT
Knob		192.00 (236.16)
Escutcheon - Key hole		98.00 (120.54)
Escutcheon - Lock cylinder		98.00 (120.54)
Escutcheon - Bathroom		135.00 (166.05)

KNOBS (ROUND)

FIT



AVAILABLE COLOURS

Chrome	Satin chrome	Black
Handle rose thickness 6 m	ım	Price in PLN: excl./(inc.) VAT
Knob		191.00 (234.93)
Escutcheon - Key hole		98.00 (120.54)
Escutcheon - Lock cylinder		98.00 (120.54)
Escutcheon - Bathroom		135.00 (166.05)

VALUABLE INFORMATION

vivento.pl/katalog



 $www.vivento.pl \ 207$ Door Frames and Accessories

SEPARATE ROUND ROSETTE

CALI NEW



AVAILABLE COLOURS

	100		Black.
Chrome	Nickel satin	Brass	Black

Handle rose thickness 10 mm	Price in PLN: excl./(inc.) VAT
Handle	108.00 (132.84)
Escutcheon - Key hole	35.00 (43.05)
Escutcheon - Lock cylinder	35.00 (43.05)
Escutcheon - Bathroom	55.00 (67.65)

LIMA NEW



AVAILABLE COLOURS

Chrome	Nickel satin	Brass	Black
Handle ro			Price in PLN: excl./(inc.) VAT
Handle			98.00 (120.54)
Escutcheon - Key hole		35.00 (43.05)	
Escutcheon - Lock cylinder		35.00 (43.05)	
Escutcheon - Bathroom		55.00 (67.65)	

CORAL NEW



AVAILABLE COLOURS

Matt satin	Matt patina	Black
Handle rose thickness 10	mm	Price in PLN: excl./(inc.) VAT
Handle		106.00 (130.38)
Escutcheon -	Key hole	27.00 (33.21)
Escutcheon - Lock cylinder		27.00 (33.21)
Escutcheon - Bathroom		39.00 (47.97)

ADULAR



AVAILABLE COLOURS

	HAR BUSINESS
Brushed nickel	Antique brass
Handle rose thickness 11 mm	Price in PLN: excl./(inc.) VAT
Handle	49.00 (60.27)
Escutcheon - Key hol	e 25.00 (30.75)
Escutcheon - Lock cy	linder 25.00 (30.75)
Escutcheon - Bathroo	om 40.00 (49.20)

VOLATIS



	1,600,9		
Brushed nickel	Antique	brass	
Handle rose thickness 11 mm		Price in PL excl./(inc.)	
Handle		58.00 (71.3	34)
Escutcheon - Key hole		25.00 (30.	75)
Escutcheon - Lock cylinder		25.00 (30.	75)
Escutcheon - Bathroom		40.00 (49.	20)

CLASSICO



AVAILABLE COLOURS

AVAILABLE COLOURS

	1,635,9	MARKET
Brushed nickel	Antique b	prass
Handle rose thickness 11 mm		Price in PLN: excl./(inc.) VAT
Handle		56.00 (68.88)
Escutcheon - Key hole		25.00 (30.75)
Escutcheon - Lock cylinder		25.00 (30.75)
Escutcheon - Bathroom		40.00 (49.20)

ORGANIC NEW



AVAILABLE COLOURS

Chrome gloss	Brushed nickel	Black
Handle rose thickness 9 mm		Price in PLN: excl./(inc.) VAT
Handle		85.00 (104.55)
Escutcheon - Key hole		35.00 (43.05)
Escutcheon - Lock cylinder		50.00 (61.50)
Escutcheon - Bathroom		50.00 (61.50)

BRILLO NEW



AVAILABLE COLOURS

	13	
Chrome gloss	Brushed nickel	Antique brass
Handle rose thickness 11 mm		Price in PLN: excl./(inc.) VAT
Handle		50.00 (61.50)
Escutcheon - Key hole		25.00 (30.75)
Escutcheon - Lock cylinder		25.00 (30.75)
Escutcheon - Bathroom		40.00 (49.20)

IMIRA NEW



AVAILABLE COLOURS

Chrome gloss	Brushed nickel	Black
Handle rose thickness 9 mm	n	Price in PLN: excl./(inc.) VAT
Handle		245.00 (301.35)
Escutcheon - Key hole		60.00 (73.80)
Escutcheon - Lock cylinder		60.00 (73.80)
Escutcheon - Bathroom		70.00 (86.10)

SEPARATE ROUND ROSETTE



AVAILABLE COLOURS



Handle rose thickness 9 mm	Price in PLN: excl./(inc.) VAT
Handle	230.00 (282.90)
Escutcheon - Key hole	60.00 (73.80)
Escutcheon - Lock cylinder	60.00 (73.80)
Escutcheon - Bathroom	70.00 (86.10)

VIOLA SI NEW



AVAILABLE COLOURS

Glossy Chrome	Matt Chrome	Black
Shiny Gold	•	

Handle rose thickness 7 mm	Price in PLN: excl./(inc.) VAT
Handle	130.00 (159.90)
Escutcheon - Key hole	60.00 (73.80)
Escutcheon - Lock cylinder	60.00 (73.80)
Escutcheon - Bathroom	90.00 (110.70)

SPIGOLA SO



AVAILABLE COLOURS

Glossy Chrome	Matt Chrome	Black

Handle rose thickness 7 mm	Price in PLN: excl./(inc.) VAT
Handle	146.00 (179.58)
Escutcheon - Key hole	60.00 (73.80)
Escutcheon – Lock cylinder	60.00 (73.80)
Escutcheon - Bathroom	90.00 (110.70)

SPLASH NEW



AVAILABLE COLOURS

Glossy Chrome	Matt Chrome	Black
Handle rose thickness 7 mm		Price in PLN: excl./(inc.) VAT
Handle		138.00 (169.74)
Escutcheon - Key hole		60.00 (73.80)
Escutcheon - Lock cylinder		60.00 (73.80)
Escutcheon - Bathroom		90.00 (110.70)

ARIANNA SI



Glossy Chrome	Matt Chrome	Black
Matt Gold	Copper	

Handle rose thickness 7 mm	Price in PLN: excl./(inc.) VAT
Handle	162.00 (199.26)
Escutcheon - Key hole	60.00 (73.80)
Escutcheon - Lock cylinder	60.00 (73.80)
Escutcheon - Bathroom	90.00 (110.70)

TESLA NEW



AVAILABLE COLOURS



Handle rose thickness 10 mm	Price in PLN: excl./(inc.) VAT
Handle	105.00 (129.15)
Escutcheon - Key hole	60.00 (73.80)
Escutcheon - Lock cylinder	60.00 (73.80)
Escutcheon - Bathroom	90.00 (110.70)

MIRIAM SI



AVAILABLE COLOURS

Polished chrome	Gold	

Handle rose thickness 7 mm	Price in PLN: excl./(inc.) VAT
Handle	162.00 (199.26)
Escutcheon - Key hole	60.00 (73.80)
Escutcheon - Lock cylinder	60.00 (73.80)
Escutcheon - Bathroom	90.00 (110.70)

SEPARATE ROUND ROSETTE - FIRE RATED

When ordering the fire rated handles, please specify the door leaf thickness in order for the appropriate fitting set to be fitted.

OVAL 1701 FIRE





OVAL 1704 FIRE RATED



AVAILABLE COLOURS

Stainless steel

Handle ro		Price in PLN: excl./(inc.) VAT
Handle	OVAL 1701	65.00 (79.95)
Handle	OVAL 1704	65.00 (79.95)
Escutched	on - Key hole	17.00 (20.91)
Escutched	on – Lock cylinder	17.00 (20.91)
Escutched	on - Bathroom	65.00 (79.95)

LONG BACKPLATE

CASCADA DS



AVAILABLE COLOURS

	CELLOS PRESIDENTE
Brushed nickel	Antique brass
Handle rose thickness 10 mm	Price in PLN: excl./(inc.) VAT
Handle - Key hole	60.00 (73.80)
Handle - Lock cylinder	60.00 (73.80)
Handle - Bathroom	70.00 (86.10)

ADULAR DS



AVAILABLE COLOURS

	CHILD SECTION
Brushed nickel	Antique brass
Handle rose thickness 9.5 mm	Price in PLN: excl./(inc.) VAT
Handle - Key hole	50.00 (61.50)
Handle - Lock cylinder	50.00 (61.50)
Handle - Bathroom	60.00 (73.80)

ARCO DS



AVAILABLE COLOURS

	BURN BESTER
Brushed nickel	Antique brass
Handle rose thickness 9.5 mm	Price in PLN: excl./(inc.) VAT
Handle - Key hole	60.00 (73.80)
Handle - Lock cylinder	60.00 (73.80)
Handle - Bathroom	70.00 (86.10)

IRIS DS



AVAILABLE COLOURS

	PARTY AND DESCRIPTION OF THE PARTY AND DESCRI	
Brushed nickel	Antique brass	
Handle rose thickness 9.5 mm	Price in PLN: excl./(inc.) VAT	
Handle - Key hole	60.00 (73.80)	
Handle - Lock cylinder	60.00 (73.80)	
Handle - Bathroom	70.00 (86.10)	

ERGO DS NEW



AVAILABLE COLOURS

11-		

Handle rose thickness 10 mm	Price in PLN: excl./(inc.) VAT
Handle - Key hole	55.00 (67.65)
Handle - Lock cylinder	55.00 (67.65)
Handle - Bathroom	60.00 (73.80)

LONG BACKPLATE -FIRE RATED



Handle rose thickness 8 mm	Price in PLN: excl./(inc.) VAT
Handle - Key hole	165.00 (202.95)
Handle - Lock cylinder	165.00 (202.95)
Handle - Bathroom	222.00 (273.06)

ENTRANCE HANDLES

LAMBDA



AVAILABLE COLOURS

Stainless steel

Handle rose	Price in PLN: excl./(inc.) VAT	
thickness 8 mm	inox, patina	
Handle	140.00 (172.20)	
Top backplate	50.00 (61.50)	

Spacing: 72 mm

Burglar resistance class: CLASS I

When ordering an entrance door handle, you need to specify its direction. The direction of the handle is defined according to the direction of the door leaf when it is opened inwards.

HAGA PLUS

In versions with lever handles or pull handles AVAILABLE COLOURS Stainless steel Titanium



Rose thick-	Price in PLN: excl./(inc.) VAT		
ness: 8 mm Stainless steel, titanium		black	
Handle	205.00 (252.15)	235.00 (289.05)	
Door pull	230.00 (282.90)	265.00 (325.95)	
Top backplate	80.00 (98.40)	92.00 (113.16)	

Spacing: 72 mm

Burglar resistance class: UNCLASSIFIED

PRESTIGE FLEX

In versions with lever handles or pull handles

AVAILABLE COLOURS







Black

Rose thick-	Price in PLN: excl./(inc.) VAT			
ness: 12 mm	Stainless steel, titanium	black		
Handle	435.00 (535.05)	495.00 (608.85)		
Door pull	470.00 (578.10)	532.00 (654.36)		
Top backplate	263.00 (323.49)	290.00 (356.70)		

Spacing: 72 mm

Burglar resistance class: CLASS III

VIVENTO CLEANER

Cleaning, revitalisation and regeneration kit for door surfaces.

The PREMIUM DOOR CARE set includes 2 products with a 250 ml capacity: Vivento Door Cleaner and Vivento Door Refresher.



	1	CL	 9		

PREMIUM DOOR CARE	Price in PLN excl./(inc.) VAT/kit
Vivento Door Cleaner 250 ml Vivento Door Refresher 250 ml	99.00 (121.77)

PRICE LIST

SEALS



FREE STANDING DOOR STOPS



PRICE LIST

COLOUR	Price in PLN excl./(inc.) VAT			
COLOUR	Low	HIGH		
Nickel, patina, black	45.00 (55.35)	45.00 (55.35)		

DOOR RESTRICTOR ARM NEW

Inset in the top edge of the door leaf, it restricts the opening of the door from 0° to 120°, so there is no need for door stops. The restrictor arm can be used in the SIMPLE system of non-rebated door leaves and in rebated door leaves from the BASIC Collection. The minimum door width required is 720 mm and the maximum width is 1110 mm.

PRICE LIST

Price in PLN net (gross)

Door restrictor arm 550.00 (676.50)



DOOR CLOSERS AND ELECTRIC STRIKES

ITS96







DES7





GR200

Fire rated 447 FIRE DES7 SLIM

PRICE LIST

ТҮРЕ	Colour	Fire rated	Max door lea weight	f Max. sash width	Price in PLN net (gross)
Groom 200 surface-mounted door closer with sprung arm	Silver, white or brown	Yes	100 kg	1250 mm	280.00 (344.40)
Groom 200 surface-mounted door closer with sprung arm with turn and release	ⁿ Silver, white or brown	No	100 kg	1250 mm	390.00 (479.70)
GROOM 200 door closer for double doors (2 pcs) with adjustable action (1 pc.)	Silver, white or brown	Yes	100 kg	1250 mm	990.00 (1217.70)
ITS96 concealed door closer with rail (left or right)	Silver	Yes	130 kg	1100 mm	920.00 (1131.60)
ITS96 concealed door closer with rail, for double leaf doors with door co-ordinator	Silver	Yes	130 kg	1100 mm, not less than 70	3160.00 (3886.80)
DES7, 12 V symmetrical fail-safe electric strike	Silver	No	n/a	n/a	180.00 (221.40)
DES7 SLIM, 12 V symmetrical fail-safe electric strike for double doors	Silver	No	n/a	n/a	350.00 (430.50)
Fire rated electric strike, obverse 447 FIRE, (6-12 V, 12 V or 24 V)	Silver	Yes	n/a	n/a	1300.00 (1599.00)
Mounting plate for electric door strikes, long	Silver	Yes	n/a	n/a	53.00 (65.19)

211 Door Frames and Accessories www.vivento.pl

EURO PROFILE CYLINDERS

(also for FIRE-PROOF door)

AVAILABLE COLOURS


- Brass
- Nickel



PRICE LIST

	Price in PLN excl./(i	Price in PLN excl./(inc.) VAT		
SIZE	WITHOUT KNOB	WITH KNOB		
25/25	39.00 (47.97)	-		
28/36	52.00 (63.96)	63.00 (77.49)		
30/30	48.00 (59.04)	59.00 (72.57)		
30/40	56.00 (68.88)	71.00 (87.33)		
30/45	60.00 (73.80)	72.00 (88.56)		
30/50	65.00 (79.95)	76.00 (93.48)		
30/60	73.00 (89.79)	-		
35/30	-	66.00 (81.18)		
35/35	56.00 (68.88)	68.00 (83.64)		
35/40	60.00 (73.80)	72.00 (88.56)		
35/45	65.00 (79.95)	76.00 (93.48)		
35/50	69.00 (84.87)	80.00 (98.40)		
35/55	73.00 (89.79)	85.00 (104.55)		
40/40	65.00 (79.95)	76.00 (93.48)		
40/50	73.00 (89.79)	85.00 (104.55)		
45/45	73.00 (89.79)	85.00 (104.55)		
45/55	82.00 (100.86)	93.00 (114.39)		

HOW TO CHOOSE THE RIGHT SIZE OF THE EURO PROFILE CYLINDER?



SET OF LOCK CORES IN THE MASTER KEY SYSTEM

THE SET INCLUDES:

- 2 cores
- 5 individually numbered keys

AVAILABLE COLOURS

- Brass
- Nickel



PRICE LIST

CIZE	Price in PLN excl./(inc.) VAT
SIZE	TWO-CORE SET
26/45+G26/45 Wilka B	300.00 (369.00)
26/45+G45/26 Wilka B	300.00 (369.00)
30/35+G30/35	145.00 (178.35)
30/35+G35/30	145.00 (178.35)
30/40+G30/40	151.00 (185.73)
30/40+G40/30	151.00 (185.73)
30/45+G30/45	157.00 (193.11)
30/45+G45/30	157.00 (193.11)
35/40+G35/40	157.00 (193.11)
35/40+G40/35	157.00 (193.11)
40/40+G40/40	164.00 (201.72)
40/45+G40/45	-
Other core sizes	Bespoke pricing

KEY

L1 – length from the centre of the lock to the edge of the internal backplate

L2 - length from the centre of the lock to the edge of the external backplate

- The centre line of the core is indicated by the mounting screw visible on each lock at the door face view.
- The length of the core should be selected so that on each side of the door the core does not protrude more than 3 mm above the rings. If you decide to buy a core with a knob, remember that it is particularly important to determine on which side of the dimension the knob is to be positioned.

VALUABLE INFORMATION

For the current version of catalogue, always go to: vivento.pl/katalog



LOCKS



Euro profile cylinder lock Key lock



Turn and release lock



Lower bolt lock with a euro profile cylinder



Upper bolt lock with a euro pro-file cylinder



Hook bolt lock, round escutcheon



Hook bolt lock, square escutcheon

PRICE LIST

ТҮРЕ	Price in PLN excl./(inc.) VAT
Sash lock, with turn and release or euro profile cylinder, zinc white	20.00 (24.60)
Sash lock, with turn and release or euro profile cylinder, nickel	40.00 (49.20)
Hook bolt sash lock or with euro profile cylinder	180.00 (221.40)
Hook bolt lock with turn and release mechanism	200.00 (246.00)
Magnetic lock	70.00 (86.10)

HINGE CAPS



PRICE LIST

COLOUR	Price in PLN excl./(inc.) VAT/ 1 piece
bronze, lacquered chrome, satin chrome, brass, nickel, black, white*	9.00 (11.07)

Available sizes: Ø 15, Ø 16, Ø 20. *White shade similar to RAL 9003

200° PANORAMIC DOOR VIEWER



PRICE LIST

COLOUR	Price in PLN excl./(inc.) VAT
Chrome, polished stainless steel, satin chrome, satin nickel, brass, patina, white, matt black	100.00 (123.00)



made to iiieasure doors

Please contact us if you don't find the door you are looking for. **Our Bespoke Doors Department** is looking forward to new challenges!

Write to us: info@vivento.pl

213 Door Frames and Accessories www.vivento.pl

DOOR PULLS

U010K ROUND



PRICE LIST

COLOUR	Price in PLN excl./(inc.) VAT/kit
Chrome matt, chrome gloss, black, patina, glossy gold, matt gold	40.00 (49.20)

U02OW OVAL



PRICE LIST

COLOUR	Price in PLN excl./(inc.) VAT/kit
Chrome matt, chrome gloss, black, patina, glossy gold, matt gold	80.00 (98.40)

U03KW SQUARE



PRICE LIST

COLOUR	Price in PLN excl./(inc.) VAT/kit
Chrome matt, chrome gloss, black, patina, glossy gold, matt gold	40.00 (49.20)

U04PR RECTANGULAR



PRICE LIST

COLOUR	Price in PLN excl./(inc.) VAT/kit
Chrome matt, chrome gloss, black, patina, glossy gold, matt gold	80.00 (98.40)

SURFACE MOUNTED FOR LOFT DOORS, BLACK 32X228 (PCS.)



PRICE LIST

COLOUR	Price in PLN excl./(inc.) VAT/piece
black	40.00 (49.20)

HALF-CIRCLE PULLS

POSOK ROUND



PRICE LIST

COLOUR	Price in PLN excl./(inc.) VAT/kit
Chrome matt, chrome gloss, black, patina, glossy gold, matt gold	90.00 (110.70)

PO6KW SQUARE




PRICE LIST


COLOUR	Price in PLN excl./(inc.) VAT/kit
Chrome matt, chrome gloss, black, patina, glossy gold, matt gold	90.00 (110.70)

TECHNICAL INFORMATION


REBATED DOOR LEAF



Width	Door leaf rebate width S1 [mm]	Total width of S2 door leaf [mm]
60	618	644
70	718	744
80	818	844
90	918	944
100	1018	1044



SINGLE DOORS IN REBATED VERSION



DOORS WITH FIXED FRAMES

	Width	W [mm]	W1 [mm]	W2 [mm]	S1 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	WO [mm]	HO [mm]
	60	603	624	691	618	644				710	
	70	703	724	791	718	744				810	
Fixed: MDF	80	803	824	891	818	844	2019	2030	2067	910	2075
Fixed: MDF	90	903	924	991	918	944	2019	2030	2063	1010	2075
	100	1003	1024	1091	1018	1044				1110	
	110	1103	1124	1191	1118	1144				1210	
	60	601	624	689	618	644				710	
	70	701	724	789	718	744				810	
Fixed: timber	80	801	824	889	818	844	2017	2030	2001	910	2075
Fixed: timber	90	901	924	989	918	944	2017	2030	2061	1010	2075
	100	1001	1024	1089	1018	1044			1110		
	110	1101	1124	1189	1118	1144				1210	_

DOORS WITH ADJUSTABLE FRAMES

	Width	W [mm]	W1 [mm]	W2 [mm]	W3 [mm] 60/80/100*	S1 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	H4 [mm] 60/80/100*	WO [mm]	HO [mm]
	60	570	626	594	736	618	644					594-600	
	70	670	726	694	836	718	744					694-700	_
STEEL FRAME	80	770	826	794	936	818	844	2000	2030	2012	2070	794-800	2020
ZOS CASING	90	870	926	894	1036	918	944			030 2012	2078	894-900	_ 2020
	100	970	1026	994	1136	1018	1044					994-1000	_
	110	1070	1126	1094	1236	1118	1144					1094-1100	_
	60	603	624	647	745/785/825	618	644					675	
	70	703	724	747	845/885/925	718	744					775	_
Adjustable door frame	80	803	824	847	945/985/1025	818	844	2017		2070	2000/2100/2120	875	2055
DIN, DUALE	90	903	924	947	1045/1085/1125	918	944	2017	2030	2039	2088/2108/2128	975	2055
	100	1003	1024	1047	1145/1185/1225	1018	1044					1075	
	110	1103	1124	1147	1245/1285/1325	1118	1144					1175	_


- W Door frame clear width
- W1 Door frame rebate width
- W2 Door frame outer width
- $\mbox{W3}$ Door frame width with architraves (*for DIN frames, the width with 60 mm, 80 mm and 100 mm architraves)
- S1 Door leaf rebate width
- S2 Overall door leaf width

- H1 Door frame clear height
- H2 Door leaf height
- H3 Door frame outer height
- $\rm H4~$ Door frame height with architraves (*for DIN frames, the height with 60 mm, 80 mm and 100 mm architraves)
- WO Suggested installation opening width
- HO Suggested installation opening height

DOUBLE DOORS IN REBATED VERSION


LEFT-HAND DOUBLE DOORS

Active door leaf Inactive door leaf



RIGHT-HAND DOUBLE DOORS

Inactive door leaf Active door leaf



DOUBLE DOORS WITH FIXED DOOR FRAMES

	Width	W [mm]	W1 [mm]	W2 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	WO [mm]	HO [mm]
	60+60	1203	1224	1291	644+610				1310	
	70+60	1303	1324	1391	744+610				1410	
	70+70, 80+60	1403	1424	1491	744+710, 844+610				1510	
Fixed: MDF	90+60, 80+70	1503	1524	1591	944+610, 844+710	2019	2030	2063	1610	2075
	80+80, 90+70	1603	1624	1691	844+810, 944+710				1710	
	90+80	1703	1724	1791	944+810				1810	
	90+90	1803	1824	1891	944+910				1910	
	60+60	1201	1224	1289	644+610				1310	
	70+60	1301	1324	1389	744+610				1410	
	70+70, 80+60	1401	1424	1489	744+710, 844+610				1510	_
ixed: imber	90+60, 80+70	1501	1524	1589	944+610, 844+710	2017	2030	2061	1610	2075
imber	80+80, 90+70	1601	1624	1689	844+810, 944+710				1710	
	90+80	1701	1724	1789	944+810	-			1810	
	90+90	1801	1824	1889	944+910				1910	

DOUBLE DOORS WITH ADJUSTABLE DOOR FRAMES

	Width	W [mm]	W1 [mm]	W2 [mm]	W3 [mm] 60/80/100*	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	H4 [mm] 60/80/100*	WO [mm]	HO [mm]
	60+60	1170	1226	1194	1336	644+610					1194-1200	
	70+60	1270	1326	1294	1436	744+610					1294-1300	
	70+70, 80+60	1370	1426	1394	1536	744+710, 844+610					1394-1400	
STEEL FRAME ZOS CASING	90+60, 80+70	1470	1526	1494	1636	944+610, 844+710	2000	2030	2012	2078	1494-1500	2020
200 0, 101110	80+80, 90+70	1570	1626	1594	1736	844+810, 944+710					1594-1600	
	90+80	1670	1726	1694	1836	944+810					1694-1700	
	90+90	1770	1826	1794	1936	944+910					1794-1800	
	60+60	1203	1224	1247	1345/1385/1425	644+610					1290	-
	70+60	1303	1324	1347	1445/1485/1525	744+610					1390	
Adjustable door	70+70, 80+60	1403	1424	1447	1545/1585/1625	744+710, 844+610					1490	
frame	90+60, 80+70	1503	1524	1547	1645/1685/1725	944+610, 844+710	2017	2030	2039	2088/2108/2128	1590	2055
DIN, DUALE	80+80, 90+70	1603	1624	1647	1745/1785/1825	844+810, 944+710					1690	
	90+80	1703	1724	1747	1845/1885/1925	944+810					1790	
	90+90	1803	1824	1847	1945/1985/2025	944+910					1890	

KEY

W - Door frame clear width

W1 - Door frame rebate width

W2 - Door frame outer width
W3 - Door frame width with architraves (*for DIN frames, the width with
60 mm, 80 mm and 100 mm architraves)

S2 - Overall door leaf width

H1 - Door frame clear height


H2 - Door leaf height

H3 - Door frame outer height


H4 – Door frame height with architraves (*for DIN frames, the height with 60 mm, 80 mm and 100 mm architraves)


WO - Suggested installation opening width

HO - Suggested installation opening height



ACOUSTIC DOORS AND ACOUSTIC EI30, EI60 FIRE RATED DOORS IN REBATED VARIANT






ACOUSTIC DOORS

	Width	Door opening width [mm]	Door opening height [mm]	Frame outer width [mm]	Frame outer height [mm]	Suggested installation opening [mm] (W × H)
	80	801	2017	911	2071	930 × 2081
SINGLE DOORS	90	901	2017	1011	2071	1030 × 2081
SINGLE DOORS	100	1001	2017	1111	2071	1130 × 2081
	110	1101	2017	1211	2071	1230 × 2081

ACOUSTIC EI30, EI60 FIRE RATED DOORS

	Width	Door opening width [mm]	Door opening height [mm]	Frame outer width [mm]	Frame outer height [mm]	Suggested installation opening [mm] (W × H)
	80	801	2017	911	2071	930 × 2081
CINICI E DOODS	90	901	2017	1011	2071	1030 × 2081
SINGLE DOORS	100	1001	2017	1111	2071	1130 × 2081
	110	1101	2017	1211	2071	1230 × 2081


NON-REBATED DOOR IN SIMPLE SYSTEM



Width	Total width of S2 door leaf [mm]	
60	618	
70	718	
80	818	
90	918	
100	1018	



NON-REBATED SINGLE DOORS IN SIMPLE SYSTEM



SIMPLE NON-REBATED DOORS WITH FIXED FRAMES

	Width	W [mm]	W1 [mm]	W2 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	W0 [mm]	HO [mm]
	60	603	624	691	618				710	
	70	703	724	791	718				810	
Fixed: MDF	80	803	824	891	818	2019	2017	2063	910	2075
	90	903	924	991	918				1010	
	100	1003	1024	1091	1018				1110	
	60	601	624	689	618				710	
	70	701	724	789	718				810	
Fixed: timber	80	801	824	889	818	2017	2017 2061	2061	910	2075
	90	901	924	989	918				1010	_
	100	1001	1024	1089	1018				1110	

SIMPLE NON-REBATED DOORS WITH ADJUSTABLE FRAMES

	Width	W [mm]	W1 [mm]	W2 [mm]	W3 [mm] 60/80/100*	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	H4 [mm] 60/80/100*	WO [mm]	HO [mm]
	60	603	624	647	745/785/825	618					690	
A alicenta la la	70	703	724	747	845/885/925	718					790	
Adjustable DIN	80	803	824	847	945/985/1025	818	2017	2017	2039	2088/2108/2128	890	2055
door frame	90	903	924	947	1045/1085/1125	918					990	-
	100	1003	1024	1047	1145/1185/1225	1018					1090	

KEY

W - Door frame clear width

W1 - Door frame rebate width

W2 - Door frame outer width

W3 - Door frame width with architraves (*for DIN frames, the width with 60 mm, 80 mm and 100 mm architraves)

S2 - Overall door leaf width

H1 - Door frame clear height

H2 - Door leaf height


H3 - Door frame outer height

H4 - Door frame height with architraves (*for DIN frames, the height with 60 mm, 80 mm and 100 mm architraves)

W0 - Suggested installation opening width

HO - Suggested installation opening height

NON-REBATED DOUBLE DOORS IN SIMPLE SYSTEM



SIMPLE DOUBLE DOORS WITH FIXED FRAMES

	Width	W [mm]	W1 [mm]	W2 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	W0 [mm]	HO [mm]
	60+60	1237	1258	1325	631+631				1345	
	70+60	1337	1358	1425	731+731				1445	
	70+70, 80+60	1437	1458	1525	731+731, 831+631				1545	
Fixed: MDF	90+60, 80+70	1537	1558	1625	931+631, 831+731	2019	2017	2063	1645	2075
	80+80, 90+70	1637	1658	1725	831+831, 931+731				1745	
	90+80	1737	1758	1825	931+831				1845	
	90+90	1837	1858	1925	931+931				1945	
	60+60	1235	1258	1323	631+631				1345	
	70+60	1335	1358	1423	731+731				1445	
	70+70, 80+60	1435	1458	1523	731+731, 831+631				1545	
Fixed: timber	90+60, 80+70	1535	1558	1623	931+631, 831+731	2017	2017	2061	1645	2075
	80+80, 90+70	1635	1658	1723	831+831, 931+731				1745	
	90+80	1735	1758	1823	931+831				1845	
	90+90	1835	1858	1923	931+931				1945	

SIMPLE DOUBLE DOORS WITH ADJUSTABLE FRAMES

	Width	W [mm]	W1 [mm]	W2 [mm]	W3 [mm] 60/80/100*	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	H4 [mm] 60/80/100*	W0 [mm]	HO [mm]
	60+60	1237	1258	1281	1379/1419/1459	631+631					1320	
	70+60	1337	1358	1381	1479/1519/1559	731+631					1420	
	70+70, 80+60	1437	1458	1481	1579/1619/1659	731+731, 831+631					1520	
Adjustable DIN door frame	90+60, 80+70	1537	1558	1581	1679/1719/1759	931+631, 831+731	2017	2017	2039	2088/2108/2128	1620	2055
	80+80, 90+70	1637	1658	1681	1779/1819/1859	831+831, 931+731					1720	
	90+80	1737	1758	1781	1879/1919/1959	931+831					1820	
	90+90	1837	1858	1881	1979/2019/2059	931+931	_				1920	

KEY

W - Door frame clear width

W1 - Door frame rebate width

W2 - Door frame outer width

W3 - Door frame width with architraves (*for DIN frames, the width with 60 mm, 80 mm and 100 mm architraves)

S2 - Overall door leaf width

H1 - Door frame clear height


H2 - Door leaf height

H3 - Door frame outer height

H4 - Door frame height with architraves (*for DIN frames, the height with 60 mm, 80 mm and 100 mm architraves)
W0 - Suggested installation opening width

HO - Suggested installation opening height

REVERSED SWING DOORS



REVERSED SWING DOORS WITH DIN DOOR FRAME

Width	W [mm]	W2 [mm]	W3 [mm]	S2 [mm]	SO [mm]	H1 [mm]	H2 [mm]	H3 [mm]	H4 [mm]	HO [mm]
60	628	696	788	644	740					
70	728	796	888	744	840					
80	828	896	988	844	940	2028	2029	2062	2100	2075
90	928	996	1088	944	1040	2028	2029	2062	2108	2075
100	1028	1096	1188	1044	1140					
110	1128	1196	1288	1144	1240					

Reversed swing doors are produced shorter as standard. As a result, when installed next to a standard door, both door frames have the same outer height with the architraves. Bespoke sizes are also available.

W - Door frame clear width

W2 - Door frame outer width

W3 - Door frame width with architraves

SO - Suggested installation opening width
S2 - Overall door leaf width

H1 - Door frame clear height


H2 - Overall door leaf height


H3 - Door frame outer height

H4 - Door frame height with architraves

www.vivento.pl 223 Technical information

INVE VERSATILE DOORS





INVE VERSATILE DOORS

Width	W [mm]	W1 [mm]	W2 [mm]	W3 [mm]	S1 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	H4 [mm]	Suggested installation opening [mm]
60	603	626	647	745	618	644					675 × 2055
70	703	726	747	845	718	744	2020	2024		2002	775 × 2055
80	803	826	847	945	818	844	_ 2020	2024	2043	2092	875 × 2055
90	903	926	947	1045	918	944					975 × 2055

Further widths increase dimensions W, W1, W2, W3, S1 and S2 by 100 mm and are charged extra for the double leaf frame.

W - Door frame clear width W1 - Door frame rebate width

W2 - Door frame outer width

W3 - Door frame width with architraves

S1 - Door leaf rebate width

S2 - Overall door leaf width

H1 - Door frame clear height

H2 - Overall door leaf height


H3 - Door frame outer height

H4 - Door frame height with architraves

INVISIBLE - FLUSH WITH WALL DOORS

OUTSWING DOORS 180° - STANDARD

INSWING DOORS 90° - REVERSED-SWING




INVISIBLE - FLUSH WITH WALL DOORS

Туре	Door leaf height Hd [mm]	Construction opening height Ho [mm]	Frame outer height [mm]	Clear opening height Hp [mm]	Number of hinges
ext. 180° STANDARD	2020	2070	2062	2020	2
int. 90° REVERSED-SWING	2030	2080	2072	2030	2

Width	Door leaf	Construction opening			Clear opening width Sp [mm]		
width	width Sd [mm]	width So [mm]	width Sz [mm]	int. 90°	ext. 180°		
70	744	824	814	696	729		
80	844	924	914	796	829		
90	944	1024	1014	896	929		


WALL-MOUNTED SYSTEM SLIDING DOORS



→

WALL-MOUNTED SYSTEM SLIDING DOORS

Width	S2 [mm]	SO [mm]	H2 [mm]	Hcs [mm]	L [mm]
60	644	600			1300
70	744	700	2070		1500
80	844	800	2030	2098-2103	1800
90	944	900			2000



KEY

- S2 Overall door leaf width
- SO Construction opening width
- H2 Overall door leaf height
- Hcs Whole system size without door hangers (adjustment on carriages)
- Travel track length

When installing a sliding door leaf with a tunnel frame (drawing shows the DIN TUNEL frame), the door frame must be cut down to size from the bottom.


MAGIC WALL-MOUNTED SYSTEM SLIDING DOORS

MAGIC WALL-MOUNTED SYSTEM SLIDING DOORS


Width	S2 [mm]	SO [mm]	H2 [mm]	HO [mm]
80	844	626		
90	944	726	2070	1000
100	1044	826	2030	1990
110	1144	926		

KEY

- S2 Overall door leaf width
- SO Construction opening width
- H2 Overall door leaf height
- HO Construction opening height



LOFT WALL-MOUNTED SYSTEM SLIDING DOORS



LOFT WALL-MOUNTED SYSTEM SLIDING DOORS


Width	S2 [mm]	So [mm]	H2 [mm]	HO [mm]
60	644	600		
70	744	700	2070	2005
80	844	800	2030	2005
90	944	900		

KEY


- S2 Overall door leaf width
- SO Construction opening width
- H2 Overall door leaf height
- HO Construction opening height

POCKET SYSTEM SLIDING DOORS

SINGLE DOOR POCKET



DOUBLE DOOR POCKET







TABLE OF DIMENSIONS

Width	S2 [mm]	H2 [mm]	C [mm]	C' [mm]	D [mm]	E [mm]	E' [mm]	W3 [mm]	W3' [mm]	F [mm]	F' [mm]	Hk [mm]	H1 [mm]	H3 [mm]
60	644		1308	2516	653	603	1168	739	1304	635	1210			
70	744	2070	1508	2916	753	703	1368	839	1504	735	1410	0115	2070	2000
80	844	— 2030	1708	3316	853	803	1568	939	1704	835	1610	— 2115	2030	2098
90	944		1908	3716	953	903	1768	1039	1904	935	1810			

- S2 Total width of door leaf
- H2 Total height of door leaf
- C Total width of cassette
 C' Total width of cassette in double doors
- D Width of cassette pocket
- Clear opening width in cassette structure
- $\ensuremath{\mathsf{E}}'\ \ \mbox{-}$ Clear opening width in cassette structure in double doors
- W3 Cassette structure width including architraves
- W3'- Cassette structure width including architraves in double doors
- Clear opening width w/o cassette structure
- Clear opening width w/o cassette structure in double
- Total height of cassette
- H1 Height of cassette structure in clear opening
- H3 Outer height of cassette with the band

www.vivento.pl 227 Technical information

SWING - DOUBLE-ACTING DOORS



SWING - DOUBLE-ACTING SINGLE DOORS

Vidth	W [mm]	W1 [mm]	W2 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	W0 [mm]	H0 [mm]	
0	603	624	691	591				710		
0	703	724	791	691	2010	2005		2067	810	0075
0	803	824	891	791	2019	2005	2063	2063	910	2075
0	903	924	991	891				1010	_	
0	601	624	689	589		2005 2061		710		
0	701	724	789	689	2017			810	2075	
0	801	824	889	789	2017		2061	910	2075	
0	901	924	989	889				1010		
0		801	801 824	801 824 889	801 824 889 789	801 824 889 789	801 824 889 789	801 824 889 789 2017 2005 2061	801 824 889 789 2017 2005 2061 910	

SWING - DOUBLE-ACTING DOUBLE DOORS

	Width	W [mm]	W1 [mm]	W2 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	W0 [mm]	HO [mm
	60	603	624	691	584 (292+292)				710	
	70	703	724	791	684 (342+342)				810	
	80	803	824	891	784 (392+392)				910	
	90	903	924	991	884 (442+442)				1010	
	100	1003	1024	1091	984 (492+492)				1110	
	110	1103	1124	1191	1084 (542+542)				1210	
ixed: MDF	120	1203	1224	1291	1184 (592+592)	2019	2005	2063	1310	2075
	130	1303	1324	1391	1284 (642+642)				1410	
	140	1403	1424	1491	1384 (692+692)				1510	
	150	1503	1524	1591	1484 (742+742)				1610	
	160	1603	1624	1691	1584 (792+792)				1710	
	170	1703	1724	1791	1684 (842+842)				1810	
	180	1803	1824	1891	1784 (892+892)				1910	
	60	601	624	689	582 (291+291)				710	
	70	701	724	789	682 (341+341)				810	
	80	801	824	889	782 (391+391)				910	
	90	901	924	989	882 (441+441)				1010	
	100	1001	1024	1089	982 (491+491)				1110	
	110	1101	1124	1189	1082 (541+541)				1210	
ixed: imber	120	1201	1224	1289	1182 (591+591)	2017	2005	2061	1310	2075
	130	1301	1324	1389	1282 (641+641)				1410	
	140	1401	1424	1489	1382 (691+691)				1510	
	150	1501	1524	1589	1482 (741+741)				1610	
	160	1601	1624	1689	1582 (791+791)				1710	
	170	1701	1724	1789	1682 (841+841)	_			1810	
	180	1801	1824	1889	1782 (891+891)	_			1910	_

KEY

W - Door frame clear widthW1 - Door frame rebate width

W2 - Door frame outer width

W3 - Door frame width with architraves

S2 - Overall door leaf width

H1 - Door frame clear height

H2 - Door leaf height


H3 - Door frame outer height

H4 - Door frame height with architraves

WO - Suggested installation opening width

HO - Suggested installation opening height

FOLD - BIFOLD DOORS



"FOLD" left-handed

"FOLD" right-handed bifold doors

BIFOLD "FOLD" SINGLE DOORS

	Width	W [mm]	W2 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	WO [mm]	HO [mm]
	60	601	689	309+309				710	
	70	701	789	359+359				810	
Fixed: timber	80	801	889	409+409	2017	1989	2061	910	2075
timber	90	901	989	459+459	_			1010	
	100	1001	1089	509+509	_			1110	_

BIFOLD "FOLD" DOUBLE DOORS

	Width	W [mm]	W2 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	WO [mm]	HO [mm]
	110	1101	1189	(277+277)×2				1210	
	120	1201	1289	(302+302)×2				1310	
	130 1301 1389 (327+32	(327+327)×2				1410			
Fixed:	140	1401	1489	(352+352)×2	2017	1989	2061	1510	2075
timber	150	1501	1589	(377+377)×2		1989	2061	1610	2075
	160	1601	1689	(402+402)×2				1710	
	170	1701	1789	(427+427)×2				1810	
	180	1801	1889	(452+452)×2				1910	

W - Door frame clear width

W1 - Door frame rebate width

W2 - Door frame outer width

W3 - Door frame width with architraves

S2 - Overall door leaf width H1 - Door frame clear height

H2 - Door leaf height


H3 - Door frame outer height

H4 - Door frame height with architraves

WO - Suggested installation opening width HO - Suggested installation opening height

www.vivento.pl 229 Technical information

TIMBER FIXED DOOR FRAME




TIMBER FIXED DOOR FRAME

Width	W [mm]	W1 [mm]	W2 [mm]	S1 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	Suggested installation opening [mm]
60	601	624	689	618	644				710 × 2075
70	701	724	789	718	744	2017	- - 2017 2030 2061 -	2051	810 × 2075
80	801	824	889	818	844	201/		2061	910 × 2075
90	901	924	989	918	944				1010 × 2075

Further widths increase dimensions W, W1, W2, S1 and S2 by 100 mm and are charged extra for the double leaf frame.

FIXED MDF DOOR FRAME



FIXED MDF DOOR FRAME

Width	W [mm]	W1 [mm]	W2 [mm]	S1 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	Suggested installation opening [mm]
60	603	624	691	618	644		2070		710 × 2075
70	703	724	791	718	744	2010		2063	810 × 2075
80	803	824	891	818	844	2019	2030	2063	910 × 2075
90	903	924	991	918	944				1010 × 2075

Further widths increase dimensions W, W1, W2, S1 and S2 by 100 mm and are charged extra for the double leaf frame.

KEY

W - Door frame clear width

W1 - Door frame rebate width

S1 - Door leaf rebate width

W2 - Door frame outer width


S2 - Overall door leaf width

H1 - Door frame clear height


H2 - Overall door leaf height

H3 - Door frame outer height

ADJUSTABLE DOOR FRAME STEEL FRAME ZOS CASING



ZOS CONSTRUCTION



STEEL FRAME ZOS CASING

Width	W [mm]	W1 [mm]	W2 [mm]	W3 [mm]	S1 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	H4 [mm]	Suggested installation opening width [mm]
60	570	626	594	736	618	644					594-600
70	670	726	694	836	718	744	2000	2070	0010	2083	694-700
80	770	826	794	936	818	844	_ 2000	2030	2012	2083	794-800
90	870	926	894	1036	918	944					894-900

Further widths increase dimensions W, W1, W2, W3, S1 and S2 by 100 mm and are charged extra for the double leaf frame.

Adjustment range	X [mm]
60-80	60
80-100	80
100-120	100
120-140	120
X - (X+20)	X

KEY

W - Door frame clear width

W1 - Door frame rebate width

W2 - Door frame outer width

W3 - Door frame width with architraves

S1 - Door leaf rebate width

S2 - Overall door leaf width


H1 - Door frame clear height

H2 - Overall door leaf height

H3 - Door frame outer height

H4 - Door frame height with architraves

ADJUSTABLE DIN DOOR FRAME




ADJUSTABLE DIN DOOR FRAME

Width	W [mm]	W1 [mm]	W2 [mm]	W3 [mm]	S1 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	H4 [mm]	Suggested installation opening [mm]
60	603	624	647	745	618	644		2070		2088	675 × 2055
70	703	724	747	845	718	744	2017		2039		775 × 2055
80	803	824	847	945	818	844	2017 20	2030	30 2039	2088	875 × 2055
90	903	924	947	1045	918	944					975 × 2055

Adjustment range	X [mm]
60-75	60
80-100	80
100-120	100
120-140	120
X - (X+20)	Χ

Further widths increase dimensions W, W1, W2, W3, S1 and S2 by 100 mm and are charged extra for the double leaf frame.

"DUALE" DUAL-RANGE **ADJUSTABLE FRAME**



"DUALE" DUAL-RANGE ADJUSTABLE FRAME

W [mm]	W1 [mm]	W2 [mm]	W3 [mm]	S1 [mm]	S2 [mm]	H1 [mm]	H2 [mm]	H3 [mm]	H4 [mm]	Suggested installation opening [mm]
603	624	647	745	618	644	2017	2030			675 × 2055
703	724	747	845	718	744			2070	2000	775 × 2055
803	824	847	945	818	844			2039	2088	875 × 2055
903	924	947	1045	918	944					975 × 2055
	[mm] 603 703 803	[mm] [mm] 603 624 703 724 803 824	[mm] [mm] [mm] 603 624 647 703 724 747 803 824 847	[mm] [mm] [mm] [mm] 603 624 647 745 703 724 747 845 803 824 847 945	[mm] [mm] [mm] [mm] [mm] 603 624 647 745 618 703 724 747 845 718 803 824 847 945 818	[mm] [mm] [mm] [mm] [mm] [mm] 603 624 647 745 618 644 703 724 747 845 718 744 803 824 847 945 818 844	[mm] [mm] <th< td=""><td>[mm] [mm] <th< td=""><td>[mm] [mm] <th< td=""><td>[mm] [mm] <th< td=""></th<></td></th<></td></th<></td></th<>	[mm] [mm] <th< td=""><td>[mm] [mm] <th< td=""><td>[mm] [mm] <th< td=""></th<></td></th<></td></th<>	[mm] [mm] <th< td=""><td>[mm] [mm] <th< td=""></th<></td></th<>	[mm] [mm] <th< td=""></th<>

Adjustment range	X [mm]
100-140	100
140-180	140
180-220	180
220-260	220
260-300	260
300-340	300

Further widths increase dimensions W, W1, W2, W3, S1 and S2 by 100 mm and are charged extra for the double leaf frame.

W - Door frame clear width

W1 - Door frame rebate width

W2 - Door frame outer width

W3 - Door frame width with architraves

S1 - Door leaf rebate width

S2 - Overall door leaf width


H1 - Door frame clear height


H2 - Overall door leaf height


H3 - Door frame outer height

H4 - Door frame height with architraves

STEEL FIXED FRAME










STEEL FIXED FRAME

Width	W ₂	H ₃	W ₁ [mm]	H₂iH₄ [mm]	w	H ₁	Suggested installation opening [mm]	
	[mm]	[mm]			[mm]	[mm]	S _{o (min)}	H _{o (min)}
60	697		627		601		697	
70	797		727		701		797	
80	897		827		801		897	
90	997	2065	927	2030	901	2017	997	2065
100	1097		1027		1001		1097	
110	1197		1127		1101		1197	
120-200	1297-2097		1227-2027		1201-2001		1297-2097	

ANGLE FRAME - LARGE STEEL







ANGLE FRAME - LARGE STEEL

Width	W ₂	H ₃	W ₁ [mm]	H₂i H₄ [mm]	W	H ₁ [mm]	Suggested installation opening [mm]	
	[mm]	[mm]			[mm]		S _{o (min)}	H _{o (min)}
60	697		627		601		671	
70	797		727		701		771	
80	897		827		801		871	
90	997	2065	927	2030	901	2017	971	2052
100	1097		1027		1001		1071	
110	1197		1127		1101		1171	
120-200	1297-2097		1227-2027		1201-2001		1271-2071	

KEY

W2 - Door frame outer width

W1 - Door frame rebate width

W - Door frame clear width

SO - Wall opening width (+10 mm/-0 mm)

H4 - Door frame rebate height


H3 - Door frame outer height


H2 - Door leaf height


H1 - Door frame clearance height

HO - Wall opening height (+5 mm/-0 mm)

STEEL ADJUSTABLE FRAME







STEEL ADJUSTABLE FRAME

Width	W_2	H ₃	W ₁	H ₄	H ₂	W [mm]	H ₁	Suggested installation opening [mm]		
	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	S _{o (min)}	H _{o (min)}	
60	717		627		2030	601		684	2033	
70	817		727			701		784		
80	917		827			801		884		
90	1017	2075	927	2030		901	2017	984		
100	1117		1027			1001		1084		
110	1217		1127			1101		1184		
120-200	1317-2117		1227-2027			1201-2001		1284-2084		

KEY

W2 - Door frame outer width

W1 - Door frame rebate width

W - Door frame clear width

SO - Wall opening width (+10 mm/-0 mm)

H4 - Door frame rebate height


H3 - Door frame outer height

H2 - Door leaf height

H1 - Door frame clear height


HO - Wall opening height (+5 mm/-0 mm)

HEAD CASING FOR DIN ADJUSTABLE FRAME



B2B panel for VIVENTO partners

Order products at any time of day and from every location. Use the product configuration tool, check the status of orders and manage payments.



We are pleased to provide you with a modern VIVENTO ordering system to make our cooperation even more efficient.

The benefits in store for you in the VIVENTO B2B Panel:



orders 24/7



quick access to news



offer preparation



order status



payment control



order and invoice history










VIVENTØ

33-260 Gręboszów 160 Tel.: 14 641 60 88; 14 641 60 83 Fax: 14 641 60 56 e-mail: info@vivento.pl NIP (tax ID): 871 176 36 76 www.vivento.pl

The catalogue is valid as of 10 February 2023.





The catalogue gives prices in PLN excl./(inc.) VAT. The catalogue is not an offer in legal terms and is published for reference. The information contained in the catalogue is current at the time of publication. The manufacturer reserves the right to make changes and improvements to the products in the range without prior notice. The product designs shown are as per the Polish standard width "80". Other sizes alter product appearance (glazing size and arrangement, lock and hinge positions). Please make your colour choice using colour fan decks available at our points of sale. Our products comply with all standards arising from mandatory regulations. Door package includes a door leaf only, while a door frame, handle or architraves are separate products that make a complete door set together with the door leaf.